

# ISO 3382-2:2008-06 (E)

## Acoustics - Measurement of room acoustic parameters - Part 2: Reverberation time in ordinary rooms

---

| <b>Contents</b>   |   | <b>Page</b> |
|---|---|-------------|
| Foreword .....  |   | iv          |
| Introduction .....  |   | v           |
| 1   | Scope .....   | 1           |
| 2   | Normative references .....  | 1           |
| 3   | Terms and definitions .....   | 1           |
| 4   | Measurement conditions .....  | 2           |
| 4.1   | General .....   | 2           |
| 4.2   | Equipment .....   | 3           |
| 4.3   | Measurement positions .....   | 4           |
| 5   | Measurement procedures .....  | 5           |
| 5.1   | General .....   | 5           |
| 5.2   | Interrupted noise method .....  | 5           |
| 5.3   | Integrated impulse response method .....                              | 6           |
| 6   | Evaluation of decay curves .....                                      | 7           |
| 7   | Measurement uncertainty .....   | 7           |
| 7.1   | Interrupted noise method .....  | 7           |
| 7.2   | Integrated impulse response method .....                              | 8           |
| 7.3   | Lower limits for reliable results caused by filter and detector ..... | 8           |
| 8   | Spatial averaging .....   | 8           |
| 9   | Statement of results .....  | 9           |
| 9.1   | Tables and curves .....   | 9           |
| 9.2   | Test report .....   | 9           |
| Annex A (informative) Measurement uncertainty .....                   |   | 10          |
| Annex B (informative) Evaluation of non-linear decay curves .....     |   | 14          |
| Annex C (informative) Formulas for the least-squares fit method ..... |   | 16          |
| Bibliography .....  |   | 17          |