

# ISO 3743-2:2018-02 (E)

## Acoustics - Determination of sound power levels of noise sources using sound pressure - Engineering methods for small, movable sources in reverberant fields - Part 2: Methods for special reverberation test rooms

---

### Contents

	Page
Foreword .....	v
Introduction .....	vi
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions .....	1
4 Principle .....	2
5 Noise source .....	2
6 Requirements for special reverberation test room .....	2
6.1 General .....	2
6.2 Volume of test room .....	2
6.3 Reverberation time of test room .....	3
6.4 Surface treatment .....	3
6.5 Criterion for background noise .....	3
6.6 Criteria for temperature and humidity .....	4
6.7 Evaluation of suitability of test room .....	4
7 Instrumentation .....	5
7.1 General .....	5
7.2 Microphone and its associated cable .....	5
7.3 Amplifier and weighting network .....	5
7.4 Octave-band filters .....	6
7.5 Squaring and averaging circuits and indicating device .....	6
7.6 Frequency response of the instrumentation system .....	6
7.7 Calibration .....	6
8 Installation and operation of source under test .....	6
8.1 General .....	6
8.2 Source location .....	6
8.3 Source mounting .....	7
8.4 Auxiliary equipment .....	7
8.5 Operation of source during the test .....	7
9 Measurements in test room .....	8
9.1 General .....	8
9.2 Period of observation .....	8
9.3 Microphone positions .....	8
9.4 Number of microphones and source positions .....	8
9.5 Criteria for the presence of spectral irregularities .....	10
9.6 Averaging technique with moving microphones .....	10
9.6.1 General .....	10
9.6.2 Path length for continuous averaging .....	10
9.6.3 Location of path within test room .....	10
9.6.4 Speed of traverse .....	10
9.7 Array of fixed microphones .....	11
9.8 Correction for background sound pressure levels .....	11
10 Calculation of sound power levels .....	11
10.1 Calculation of mean band pressure levels .....	11
10.2 Direct method for determining sound power levels .....	12
10.3 Comparison method for determining band power levels .....	12
10.4 A-weighted sound power levels determined by the comparison method .....	13

<b>11</b>	<b>Measurement uncertainty .....</b>	<b>13</b>
11.1	Methodology .....	13
11.2	Determination of $\sigma_{omc}$ .....	14
11.3	Determination of $\sigma_{R0}$ .....	14
11.3.1	General .....	14
11.3.2	Round robin test .....	14
11.3.3	Modelling approach for $\sigma_{R0}$ .....	15
11.4	Typical upper bound values of $\sigma_{R0}$ .....	15
11.5	Total standard deviation $\sigma_{tot}$ and expanded uncertainty $U$ .....	16
<b>12</b>	<b>Information to be recorded .....</b>	<b>16</b>
12.1	General .....	16
12.2	Sound source under test .....	16
12.3	Acoustical environment .....	17
12.4	Instrumentation .....	17
12.5	Acoustical data .....	17
<b>13</b>	<b>Information to be reported .....</b>	<b>17</b>
<b>Annex A (normative) Characteristics and calibration of reference sound source</b>		<b>18</b>
<b>Annex B (informative) Guidelines for the design of special reverberation test rooms</b>		<b>19</b>
<b>Annex C (informative) Examples of suitable instrumentation systems</b>		<b>24</b>
<b>Annex D (informative) Guidance on the development of information on measurement uncertainty .....</b>		<b>26</b>
<b>Annex E (normative) Sound power level under reference meteorological conditions</b>		<b>36</b>
<b>Annex F (normative) Calculation of A-weighted sound power levels from octave band levels .....</b>		<b>37</b>
<b>Bibliography .....</b>		<b>38</b>