

ISO 3743-2:2018-02 (E)

Acoustics - Determination of sound power levels of noise sources using sound pressure - Engineering methods for small, movable sources in reverberant fields - Part 2: Methods for special reverberation test rooms

| Contents | | Page |
|-----------------|------------------------------------------------------------------------------|-------------|
| | Foreword | v |
| | Introduction | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Principle | 2 |
| 5 | Noise source | 2 |
| 6 | Requirements for special reverberation test room | 2 |
| | 6.1 General | 2 |
| | 6.2 Volume of test room | 2 |
| | 6.3 Reverberation time of test room | 3 |
| | 6.4 Surface treatment | 3 |
| | 6.5 Criterion for background noise | 3 |
| | 6.6 Criteria for temperature and humidity | 4 |
| | 6.7 Evaluation of suitability of test room | 4 |
| 7 | Instrumentation | 5 |
| | 7.1 General | 5 |
| | 7.2 Microphone and its associated cable | 5 |
| | 7.3 Amplifier and weighting network | 5 |
| | 7.4 Octave-band filters | 6 |
| | 7.5 Squaring and averaging circuits and indicating device | 6 |
| | 7.6 Frequency response of the instrumentation system | 6 |
| | 7.7 Calibration | 6 |
| 8 | Installation and operation of source under test | 6 |
| | 8.1 General | 6 |
| | 8.2 Source location | 6 |
| | 8.3 Source mounting | 7 |
| | 8.4 Auxiliary equipment | 7 |
| | 8.5 Operation of source during the test | 7 |
| 9 | Measurements in test room | 8 |
| | 9.1 General | 8 |
| | 9.2 Period of observation | 8 |
| | 9.3 Microphone positions | 8 |
| | 9.4 Number of microphones and source positions | 8 |
| | 9.5 Criteria for the presence of spectral irregularities | 10 |
| | 9.6 Averaging technique with moving microphones | 10 |
| | 9.6.1 General | 10 |
| | 9.6.2 Path length for continuous averaging | 10 |
| | 9.6.3 Location of path within test room | 10 |
| | 9.6.4 Speed of traverse | 10 |
| | 9.7 Array of fixed microphones | 11 |
| | 9.8 Correction for background sound pressure levels | 11 |
| 10 | Calculation of sound power levels | 11 |
| | 10.1 Calculation of mean band pressure levels | 11 |
| | 10.2 Direct method for determining sound power levels | 12 |
| | 10.3 Comparison method for determining band power levels | 12 |
| | 10.4 A-weighted sound power levels determined by the comparison method | 13 |

| | | |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-----------|
| 11 | Measurement uncertainty | 13 |
| 11.1 | Methodology..... | 13 |
| 11.2 | Determination of σ_{omc} | 14 |
| 11.3 | Determination of σ_{R0} | 14 |
| | 11.3.1 General..... | 14 |
| | 11.3.2 Round robin test..... | 14 |
| | 11.3.3 Modelling approach for σ_{R0} | 15 |
| 11.4 | Typical upper bound values of σ_{R0} | 15 |
| 11.5 | Total standard deviation σ_{tot} and expanded uncertainty U | 16 |
| 12 | Information to be recorded | 16 |
| 12.1 | General..... | 16 |
| 12.2 | Sound source under test..... | 16 |
| 12.3 | Acoustical environment..... | 17 |
| 12.4 | Instrumentation..... | 17 |
| 12.5 | Acoustical data..... | 17 |
| 13 | Information to be reported | 17 |
| Annex A (normative) Characteristics and calibration of reference sound source | | 18 |
| Annex B (informative) Guidelines for the design of special reverberation test rooms | | 19 |
| Annex C (informative) Examples of suitable instrumentation systems | | 24 |
| Annex D (informative) Guidance on the development of information on measurement uncertainty | | 26 |
| Annex E (normative) Sound power level under reference meteorological conditions | | 36 |
| Annex F (normative) Calculation of A-weighted sound power levels from octave band levels | | 37 |
| Bibliography | | 38 |