## **DIN ISO 362-3:2021-11 (E)**

Measurement of noise emitted by accelerating road vehicles - Engineering method - Part 3: Indoor testing M and N categories (ISO 362-3:2016)

Co	Contents				
Nati	ional fo	reword	4		
Nati	ional An	nnex NA (informative) Bibliography	5		
		on			
		e			
1	Normative references				
2					
3		ns and definitions	9		
4	Symbols and abbreviated terms				
5	Acceleration for vehicles of categories M1 and M2 having a maximum authorized mass not exceeding 3 500 kg, and of category N1				
	5.1	General			
		5.1.2 Calculation of total engine power			
		5.1.3 Battery state of charge	12		
	5.2	Calculation of acceleration			
		transmission (CVT) tested with locked gear ratios			
	5.3	Calculation of the target acceleration			
	5.4 5.5	Calculation of the reference accelerationPartial power factor, kp			
6		umentation			
O	6.1	Instruments for acoustical measurement			
	0.1	6.1.1 General	13		
		6.1.2 Calibration			
	6.2 6.3	Conformity with requirements  Instrumentation for speed measurement			
	6.4	Meteorological instrumentation			
7		room requirements			
	7.1	General			
	7.2	Test room dimensions			
	7.3	Acoustical qualification of the room			
		7.3.1 General 7.3.2 Validation of free-field conditions			
		7.3.3 Qualification procedure			
	7.4	Condition of the floor			
	7.5	Cooling, ventilation, air temperature, exhaust gas management			
	7.6	Background noise			
8	Dynamometer requirements				
	8.1 8.2	Type of texture of the rollers			
	8.3	Reproducibility of the pass-by dynamics			
	8.4	Single-axle or multi-axle operation			
	8.5	Noise emission limit under operating conditions produced by the dynamometer rollers	23		

9	Test p	procedures	
	9.1	General	
	9.2	Microphone array — Hardware and software	
	9.3	Vehicle fixing system	24
	9.4	Conditions of the vehicle	24
		9.4.1 General conditions	24
		9.4.2 Test mass of the vehicle	24
		9.4.3 Tyre selection and tyre condition	25
	9.5	Operating conditions	26
		9.5.1 Vehicles of categories M1, M2 having a maximum authorized mass exceeding 3 500 kg, and N1	26
		9.5.2 Vehicles of categories M2 having a maximum authorized mass exc 3 500 kg, M3, N2 and N3	eeding 26
	9.6	Measurement readings and reported values	27
		9.6.1 General	
		9.6.2 Data compilation	
		9.6.3 Vehicles of categories M1 and M2 having a maximum authorized rexceeding 3 500 kg, and of category N1	nass not
		9.6.4 Vehicles of categories M2 having a maximum authorized mass exc 3 500 kg, M3, N2, and N3	eeding
	9.7	Measurement uncertainty	
10	Test 1	methods and test report	29
	10.1	General	29
	10.2	Variant A	29
		10.2.1 General	29
		10.2.2 Power train noise	29
		10.2.3 Tyre/road noise	29
		10.2.4 Calculation of the total vehicle noise using variant A	30
	10.3	Test report	30
Anne	x A (no	rmative) <b>Validation of method</b>	
Anne		rmative) <b>Procedure for measurement, evaluation, and calculation of tyr when using variant A</b>	
Anne	<b>x C</b> (inf	formative) <b>Procedure for measurement, evaluation, and calculation of ty</b>	re/
	road	noise when using variant B	48
Anne		formative) Measurement uncertainty — Framework for analysis accordi EC Guide 98-3	
Anne	•	formative) Room length deviation from recommendation	
Bibli	ogranh	y	58
	~ > ~ ~ PIII	J	