DIN EN ISO 11202:2023-02 (E)

Acoustics - Noise emitted by machinery and equipment - Determination of emission sound pressure levels at a work station and at other specified positions applying approximate environmental corrections (ISO 11202:2010 + Amd.1:2020) (includes Amendment :2021)

Contents

Page

Foreword ... 5

〉A1〈 European foreword to Amendment A1 〉A1〈 ... 6

〉A1〈 Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered 〉A1〈 ... 7

〉A1〈 Foreword to Amendment 1 〉A1〈 ... 8

Introduction ... 9

1 Scope ... 10
1.1 General ... 10
1.2 Types of noise and noise sources ... 10
1.3 Test environment ... 10
1.4 Work station and other specified positions ... 11

2 Normative references ... 11

3 Terms and definitions ... 12

4 Instrumentation ... 17
4.1 General ... 17
4.2 Calibration ... 17

5 Procedures to determine the local environmental correction, K_{3A} ... 17
5.1 General ... 17
5.2 Identifiable dominant source ... 17
5.3 Dominant source not identifiable ... 18
5.4 Selection of method to be used ... 18

6 Test environment ... 18
6.1 General ... 18
6.2 Criterion for the adequacy of the test environment ... 18
6.3 Enclosed work station positions ... 18
6.4 Criteria for background noise ... 19
6.4.1 General ... 19
6.4.2 Corrections for background noise ... 19
6.5 Ambient conditions during measurements ... 20

7 Measured quantities ... 20

8 Quantities to be determined ... 20

9 Mounting and operation of source under test ... 21
9.1 General ... 21
9.2 Location of source ... 21
9.3 Mounting of source ... 22
9.3.1 General ... 22
9.3.2 Hand-held machines ... 22
9.3.3 Base-mounted and wall-mounted machines ... 22
9.4 Auxiliary equipment ... 22
9.5 Operation of source during test ... 23

10 Microphone positions 23
10.1 General 23
10.2 Microphone position(s) for a seated operator 24
10.3 Microphone position(s) for a standing, stationary operator 24
10.4 Microphone position(s) for an operator moving along a specified path 24
10.5 Microphone positions for bystanders and for unattended machines 24
11 Measurements 25
11.1 Measurement time interval 25
11.1.1 General 25
11.1.2 Steady noise 25
11.1.3 Non-steady noise 25
11.1.4 Measurements in frequency bands 25
11.1.5 Summarization of sub-measurement time intervals 26
11.2 Measurement procedure 26
11.2.1 General 26
11.2.2 Repetition of measurements 26
11.2.3 Procedure for impulsive noise 26
12 Measurement uncertainty 27
12.1 Methodology 27
12.2 Determination of σ_{omc} 27
12.3 Determination of σ_{R0} 28
12.3.1 General 28
12.3.2 Round robin test 28
12.3.3 Modelling approach for σ_{R0} 29
12.4 Typical upper bound values of σ_{R0} 29
12.5 Total standard deviation, σ_{tot}, and expanded uncertainty, U 29
13 Information to be recorded 30
13.1 General 30
13.2 Source under test 30
13.3 Test conditions 30
13.4 Acoustic environment 31
13.5 Instrumentation 31
13.6 Location of work station(s) 31
13.7 Noise data 31
14 Test report 32
Annex A (normative) Environmental correction for a work station — Determination of the local environmental correction, K_3 33
A.1 Local environmental correction for a localized and well-defined sound-radiating area of the machine surface 33
A.1.1 General 33
A.1.2 Determination of the local environmental correction, K_3 33
A.1.3 Grade of accuracy 34
A.2 Local environmental correction with approximate determination of the apparent work station directivity index 35
A.2.1 General 35
A.2.2 Approximate determination of the apparent work station directivity index 35
A.2.3 Determination of the environmental correction, K_2 35
A.2.4 Determination of the local environmental correction, K_3 36
A.2.5 Grade of accuracy 37

Annex B (normative) Criteria for background noise for measurements in frequency bands 39
B.1 Absolute criteria for background noise 39
B.2 Relative criteria for frequency band measurements 39
B.3 Relative criteria for A-weighted level determined from frequency band levels 39
B.4 Failure to meet relevant criteria 39
Annex C (informative) Guidance on the development of information on measurement uncertainty 41
C.1 General 41
C.2 Considerations on the total standard deviation, σ_{tot} 41
C.3 Considerations on σ_{omc} 41
C.4 Considerations on σ_{R0} 43
C.4.1 General 43
C.4.2 [A1⟩ Contributions to the uncertainty, σ_{R0}, when the estimate of the local environmental correction, K_3, is based on a localized and well-defined sound-radiating area of the machine surface ⟨A1] 43
C.4.3 [A1⟩ Contributions to the uncertainty, σ_{R0}, when the estimate of the local environmental correction, K_3, is based on an approximate determination of the apparent work station directivity index ⟨A1] 46
C.5 Combined standard uncertainty 48
C.6 Measurement uncertainty based on reproducibility data 48
Annex D (informative) Principles of the methodology 49
Annex E (informative) Example of a test table 50
Bibliography 51