DIN EN ISO 8041-2:2022-02 (E)

Human response to vibration - Measuring instrumentation - Par t 2: Personal vibration exposure meters (ISO 8041-2:2021)

Contents

Page

European foreword 5

Foreword 6

Introduction 7

1 Scope 8

2 Normative references 8

3 Termsanddefinitions 9

4 Reference environmental conditions 11

5 Performancespecifications 11
5.1 General characteristics 11
5.1.1 Common characteristics 11
5.1.2 Special characteristics for whole-body vibration measurement 13
5.1.3 Special characteristics for hand-arm vibration measurement 13
5.2 Display 13
5.3 Electrical output 14
5.4 Vibration sensitivity 14
5.5 Accuracy of indication at reference frequency under reference conditions 14
5.6 Frequency weightings and frequency responses 15
5.6.1 Parameters 15
5.6.2 Band-limiting filter 16
5.6.3 a-v transition filter 16
5.6.4 Upward-step filter 16
5.6.5 Overall frequency weighting 16
5.6.6 Tolerances 17
5.7 Amplitude linearity 18
5.8 Instrument noise 18
5.9 Signal-burst response 18
5.10 Overload indication 21
5.11 Under-range indication 22
5.12 Time averaging 22
5.13 Running RMS acceleration 22
5.14 Clearance of data and instrument state (named reset) 22
5.15 Timing facilities 22
5.16 Electrical cross-talk 22
5.17 Vibration transducer characteristics 22
5.18 Power supply 22
5.19 Operator detection system 23
5.20 Detection of transient acceleration artefacts 23
5.21 Logging capabilities 23
5.22 Contact force measurement 24
5.23 Warning indication 24
5.23.1 General 24
5.23.2 Mandatory warning indications 24
5.23.3 Optional warning indications 24
5.24 Human interface and ergonomic aspects 25

6 Mounting 26

7 Environmental and electromagnetic criteria 26
7.1 General 26
7.2 Air temperature 26
7.3 Surface temperature 26
7.4 Electrostatic discharge 26
7.5 Radio-frequency emissions and public-power-supply disturbances 27
7.6 Immunity to AC power-frequency fields and radio-frequency fields 27
7.7 Ingress of water and dust 28

8 Provision for use with auxiliary devices 28

9 Instrument marking 28

10 Instrument documentation 29

11 Performance testing 29

12 Pattern evaluation 30
12.1 General 30
12.2 Testing requirements 31
12.3 Submission for testing 31
12.4 Marking of the instrument and information in the instrument documentation 31
12.5 Mandatory facilities and general requirements 32
12.6 Initial instrument preparation 32
12.7 Indication at the reference frequency under reference conditions 32
12.8 Electrical cross-talk 33
12.9 Vibration transducer 33
12.10 Amplitude linearity 33
12.10.1 Electrical tests of amplitude linearity 33
12.10.2 Mechanical tests of amplitude linearity 34
12.11 Frequency weightings and frequency responses 35
12.11.1 General 35
12.11.2 Mechanical tests of frequency response 36
12.11.3 Electrical tests of frequency response 37
12.11.4 Conformance 38
12.12 Instrument noise 38
12.13 Signal-burst response 38
12.14 Overload indication 39
12.15 Reset 39
12.16 Combined axis outputs 39
12.17 AC electrical output 39
12.18 Timing facilities 39
12.19 Power supply 39
12.20 Environmental, electrostatic and radio-frequency tests 40
12.20.1 General 40
12.20.2 Expanded uncertainties for measurements of environmental conditions 40
12.20.3 Acclimatization requirements for tests of the influence of air temperature and relative humidity 40
12.20.4 Test of the influence of air temperature and relative humidity combined 40
12.20.5 Influence of surface temperature 41
12.20.6 Influence of electrostatic discharges 41
12.20.7 Radio-frequency emissions and public-power-supply disturbances 42
12.20.8 Immunity to AC power-frequency fields and radio-frequency fields 42
12.21 Operator detection system 43
12.22 Logging capabilities 43
12.23 Warning indication (mandatory warnings) 44
12.24 Test report 44

13 Periodicverification 44

13.1 General 44
13.2 Testing requirements 45
13.3 Test object 45
13.4 Submission for testing 45
13.5 Preliminary inspection 45
13.6 Marking of the instrument and information in the instrument documentation 45
13.7 Test procedure 46
13.8 Test parameters 46
13.8.1 Vibration measurement chain for hand-arm vibration 46
13.8.2 Vibration measurement chain for whole-body vibration 47
13.8.3 Vibration measurement chain low-frequency whole-body vibration 47
13.9 Conducting the test 47
13.10 Test report 48

14 In-situ check 48
14.1 General 48
14.2 Preliminary inspection 48
14.3 Vibration sensitivity (field calibration) 48

Annex A (informative) Treatment of transient acceleration artefacts 50

Annex B (informative)Influenceofcouplingforceonhand-armvibrationevaluation 55

Annex C (informative) Human interface 59

Bibliography 60