ISO 13091-2:2021 (E)

Mechanical vibration — Vibrotactile perception thresholds for the assessment of nerve dysfunction — Part 2: Analysis and interpretation of measurements at the fingertips

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions
3.2 Symbols and abbreviated terms

4 Treatment of vibrotactile perception thresholds

4.1 General
4.2 Mean value of repeated measurements
4.3 Test/retest variability of threshold measurements
4.4 Treatment of unresolved errors
4.5 Treatment of suspected increase in test/retest variability

5 Calculation of threshold shift

5.1 General
5.2 Relative threshold shift
5.3 Reference threshold shift
5.4 Mean value of threshold shift
5.5 Tactogram
5.6 Consistency of threshold shifts
5.7 Mean mechanoreceptor population threshold shift

6 Interpretation of vibrotactile perception thresholds and threshold shifts

6.1 General
6.2 Measurement error and statistical significance of observed VPTs
6.3 Measurement error and statistical significance of relative threshold shifts
6.4 Vibrotactile perception thresholds for healthy persons
6.5 Deviations from the VPTs of healthy persons
6.6 Physiological and clinical implications of changes in VPTs

Annex A (informative) Vibrotactile perception thresholds for healthy persons

Annex B (informative) Implications of changes in vibration perception thresholds

B.1 Use in clinical medicine
B.2 Tactile physiology and threshold shifts
B.3 Association between VPTs, common clinical tests and nerve conduction
B.4 Association between threshold shifts and hand function
B.5 Acute threshold shifts and temporary changes in hand function

Page count: 26