

ISO 21940-21:2022-11 (E)

Mechanical vibration - Rotor balancing - Part 21: Description and evaluation of balancing machines

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Capacity and performance data of the balancing machine	1
4.1	General	1
4.2	Data for horizontal balancing machines	1
4.2.1	Rotor mass and unbalance limitations	1
4.2.2	Production efficiency	2
4.2.3	Rotor dimensions	3
4.2.4	Balancing machine drive data	4
4.2.5	Torque	4
4.2.6	Type of rotor drive	5
4.2.7	Brake	5
4.2.8	Motor and controls	5
4.2.9	Speed regulation	5
4.2.10	Couple moment interference ratio, I_{sc}	5
4.2.11	Air pressure requirements	5
4.3	Data for vertical balancing machines	5
4.3.1	Rotor mass and unbalance limitations	5
4.3.2	Production efficiency	6
4.3.3	Rotor dimensions	6
4.3.4	Balancing machine drive data	8
4.3.5	Torque	8
4.3.6	Type of drive to rotor	8
4.3.7	Brake	8
4.3.8	Motor and controls	8
4.3.9	Speed regulation	8
4.3.10	Couple moment interference ratio	8
4.3.11	Air pressure requirements	8
5	Machine features	8
5.1	Principle of operation	8
5.2	Machine arrangement	8
5.3	Measuring system	9
5.3.1	General	9
5.3.2	Unbalance indicators	9
5.3.3	Additional features	9
5.3.4	Operation of the indicating system	10
5.4	Plane separation system	10
5.4.1	Multi-plane balancing machines	10
5.4.2	Single-plane horizontal or vertical balancing machines	10
5.5	Setting and calibration of the measuring system	10
5.5.1	General	10
5.5.2	Soft-bearing machines	11

5.5.3	Hard-bearing machines	11
6	Production efficiency	11
6.1	General	11
6.2	Time per balance cycle	12
6.3	Unbalance reduction ratio, RUR	13
7	Performance qualifying factors	14
8	Installation requirements	14
8.1	General	14
8.2	Supply requirements	14
8.3	Foundation	15
9	Proving rotors and test masses	15
9.1	General	15
9.2	Standardized proving rotors	15
9.3	User defined proving rotors	17
9.4	Test masses	17
9.4.1	General	17
9.4.2	Umar test masses	24
9.4.3	RUR test masses	25
9.4.4	Permissible test mass errors	26
9.4.5	Material	27
10	Balance machine verification tests	27
10.1	General	27
10.2	Requirements for evaluating balance machine performance	28
10.3	Test speed	29
10.4	Test for establishing the minimum achievable residual unbalance, Umar	29
10.4.1	General	29
10.4.2	Initial balancing machine setting	29
10.4.3	Unbalance added	31
10.4.4	Readings	32
10.4.5	Correction	32
10.4.6	Reference change	32
10.4.7	Plane setting for Umar test	32
10.4.8	Test runs	32
10.4.9	Umar evaluation	32
10.5	Test for unbalance reduction ratio, RUR	33
10.5.1	RUR tests on single-plane balancing machines	33
10.5.2	RUR tests on two-plane balancing machines	33
10.5.3	General	33
10.5.4	Test data sheet completion	36
10.5.5	Plane setting	36
10.5.6	RUR test runs	36
10.5.7	Plotting RUR test data	37
10.5.8	Evaluation	41
10.6	Test for couple moment interference on single-plane machines	42
10.6.1	Starting point	42
10.6.2	Procedure	42
10.6.3	Evaluation	42
10.7	Compensator test	42
10.7.1	Initial point	42
10.7.2	Procedure	42
10.7.3	Evaluation	43
10.8	Simplified tests	43
10.8.1	General	43
10.8.2	Simplified Umar test	43
10.8.3	Simplified RUR test	44

Annex A (informative) Information provided by the user to the balancing machine manufacturer	45
Annex B (informative) RUR limit diagrams	51
Annex C (informative) Shafts of outboard Type C proving rotors	54
Annex D (informative) User defined proving rotors for special cases including using a user production part	56
Annex E (informative) Modifications to proving rotors prepared in accordance with ISO 2953 to this document	57
Annex F (informative) Optional repeatability test	59
Annex G (informative) Optional speed range test	61
Bibliography	62