

ISO 19085-7:2019 (E)

Woodworking machines — Safety — Part 7: Surface planing, thickness planing, combined surface/thickness planing machines

Contents

| | |
|---------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | List of significant hazards |
| 5 | Safety requirements and measures for controls |
| 5.1 | Safety and reliability of control systems |
| 5.2 | Control devices |
| 5.3 | Start |
| 5.4 | Safe stops |
| 5.4.1 | General |
| 5.4.2 | Normal stop |
| 5.4.3 | Operational stop |
| 5.4.4 | Emergency stop |
| 5.5 | Braking function of tool spindles |
| 5.6 | Mode selection |
| 5.7 | Spindle speed changing |
| 5.7.1 | Spindle speed changing by changing belts on the pulleys |
| 5.7.2 | Spindle speed changing by incremental speed change motor |
| 5.7.3 | Infinitely variable speed change by frequency inverter |
| 5.8 | Failure of any power supply |
| 5.9 | Manual reset control |
| 5.10 | Enabling control |
| 5.11 | Machine moving part speed monitoring |
| 5.12 | Time delay |
| 5.13 | Power-operated adjustment of tables |
| 6 | Safety requirements and measures for protection against mechanical hazards |
| 6.1 | Stability |
| 6.1.1 | Stationary machines |
| 6.1.2 | Displaceable machines |
| 6.2 | Risk of break-up during operation |
| 6.3 | Tool holder and tool design |
| 6.3.1 | General |
| 6.3.2 | Spindle locking |
| 6.3.3 | Circular saw blade fixing device |
| 6.3.4 | Flange dimension for circular saw blades |
| 6.4 | Braking |
| 6.4.1 | Braking of tool spindles |
| 6.4.2 | Maximum run-down time |
| 6.4.3 | Brake release |
| 6.5 | Safeguards |
| 6.5.1 | Fixed guards |
| 6.5.2 | Interlocking moveable guards |
| 6.5.2.1 | General |
| 6.5.2.2 | Moveable guards with interlocking without guard locking |

- 6.5.2.3 Moveable guards with interlocking and guard locking
- 6.5.3 Hold-to-run control
- 6.5.4 Two-hand control
- 6.5.5 Electro-sensitive protective equipment (ESPE)
- 6.5.6 Pressure sensitive protective equipment (PSPE)
- 6.6 Prevention of access to moving parts
 - 6.6.1 General
 - 6.6.2 Guarding of tools
 - 6.6.2.1 Cutterblock guarding during surface planing
 - 6.6.2.1.1 General
 - 6.6.2.1.2 Guarding above the surface planing tables
 - 6.6.2.1.2.1 Guarding at the front side of the fence
 - 6.6.2.1.2.2 Guarding at the rear of the fence
 - 6.6.2.1.3 Guarding below the surface planing tables
 - 6.6.2.2 Guarding the cutterblock and the feed mechanism during thickness planing
 - 6.6.2.3 Guarding during mortising
 - 6.6.3 Guarding of drives
 - 6.6.4 Guarding of shearing and/or crushing zones
- 6.7 Impact hazard
- 6.8 Clamping devices
- 6.9 Measures against ejection
 - 6.9.1 General
 - 6.9.2 Guards material and characteristics
 - 6.9.2.1 Choice of class of guards
 - 6.9.2.2 Guards of class A
 - 6.9.2.3 Guards of class B
 - 6.9.3 Anti-kickback devices
- 6.10 Work-piece supports and guides
 - 6.10.1 General
 - 6.10.2 Surface planing tables
 - 6.10.3 Thicknessing table
 - 6.10.4 Mortising table
 - 6.10.5 Work-piece guiding during surface planing
 - 6.10.6 Work-piece guiding during thickness planing
- 6.11 Safety appliances

7 Safety requirements and measures for protection against other hazards

- 7.1 Fire
- 7.2 Noise
 - 7.2.1 Noise reduction at the design stage
 - 7.2.2 Noise emission measurement
- 7.3 Emission of chips and dust
- 7.4 Electricity
 - 7.4.1 General
 - 7.4.2 Displaceable machines
- 7.5 Ergonomics and handling
- 7.6 Lighting
- 7.7 Pneumatics
- 7.8 Hydraulics
- 7.9 Electromagnetic compatibility
- 7.10 Laser
- 7.11 Static electricity
- 7.12 Errors of fitting
- 7.13 Isolation
- 7.14 Maintenance

8 Information for use

- 8.1 Warning devices
- 8.2 Marking
 - 8.2.1 General
 - 8.2.2 Additional markings
- 8.3 Instruction handbook
 - 8.3.1 General
 - 8.3.2 Additional information

Annex A (informative) Performance levels required

Annex B (normative) Test for braking function

Annex C (normative) Stability test for displaceable machines

C.1 Stability test for surface planing machine and combined surface/thickness planing machine in surface planing mode

C.2 Stability test for combined surface/thickness planing machine in thicknessing mode

C.3 Stability test for thickness planing machine

Annex D (normative) Impact test for guards

Annex E (normative) Noise emission measurement for machines not in ISO 7960:1995

Annex F (normative) Tests for bridge-type guards

F.1 Compression test

F.2 Shock test

F.3 Strength test for bridge-type guard

Annex G (normative) Surface planing machines table lips resistance test

G.1 General

G.2 Work-piece

G.3 Measurements

G.4 Test

G.5 Result

Annex H (normative) Kickback test

Page count: 45