ISO 10303-219:2007-12 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 219: Application protocol: Dimensional inspection information exchange

Contents

Page

1 Scope 1

2 Normative references 2

3 Terms, definitions and abbreviations 3
3.1 Terms defined in ISO 1101 3
3.2 Terms defined in ISO 5459 3
3.5 Other definitions 4
3.6 Abbreviations 4

4 Information requirements 5
4.1 Units of functionality 5
4.1.1 administrative_data 6
4.1.2 dimensional_measurement_analysis 6
4.1.3 dimensional_measurement_documentation 7
4.1.4 dimensional_measurement_execution 7
4.1.5 dimensional_measurement_features 8
4.1.6 dimensional_measurement_part 9
4.1.7 dimensional_measurement_parameters 9
4.1.8 feature_definition_items 9
4.1.9 feature_profile 11
4.1.10 manufacturing_feature 12
4.1.11 functional_limitations 15
4.1.12 part_properties 17
4.1.13 program_run 18
4.1.14 shape_representation_for_machining 18
4.2 Application objects 19
4.3 Application assertions 257

5 Application interpreted model 311
5.1 Mapping specification 311
5.1.1 administrative data UoF 312
5.1.2 dimensional_measurement_analysis UoF 318
5.1.3 dimensional_measurement_documentation UoF 330
5.1.4 dimensional_measurement_execution UoF 332
5.1.5 dimensional_measurement_features UoF 337
5.1.6 dimensional_measurement_part UoF 443
5.1.7 dimensional_measurement_parameters UoF 446
5.1.8 feature_definition_items UoF 455
5.1.9 feature_profile UoF 501
5.1.10 manufacturing_feature UoF 539
5.1.11 functional_limitations UoF 746
5.1.12 part properties UoF 797
5.1.13 program_run UoF 799
5.1.14 shape_representation_for_machining UoF 809
5.2 AIM EXPRESS short listing 828
5.2.1 Fundamental concepts and assumptions 832
5.2.2 Dimensional inspection schema types 832
5.2.3 Dimensional inspection schema entities 834

5.2.4 Dimensional inspection schema rules 940

6 Conformance requirements 959

Annex A (normative) AIM EXPRESS expanded listing 960

Annex B (normative) AIM short names 1191

Annex C (normative) Implementation method specific requirements 1204

Annex D (normative) Protocol Implementation Conformance Statement (PICS) proforma 1205

Annex E (normative) Information object registration 1206

Annex F (informative) Application activity model 1207

Annex G (informative) Application reference model 1234

Annex H (informative) AIM EXPRESS-G 1269

Annex I (informative) Computer interpretable listings 1299

Annex J (informative) Application protocol usage guide 1300

Bibliography 1525

Index 1526

Figures Figure 1 -- Data planning model xii

Figure 2 -- Angle_taper 22

Figure 3 -- Angular_dimension_tolerance 23

Figure 4 -- Angular_size_dimension_tolerance 25

Figure 5 -- Angularity_tolerance for a plane surface 26

Figure 6 -- Angularity_tolerance for an axis 26

Figure 7 -- Bevel_gear 27

Figure 8 -- Bevel_gear with shaft_angle and pitch_angle 28

Figure 9 -- Bevel_gear with tip_angle and root_angle 28

Figure 10 -- Block_base_shape 30

Figure 11 -- Catalogue_gear 35

Figure 12 -- Catalogue_knurl 36

Figure 13 -- Catalogue_marking 37

Figure 14 -- Catalogue_thread 37

Figure 15 -- Chamfer 39

Figure 16 -- Circular_boss 40

Figure 17 -- Circular_boss with taper 41

Figure 18 -- Circular_closed_profile 42
Figure 19 -- Circular_offset_pattern 43
Figure 20 -- Circular_omit_pattern 45
Figure 21 -- Circular_pattern without rotation 46
Figure 22 -- Circular_pattern with rotation of a base feature 46
Figure 23 -- Circular_runout_tolerance 48
Figure 24 -- Circularity_tolerance 49
Figure 25 -- Complete_circular_path 50
Figure 26 -- Compound_feature 51
Figure 27 -- Concentricity_tolerance 53
Figure 28 -- Conical_hole_bottom 54
Figure 29 -- Constant_radius_edge_round 55
Figure 30 -- Constant_radius_fillet 56
Figure 31 -- Counterbore_hole 59
Figure 32 -- Countersunk_hole 60
Figure 33 -- Curved_dimension_tolerance 60
Figure 34 -- Cutout 61
Figure 35 -- Cylindrical_base_shape 62
Figure 36 -- Cylindricity_tolerance 63
Figure 37 -- Defined_marking 66
Figure 38 -- Defined_thread 68
Figure 39 -- Diagonal_knurl 70
Figure 40 -- Diameter_dimension_tolerance 71
Figure 41 -- Diameter_taper 72
Figure 42 -- Diamond_knurl 73
Figure 43 -- Distance_along_curve_tolerance 76
Figure 44 -- Dmf_arc 93
Figure 45 -- Dmf_circle 95
Figure 46 -- Dmf_cone 96
Figure 47 -- Dmf_cylinder 99
Figure 48 -- Dmf_edge_point 100

Figure 49 -- Dmf_ellipse 102

Figure 50 -- Dmf_generic_feature 104

Figure 51 -- Dmf_geometric_curve 105

Figure 52 -- Dmf_geometric_surface 106

Figure 53 -- Dmf_line_bounded 107

Figure 54 -- Dmf_line_closed_parallel 109

Figure 55 -- Dmf_line_unbounded 111

Figure 56 -- Dmf_pattern 112

Figure 57 -- Dmf_plane 113

Figure 58 -- Dmf_plane_closed_parallel 115

Figure 59 -- Dmf_plane_symmetric 117

Figure 60 -- Dmf_point 118

Figure 61 -- Dmf_sphere 120

Figure 62 -- Dmf_surface_of_revolution_dml 122

Figure 63 -- Dmf_torus 123

Figure 64 -- Edge_round 126

Figure 65 -- Fillet 130

Figure 66 -- Flat_hole_bottom types 131

Figure 67 -- Flat_slot_end_type 132

Figure 68 -- Flatness_tolerance 134

Figure 69 -- Gear face_width 135

Figure 70 -- Gear nominal_tooth_depth 136

Figure 71 -- Gear profile_shift 137

Figure 72 -- Gear reference_presure_angle 137

Figure 73 -- Gear root_fillet_radius 138

Figure 74 -- Gear tip_diameter 138

Figure 75 -- General_boss 139

Figure 76 -- General_closed_profile 140

Figure 77 -- General_open_profile 141

Figure 78 -- General_outside_profile 142

Figure 79 -- General_path 143

Figure 80 -- General_pattern 144

Figure 81 -- General_pocket 145

Figure 82 -- General_removal_volume 147

Figure 83 -- General_revolution for outer shape 148

Figure 84 -- General_revolution for volume removal 149

Figure 85 -- Groove 154

Figure 86 -- Helical_gear 156

Figure 87 -- Helical_gear left_or_right_tooth 156

Figure 88 -- Helical_gear reference_helix_angle 157

Figure 89 -- Implicit_base_shape 158

Figure 90 -- Knurl and types of Turned_knurl 160

Figure 91 -- Linear_path 162

Figure 92 -- Linear_profile 162

Figure 93 -- Linear_profile_tolerance 163

Figure 94 -- Location_dimension_tolerance 164

Figure 95 -- Ngon_base_shape 170

Figure 96 -- Ngon_profile 172

Figure 97 -- Open_slot_end_type 175

Figure 98 -- Outer_diameter 177

Figure 99 -- Outer_diameter_to_shoulder 179

Figure 100 -- Parallelism_tolerance for an axis 181

Figure 101 -- Parallelism_tolerance for a plane 181

Figure 102 -- Partial_circular_path 185

Figure 103 -- Partial_circular_profile 186

Figure 104 -- Perpendicularity_tolerance 188

Figure 105 -- Perpendicularity_tolerance for an axis 189

Figure 106 -- Planar_face 192

Figure 107 -- Pocket_bottom_condition 198

Figure 108 -- Position_tolerance 198

Figure 109 -- Protrusion 202

Figure 110 -- Radial_dimension_tolerance 203

Figure 111 -- Radiused_slot_end_type 203

Figure 112 -- Recess 204

Figure 113 -- Rectangular_boss 205

Figure 114 -- Rectangular_closed_pocket 207

Figure 115 -- Rectangular_closed_profile 208

Figure 116 -- Rectangular_offset_pattern 209

Figure 117 -- Rectangular_omit_pattern 210

Figure 118 -- Rectangular_open_pocket 212

Figure 119 -- Rectangular_pattern 213

Figure 120 -- Revolved_flat 216

Figure 121 -- Revolved_round 217

Figure 122 -- Rib_top 218

Figure 123 -- Round_hole 220

Figure 124 -- Rounded_end 221

Figure 125 -- Rounded_U_profile 222

Figure 126 -- Shape_profile 226

Figure 127 -- Slot 228

Figure 128 -- Spherical_cap 231

Figure 129 -- Spherical_hole_bottom 232

Figure 130 -- Spur_gear 232

Figure 131 -- Square_U_profile 233

Figure 132 -- Step 235

Figure 133 -- Straight_knurl 236

Figure 134 -- Straightness_tolerance 237

Figure 135 -- Surface_profile_tolerance 238

Figure 136 -- Symmetry_tolerance 239

Figure 137 -- Tee_profile 242

Figure 138 -- Thread 244

Figure 139 -- Through_bottom_condition 247

Figure 140 -- Total_runout_tolerance 251

Figure 141 -- Turned_knurl 254

Figure 142 -- Vee_profile 255
Figure 143 -- Woodroff_slot_end_type 256
Figure F.1 -- IDEF0 Basic notation 1207
Figure F.2 - A0 Manage dimensional inspection 1218
Figure F.3 - A0 Manage dimensional inspection 1219
Figure F.4 - A2 Perform Inspection Planning 1220
Figure F.5 - A21 Identify inspection scope and accuracy requirements 1221
Figure F.6 - A23 Select DME, tools, fixtures and functions 1222
Figure F.7 - A24 Develop inspection process plan 1223
Figure F.8 - A241 Determine setup 1224
Figure F.9 - A242 Specify inspection plan 1225
Figure F.10 - A243 Validate and approve the inspection plan 1226
Figure F.11 - A3 Execute inspection 1227
Figure F.12 - A31 Setup for inspection 1228
Figure F.13 - A4 Perform analysis of inspection 1229
Figure F.14 - A1 Perform inspection administration and archiving 1230
Figure F.15 - A2 Perform inspection planning 1231
Figure F.16 - A3 Execute inspection 1232
Figure F.17 - A4 Perform analysis of dimensional inspection 1233
Figure G.1 -- ARM EXPRESS-G diagram 1 of 34 1235
Figure G.2 -- ARM EXPRESS-G diagram 2 of 34 1236
Figure G.3 -- ARM EXPRESS-G diagram 3 of 34 1237
Figure G.4 -- ARM EXPRESS-G diagram 4 of 34 1238
Figure G.5 -- ARM EXPRESS-G diagram 5 of 34 1239
Figure G.6 -- ARM EXPRESS-G diagram 6 of 34 1240
Figure G.7 -- ARM EXPRESS-G diagram 7 of 34 1241
Figure G.8 -- ARM EXPRESS-G diagram 8 of 34 1242
Figure G.9 -- ARM EXPRESS-G diagram 9 of 34 1243
Figure G.10 -- ARM EXPRESS-G diagram 10 of 34 1244
Figure G.11 -- ARM EXPRESS-G diagram 11 of 34 1245
Figure G.12 -- ARM EXPRESS-G diagram 12 of 34 1246

Figure G.13 -- ARM EXPRESS-G diagram 13 of 34 1247

Figure G.14 -- ARM EXPRESS-G diagram 14 of 34 1248

Figure G.15 -- ARM EXPRESS-G diagram 15 of 34 1249

Figure G.16 -- ARM EXPRESS-G diagram 16 of 34 1250

Figure G.17 -- ARM EXPRESS-G diagram 17 of 34 1251

Figure G.18 -- ARM EXPRESS-G diagram 18 of 34 1252

Figure G.19 -- ARM EXPRESS-G diagram 19 of 34 1253

Figure G.20 -- ARM EXPRESS-G diagram 20 of 34 1254

Figure G.21 -- ARM EXPRESS-G diagram 21 of 34 1255

Figure G.22 -- ARM EXPRESS-G diagram 22 of 34 1256

Figure G.23 -- ARM EXPRESS-G diagram 23 of 34 1257

Figure G.24 -- ARM EXPRESS-G diagram 24 of 34 1258

Figure G.25 -- ARM EXPRESS-G diagram 25 of 34 1259

Figure G.26 -- ARM EXPRESS-G diagram 26 of 34 1260

Figure G.27 -- ARM EXPRESS-G diagram 27 of 34 1261

Figure G.28 -- ARM EXPRESS-G diagram 28 of 34 1262

Figure G.29 -- ARM EXPRESS-G diagram 29 of 34 1263

Figure G.30 -- ARM EXPRESS-G diagram 30 of 34 1264

Figure G.31 -- ARM EXPRESS-G diagram 31 of 34 1265

Figure G.32 -- ARM EXPRESS-G diagram 32 of 34 1266

Figure G.33 -- ARM EXPRESS-G diagram 33 of 34 1267

Figure G.34 -- ARM EXPRESS-G diagram 34 of 34 1268

Figure H.1 -- AIM EXPRESS-G diagram 1 of 29 1270

Figure H.2 -- AIM EXPRESS-G diagram 2 of 29 1271

Figure H.3 -- AIM EXPRESS-G diagram 3 of 29 1272

Figure H.4 -- AIM EXPRESS-G diagram 4 of 29 1273

Figure H.5 -- AIM EXPRESS-G diagram 5 of 29 1274

Figure H.6 -- AIM EXPRESS-G diagram 6 of 29 1275

Figure H.7 -- AIM EXPRESS-G diagram 7 of 29 1276

Figure H.8 -- AIM EXPRESS-G diagram 8 of 29 1277

Figure H.9 -- AIM EXPRESS-G diagram 9 of 29 1278

Figure H.10 -- AIM EXPRESS-G diagram 10 of 29 1279

Figure H-11 -- AIM EXPRESS-G diagram 11 of 29 1280

Figure H.12 -- AIM EXPRESS-G diagram 12 of 29 1281

Figure H.13 -- AIM EXPRESS-G diagram 13 of 29 1282

Figure H.14 -- AIM EXPRESS-G diagram 14 of 29 1283

Figure H.15 -- AIM EXPRESS-G diagram 15 of 29 1284

Figure H.16 -- AIM EXPRESS-G diagram 16 of 29 1285

Figure H.17 -- AIM EXPRESS-G diagram 17 of 29 1286

Figure H.18 -- AIM EXPRESS-G diagram 18 of 29 1287

Figure H.19 -- AIM EXPRESS-G diagram 19 of 29 1288

Figure H.20 -- AIM EXPRESS-G diagram 20 of 29 1289

Figure H.21 -- AIM EXPRESS-G diagram 21 of 29 1290

Figure H.22 -- AIM EXPRESS-G diagram 22 of 29 1291

Figure H.23 -- AIM EXPRESS-G diagram 23 of 29 1292

Figure H.24 -- AIM EXPRESS-G diagram 24 of 29 1293

Figure H.25 -- AIM EXPRESS-G diagram 25 of 29 1294

Figure H.26 -- AIM EXPRESS-G diagram 26 of 29 1295

Figure H.27 -- AIM EXPRESS-G diagram 27 of 29 1296

Figure H.28 -- AIM EXPRESS-G diagram 28 of 29 1297

Figure H.29 -- AIM EXPRESS-G diagram 29 of 29 1298

Figure J.1 -- Manufacturing suite test case test part drawing 1353

Figure J.2 -- Manufacturing suite test case part 1354

Tables Table B.1 -- AIM short names of entities 1191