

# ISO 5801:2007-12 (E)

## Industrial fans - Performance testing using standardized airways

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vii
Introduction .....		viii
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Symbols and units .....	16
4.1	Symbols .....	16
4.2	Subscripts .....	19
5	General .....	19
6	Instruments for pressure measurement .....	20
6.1	Barometers .....	20
6.2	Manometers .....	21
6.3	Damping of manometers .....	21
6.4	Checking of manometers .....	21
6.5	Position of manometers .....	22
7	Determination of average pressure in an airway .....	22
7.1	Methods of measurement .....	22
7.2	Use of wall tapplings .....	22
7.3	Construction of tapplings .....	22
7.4	Position and connections .....	23
7.5	Checks for compliance .....	23
7.6	Use of Pitot-static tube .....	23
8	Measurement of temperature .....	24
8.1	Thermometers .....	24
8.2	Thermometer location .....	24
8.3	Humidity .....	24
9	Measurement of rotational speed .....	25
9.1	Fan shaft speed .....	25
9.2	Acceptable instruments .....	25
10	Determination of power input .....	25
10.1	Measurement accuracy .....	25
10.2	Fan shaft power .....	25
10.3	Determination of fan shaft power by electrical measurement .....	25
10.4	Impeller power .....	26
10.5	Transmission systems .....	26
11	Measurement of dimensions and determination of areas .....	26
11.1	Flow-measurement devices .....	26
11.2	Tolerance on dimensions .....	26
11.3	Determination of cross-sectional area .....	27

12	Determination of air density, humid gas constant and viscosity .....	27
12.1	Density of air in the test enclosure at section x .....	27
12.2	Determination of vapour pressure .....	28
12.3	Determination of air viscosity .....	30
13	Determination of flow rate .....	31
13.1	General .....	31
13.2	In-line flowmeters (standard primary devices) .....	31
13.3	Traverse methods .....	32
14	Calculation of test results .....	34
14.1	General .....	34
14.2	Units .....	34
14.3	Temperature .....	34
14.4	Mach number and reference conditions .....	36
14.5	Fan pressure .....	40
14.6	Calculation of stagnation pressure at a reference section of the fan from gauge pressure, $p_{ex}$ , measured at a section x of the test duct .....	43
14.7	Inlet volume flow rate .....	44
14.8	Fan air power and efficiency .....	44
15	Rules for conversion of test results .....	52
15.1	Laws on fan similarity .....	52
15.2	Conversion rules .....	54
16	Fan characteristic curves .....	57
16.1	General .....	57
16.2	Methods of plotting .....	58
16.3	Characteristic curves at constant speed .....	58
16.4	Characteristic curves at inherent speed .....	58
16.5	Characteristic curves for adjustable-duty fan .....	59
16.6	Complete fan characteristic curve .....	60
16.7	Test for a specified duty .....	61
17	Uncertainty analysis .....	62
17.1	Principle .....	62
17.2	Pre-test and post-test analysis .....	62
17.3	Analysis procedure .....	62
17.4	Propagation of uncertainties .....	62
17.5	Reporting uncertainties .....	63
17.6	Maximum allowable uncertainties measurement .....	63
17.7	Maximum allowable uncertainty of results .....	64
18	Selection of test method .....	65
18.1	Classification .....	65
18.2	Installation categories .....	65
18.3	Test report .....	65
18.4	User installations .....	66
18.5	Alternative methods .....	66
18.6	Duct simulation .....	66
19	Installation of fan and test airways .....	66
19.1	Inlets and outlets .....	66
19.2	Airways .....	66
19.3	Test enclosure .....	67
19.4	Matching fan and airway .....	67
19.5	Outlet area .....	67
20	Carrying out the test .....	67
20.1	Working fluid .....	67
20.2	Rotational speed .....	67
20.3	Steady operation .....	67

20.4	Ambient conditions .....	68
20.5	Pressure readings .....	68
20.6	Tests for a specified duty .....	68
20.7	Tests for a fan characteristic curve .....	68
20.8	Operating range .....	68
21	Determination of flow rate .....	68
21.1	Multiple nozzle .....	68
21.2	Conical or bellmouth inlet .....	68
21.3	Orifice plate .....	68
21.4	Pilot-static tube traverse (see ISO 3966 and ISO 5221) .....	69
22	Determination of flow rate using multiple nozzles .....	69
22.1	Installation .....	69
22.2	Geometric form .....	69
22.3	Inlet zone .....	70
22.4	Multiple-nozzle characteristics .....	70
22.5	Uncertainty .....	72
23	Determination of flow rate using a conical or bellmouth inlet .....	73
23.1	Geometric form .....	73
23.2	Screen loading .....	74
23.3	Inlet zone .....	75
23.4	Conical inlet performance .....	75
23.5	Bellmouth inlet performance .....	75
23.6	Uncertainties .....	77
24	Determination of flow rate using an orifice plate .....	77
24.1	Installation .....	77
24.2	Orifice plate .....	77
24.3	Ducts .....	81
24.4	Pressure tapings .....	81
24.5	Calculation of mass flow rate .....	81
24.6	Reynolds number .....	82
24.7	In-duct orifice with D and D/2 taps [see Figure 20 a) and ISO 5167-1] .....	82
24.8	Outlet orifice with wall tapings [see Figure 20 c) and e)] .....	86
25	Determination of flow rate using a Pitot-static tube traverse .....	88
25.1	General .....	88
25.2	Pitot-static tube .....	88
25.3	Limits of air velocity .....	93
25.4	Location of measurement points .....	93
25.5	Determination of flow rate .....	94
25.6	Flow rate coefficient .....	94
25.7	Uncertainty of measurement .....	95
26	Installation and setup categories .....	95
26.1	Category A: free inlet and free outlet .....	95
26.2	Category B: free inlet and ducted outlet .....	95
26.3	Category C: ducted inlet and free outlet .....	96
26.4	Category D: ducted inlet and ducted outlet .....	96
26.5	Test installation type .....	96
27	Flow straighteners .....	96
27.1	Types of straightener .....	97
27.2	Rules for use of a straightener .....	98
28	Common-segment airways for ducted fan installations .....	99
28.1	Common segments .....	99
28.2	Common segment at fan outlet .....	99
28.3	Common segment at fan inlet .....	101
28.4	Outlet duct simulation .....	103

28.5	Inlet duct simulation .....	103
28.6	Loss allowances for standardized airways .....	104
29	Standardized test chambers .....	107
29.1	Test chamber .....	107
29.2	Variable supply and exhaust systems .....	112
29.3	Standardized inlet test chambers .....	112
29.4	Standardized outlet test chambers .....	115
30	Standard methods with test chambers -- Category A installations .....	118
30.1	Types of fan setup .....	118
30.2	Inlet-side test chambers .....	118
30.3	Outlet-side test chambers .....	131
31	Standard test methods with outlet-side test ducts -- Category B installations .....	136
31.1	Types of fan setup .....	136
31.2	Outlet-side test ducts with antiswirl device .....	137
31.3	Outlet chamber test ducts without antiswirl device .....	149
32	Standard test methods with inlet-side test ducts or chambers -- Category C installations .....	156
32.1	Types of fan setup .....	156
32.2	Inlet-side test ducts .....	157
32.3	Inlet-side test chambers .....	170
33	Standard methods with inlet- and outlet-side test ducts -- Category D installations .....	180
33.1	Types of fan setup .....	180
33.2	Installation category B with outlet antiswirl device and with an additional inlet duct or inlet-duct simulation .....	184
33.3	Installation category B without outlet antiswirl device nor common segment, modified with addition of an inlet duct or inlet-duct simulation .....	190
33.4	Installation category C with common inlet duct, modified with the addition of an outlet common segment with antiswirl device .....	193
33.5	Installation category C, modified with the addition of an outlet-duct simulation without antiswirl device .....	197
Annex A (normative) Fan pressure and fan installation category .....		205
Annex B (normative) Fan-powered roof exhaust ventilators .....		209
Annex C (informative) Chamber leakage test procedure .....		211
Annex D (informative) Fan outlet elbow in the case of a non-horizontal discharge axis .....		217
Annex E (informative) Electrical input power consumed by a fan installation .....		220
Annex F (informative) Preferred methods of performance testing .....		227
Bibliography .....		228