ISO 10303-223:2008-04 (E)

Industrial automation systems and integration_- Product data representation and exchange_- Part_223: Application protocol: Exchange of design and manufacturing product information for cast parts

Contents

Page

1 Scope ... 1
2 Normative_references ... 3
3 Terms, definitions and abbreviated terms ... 5
3.1 Terms defined in ISO 1101 ... 5
3.2 Terms defined in ISO 5459 ... 5
3.3 Terms defined in ISO 8062-1 ... 5
3.4 Terms defined in ISO 10303-1 ... 5
3.5 Terms defined in ISO 10303-31 ... 6
3.6 Terms defined in ISO 10303-42 ... 6
3.7 Other terms and definitions ... 6
3.8 Abbreviated items ... 9
4 Information requirements ... 9
4.1 Units of functionality ... 10
4.1.1 Casting features ... 11
4.1.2 Casting_prerequisites ... 13
4.1.3 Design_exception ... 14
4.1.4 Die_mould_features ... 14
4.1.5 Investment_casting_features ... 15
4.1.6 Library_reference ... 16
4.1.7 Manufacturing_casting_resources ... 16
4.1.8 manufacturing_feature ... 18
4.1.9 Manufacturing_part_properties ... 18
4.1.10 Manufacturing_process_requirement_documents ... 19
4.1.11 Manufacturing_process_control_documentation ... 21
4.1.12 Measurement_limitations ... 21
4.1.13 Part_administration_data ... 23
4.1.14 Part_model ... 24
4.1.15 Process_activities ... 24
4.1.16 Process_plan ... 26
4.1.17 Quality_control ... 26
4.1.18 Requisitions ... 27
4.1.19 Shape_representation_for_casting_and_machining ... 28
4.1.20 Simulation ... 29
4.2 Application objects ... 30
4.3 Application assertions ... 295
5 Application interpreted model ... 379
5.1 Mapping specification ... 379
5.1.1 Casting features UoF ... 381
5.1.2 Casting_prerequisites UoF ... 560
5.1.3 Design_exception UoF ... 606
5.1.4 Die_mould features UoF ... 611
5.1.5 Investment_casting features UoF ... 678
5.1.6 Library_reference UoF ... 698
5.1.7 Manufacturing_casting_resources UoF ... 706
5.1.8 Manufacturing_part_properties UoF ... 729
5.1.9 Manufacturing_process_requirement_documents UoF ... 753
5.1.10 Measurement_limitations UoF ... 777
5.1.11 Manufacturing_feature UoF ... 814

5.1.12 Manufacturing_process_control_documentation UoF 823
5.1.13 Part_administration_data UoF 842
5.1.14 Part_model UoF 847
5.1.15 Process_activities UoF 863
5.1.16 Process_plan UoF 914
5.1.17 Quality control UoF 925
5.1.18 Requisitions UoF 954
5.1.19 Shape_representation_for_castings UoF 957
5.1.20 Simulation UoF 973
5.2 AIM EXPRESS short listing 998
6 Conformance requirements 1361

Annex A (normative) AIM EXPRESS expanded listing 1397

Annex B (normative) AIM short names 1780

Annex C (normative) Implementation method specific requirements 1801

Annex D (normative) Protocol Implementation Conformance Statement (proforma) 1802

Annex E (normative) Information object registration 1804

Annex F (informative) Application activity model 1805

Annex G (informative) Application reference model 1848

Annex H (informative) AIM EXPRESS-G 1902

Annex I (informative) Computer interpretable listings 1946

Annex J (informative) Application protocol usage guide 1947

Bibliography 2237

Index 2239

Figures

Figure 1 — ISO 10303 manufacturing suite of standards xi
Figure 2 — Data planning model xii
Figure 3 — Angular_dimension_tolerance 37
Figure 4 — Angular_size_dimension_tolerance 38
Figure 5 — Chaplet and Chaplet_pad 53
Figure 6 — Choke connection in a Gating_system 57
Figure 7 — Compound_feature 61
Figure 8 — Core and Core_print 66
Figure 9 — Curved_dimension_tolerance 75
Figure 10 — Diameter_dimension_tolerance 88
Figure 11 — Distance_along_curve_tolerance 98
Figure 12 — Filter connection in a Gating_system 124

Figure 13 — Flask 127
Figure 14 — Location_dimension_tolerance 155
Figure 15 — Pattern_plate 200
Figure 16 — Production_core_box with Core 217
Figure 17 — Radial_dimension_tolerance 239
Figure 18 — Riser conection to Gating_system 250
Figure 19 — Sprue conection to Gating_system 277
Figure 20 — Well and associated Gating_system 294
Figure F.1 — IDEF0 basic notation 1805
Figure F.2 — A-0 Exchange of design and manufacturing product information for cast parts 1827
Figure F.3 — A0 Cast a part 1828
Figure F.4 — A1 Sand cast a part 1829
Figure F.5 — A11 Design sand mould and plan process 1830
Figure F.6 — A111 Design sand mould 1831
Figure F.7 — A12 Build sand mould 1832
Figure F.8 — A13 Build pattern and rigging assembly 1833
Figure F.9 — A131 Make sand mould 1834
Figure F.10 — A15 Pour cool and shakeout 1835
Figure F.11 — A2 Die cast a part 1836
Figure F.12 — A12 Design die and plan die casting process 1837
Figure F.13 — A22 Build die 1838
Figure F.14 — A22 Build die 1839
Figure F.15 — A23 Melt, pour, cool and extract 1840
Figure F.16 — A3 Investment cast a part 1841
Figure F.17 — A31 Design investment pattern assembly and plan process 1842
Figure F.18 — A311 Design investment mould 1843
Figure F.19 — A32 Build wax or foam pattern 1844
Figure F.20 — A33 Invest pattern 1845
Figure F.21 — A34 Melt, pour, cool and Knockout 1846
Figure F.22 — A4 Finish and inspect 1847
Figure G.1 — ARM diagram (1 of 53) 1849
Figure G.2 — ARM diagram (2 of 53) 1850
Figure G.3 — ARM diagram (3 of 53) 1851
Figure G.4 — ARM diagram (4 of 53) 1852
Figure G.5 — ARM diagram (5 of 53) 1853
Figure G.6 — ARM diagram (6 of 53) 1854
Figure G.7 — ARM diagram (7 of 53) 1855
Figure G.8 — ARM diagram (8 of 53) 1856
Figure G.9 — ARM diagram (9 of 53) 1857
Figure G.10 — ARM diagram (10 of 53) 1858
Figure G.11 — ARM diagram (11 of 53) 1859
Figure G.12 — ARM diagram (12 of 53) 1860
Figure G.13 — ARM diagram (13 of 53) 1861
Figure G.14 — ARM diagram (14 of 53) 1862
Figure G.15 — ARM diagram (15 of 53) 1863
Figure G.16 — ARM diagram (16 of 53) 1864
Figure G.17 — ARM diagram (17 of 53) 1865
Figure G.18 — ARM diagram (18 of 53) 1866
Figure G.19 — ARM diagram (19 of 53) 1867
Figure G.20 — ARM diagram (20 of 53) 1868

Figure G.21 — ARM diagram (21 of 53) 1869
Figure G.22 — ARM diagram (22 of 53) 1870
Figure G.23 — ARM diagram (23 of 53) 1871
Figure G.24 — ARM diagram (24 of 53) 1872
Figure G.25 — ARM diagram (25 of 53) 1873
Figure G.26 — ARM diagram (26 of 53) 1874
Figure G.27 — ARM diagram (27 of 53) 1875
Figure G.28 — ARM diagram (28 of 53) 1876
Figure G.29 — ARM diagram (29 of 53) 1877
Figure G.30 — ARM diagram (30 of 53) 1878
Figure G.31 — ARM diagram (31 of 53) 1879
Figure G.32 — ARM diagram (32 of 53) 1880
Figure G.33 — ARM diagram (33 of 53) 1881
Figure G.34 — ARM diagram (34 of 53) 1882
Figure G.35 — ARM diagram (35 of 53) 1883
Figure G.36 — ARM diagram (36 of 53) 1884
Figure G.37 — ARM diagram (37 of 53) 1885
Figure G.38 — ARM diagram (38 of 53) 1886
Figure G.39 — ARM diagram (39 of 53) 1887
Figure G.40 — ARM diagram (40 of 53) 1888
Figure G.41 — ARM diagram (41 of 53) 1889
Figure G.42 — ARM diagram (42 of 53) 1890
Figure G.43 — ARM diagram (43 of 53) 1891
Figure G.44 — ARM diagram (44 of 53) 1892
Figure G.45 — ARM diagram (45 of 53) 1893
Figure G.46 — ARM diagram (46 of 53) 1894
Figure G.47 — ARM diagram (47 of 53) 1895
Figure G.48 — ARM diagram (48 of 53) 1896
Figure G.49 — ARM diagram (49 of 53) 1897
Figure G.50 — ARM diagram (50 of 53) 1898
Figure G.51 — ARM diagram (51 of 53) 1899
Figure G.52 — ARM diagram (52 of 53) 1900
Figure G.53 — ARM diagram (53 of 53) 1901
Figure H.1 — AIM EXPRESS-G diagram application_context 1903
Figure H.2 — AIM EXPRESS-G diagram product 1904
Figure H.3 — AIM EXPRESS-G diagram product_definition 1905
Figure H.4 — AIM EXPRESS-G diagram effectivity 1906
Figure H.5 — AIM EXPRESS-G diagram property_definition 1907
Figure H.6 — AIM EXPRESS-G diagram property_definition_representation 1908
Figure H.7 — AIM EXPRESS-G diagram characterizeed_object 1909
Figure H.8 — AIM EXPRESS-G diagram casting_feature_definition 1910
Figure H.9 — AIM EXPRESS-G diagram shape_aspect 1911
Figure H.10 — AIM EXPRESS-G diagram representation 1912
Figure H.11 — AIM EXPRESS-G diagram shape_representation 1913
Figure H.12 — AIM EXPRESS-G diagram representation_item 1914
Figure H.13 — AIM EXPRESS-G diagram point 1915
Figure H.14 — AIM EXPRESS-G diagram placement 1916
Figure H.15 — AIM EXPRESS-G diagram curve 1917
Figure H.16 — AIM EXPRESS-G diagram bounded_curve 1918
Figure H.17 — AIM EXPRESS-G diagram b-spline_curve 1919

Figure H.18 — AIM EXPRESS-G diagram surface 1920
Figure H.19 — AIM EXPRESS-G diagram bounded_surface 1921
Figure H.20 — AIM EXPRESS-G diagram topology 1922
Figure H.21 — AIM EXPRESS-G diagram shell and face_bound 1923
Figure H.22 — AIM EXPRESS-G diagram geometric_tolerance 1924
Figure H.23 — AIM EXPRESS-G diagram datum 1925
Figure H.24 — AIM EXPRESS-G diagram dimensional tolerance 1926
Figure H.25 — AIM EXPRESS-G diagram action 1927
Figure H.26 — AIM EXPRESS-G diagram action_method 1928
Figure H.27 — AIM EXPRESS-G diagram action_method_relationship 1929
Figure H.28 — AIM EXPRESS-G diagram action_property 1930
Figure H.29 — AIM EXPRESS-G diagram action_directive 1931
Figure H.30 — AIM EXPRESS-G diagram resource_property 1932
Figure H.31 — AIM EXPRESS-G diagram action_resource 1933
Figure H.32 — AIM EXPRESS-G diagram document 1934
Figure H.33 — AIM EXPRESS-G diagram group 1935
Figure H.34 — AIM EXPRESS-G diagram externally_defined_item 1936
Figure H.35 — AIM EXPRESS-G diagram approval 1937
Figure H.36 — AIM EXPRESS-G diagram date 1938
Figure H.37 — AIM EXPRESS-G diagram applied assignments 1939
Figure H.38 — AIM EXPRESS-G diagram address 1940
Figure H.39 — AIM EXPRESS-G diagram unit 1941
Figure H.40 — AIM EXPRESS-G diagram measure_with_unit 1942
Figure H.41 — AIM EXPRESS-G diagram id and description attribute 1943
Figure H.42 — AIM EXPRESS-G diagram name and role attribute 1944
Figure H.43 — AIM EXPRESS-G diagram text, label and identifier 1945
Figure J.1 — Manufacturing suite test case test part drawing 2055
Figure J.2 — Manufacturing suite test case part 2056

Tables

Table 1 — Conformance class UoFs 1362
Table 2 — Conformance class elements 1375
Table B.1— AIM short names of entities 1780