

# ISO 10303-59:2008-10 (E)

## Industrial automation systems and integration\_ - Product data representation and exchange\_ - Part\_59: Integrated generic resource\_ - Quality of product shape data

---

Contents	page
Foreword .....	xii
Introduction .....	xiii
1 Scope .....	1
2 Normative references .....	3
3 Terms, definitions and abbreviations .....	4
3.1 Terms defined in ISO 10303-1 .....	4
3.2 Terms defined in ISO 10303-42 .....	4
3.3 Terms defined in ISO 10303-43 .....	4
3.4 Terms defined in ISO 9000 .....	4
3.5 Other terms and definitions .....	5
3.5.1 Hausdorff distance .....	5
3.5.2 product data quality .....	5
3.5.3 product data quality criterion .....	5
3.5.4 product shape data .....	5
3.6 Abbreviations .....	5
4 Product data quality definition .....	6
4.1 Introduction .....	6
4.2 Fundamental concepts and assumptions .....	6
4.3 Product data quality definition type definitions .....	7
4.3.1 used_quality_representation_select .....	7
4.4 Product data quality definition entity definitions .....	7
4.4.1 data_quality_definition .....	7
4.4.2 data_quality_definition_representation_relationship .....	8
4.4.3 product_data_and_data_quality_relationship .....	8
4.4.4 data_quality_definition_relationship .....	9
4.4.5 software_for_data_quality_check .....	9
5 Product data quality criteria .....	11
5.1 Introduction .....	11
5.2 Fundamental concepts and assumptions .....	11
5.2.1 Representation of product data quality criteria .....	12
5.2.2 Representation of the requirement on measurement of product data quality .....	12
5.2.3 Control of inspection result report .....	13
5.3 Product data quality criteria type definitions .....	14
5.3.1 detailed_report_type .....	14
5.3.2 preferred_ordering .....	14
5.3.3 summary_report_type .....	15
5.4 Product data quality criteria entity definitions .....	16
5.4.1 data_quality_criteria_representation .....	16
5.4.2 data_quality_criterion .....	16
5.4.3 data_quality_assessment_specification .....	17
5.4.4 data_quality_measurement_requirement .....	17
5.4.5 data_quality_criterion_assessment_association .....	18
5.4.6 data_quality_criterion_measurement_association .....	18
5.4.7 data_quality_assessment_measurement_association .....	19
5.4.8 data_quality_report_request .....	20
5.4.9 summary_report_request .....	20
5.4.10 detailed_report_request .....	21

5.4.11	detailed_report_request_with_number_of_data.....	21
6	Product data quality inspection result .....	23
6.1	Introduction .....	23
6.2	Fundamental concepts and assumptions.....	23
6.3	Product data quality inspection result type definitions.....	24
6.3.1	statistical_value_type .....	24
6.4	Product data quality inspection result entity definitions.....	25
6.4.1	data_quality_inspection_result_representation .....	25
6.4.2	data_quality_inspection_result.....	25
6.4.3	data_quality_inspection_result_with_judgement.....	26
6.4.4	data_quality_inspection_report .....	27
6.4.5	data_quality_inspection_criterion_report.....	27
6.4.6	data_quality_inspection_criterion_report_item .....	28
6.4.7	data_quality_inspection_instance_report .....	29
6.4.8	data_quality_inspection_instance_report_item.....	30
6.4.9	data_quality_report_measurement_association .....	30
6.5	Product data quality inspection result function definitions .....	31
6.5.1	inspected_product_definition .....	31
7	Shape data quality criteria.....	33
7.1	Introduction .....	33
7.2	Fundamental concepts and assumptions.....	34
7.2.1	Representation of the criteria of product shape data quality and its classification .....	34
7.2.2	Representation of the requirement on measurement of product shape data quality.....	35
7.2.3	Specialization of data quality assessment specification .....	35
7.2.4	Representation of required accuracy for shape data quality inspection .....	35
7.3	Shape data quality criteria type definitions .....	36
7.3.1	shape_data_quality_assessment_specification_select.....	36
7.3.2	shape_data_quality_value_limit_type_select.....	36
7.4	Shape data quality criteria entity definitions .....	37
7.4.1	shape_data_quality_criteria_representation .....	37
7.4.2	shape_criteria_representation_with_accuracy .....	37
7.4.3	shape_data_quality_criterion .....	38
7.4.4	shape_data_quality_assessment_by_logical_test.....	39
7.4.5	shape_data_quality_assessment_by_numerical_test.....	39
7.4.6	shape_data_quality_criterion_and_accuracy_association.....	40
7.4.7	shape_measurement_accuracy .....	40
7.4.8	shape_data_quality_value_range .....	41
7.4.9	shape_data_quality_value_limit.....	42
7.4.10	shape_data_quality_upper_value_limit.....	42
7.4.11	shape_data_quality_lower_value_limit.....	43
7.4.12	shape_summary_request_with_representative_value .....	43
7.4.13	erroneous_data .....	44
7.4.14	erroneous_topology.....	44
7.4.15	open_edge_loop .....	44
7.4.16	open_closed_shell .....	46
7.4.17	inconsistent_adjacent_face_normals.....	47
7.4.18	disconnected_face_set.....	49
7.4.19	erroneous_geometry .....	50

7.4.20	erroneous_b_spline_curve_definition .....	50
7.4.21	erroneous_b_spline_surface_definition .....	52
7.4.22	inconsistent_curve_transition_code .....	53
7.4.23	inconsistent_surface_transition_code.....	55
7.4.24	erroneous_topology_and_geometry_relationship .....	57
7.4.25	inconsistent_edge_and_curve_directions.....	57
7.4.26	inconsistent_face_and_surface_normals.....	59
7.4.27	inconsistent_face_and_closed_shell_normals.....	60
7.4.28	intersecting_loops_in_face.....	61
7.4.29	wrongly_placed_loop.....	63
7.4.30	erroneous_manifold_solid_brep.....	65
7.4.31	intersecting_shells_in_solid .....	65
7.4.32	wrongly_placed_void.....	67
7.4.33	wrongly_oriented_void .....	69
7.4.34	solid_with_wrong_number_of_voids .....	70
7.4.35	inapt_data .....	71
7.4.36	inapt_topology .....	72
7.4.37	non_manifold_at_vertex .....	72
7.4.38	non_manifold_at_edge.....	74
7.4.39	over_used_vertex .....	75
7.4.40	free_edge.....	77
7.4.41	inapt_geometry.....	78
7.4.42	discontinuous_geometry .....	79
7.4.43	g1_discontinuous_curve.....	79
7.4.44	g1_discontinuous_surface .....	81
7.4.45	g2_discontinuous_curve.....	82
7.4.46	g2_discontinuous_surface .....	85
7.4.47	self_intersecting_geometry .....	87
7.4.48	self_intersecting_curve .....	87
7.4.49	self_intersecting_surface.....	89
7.4.50	nearly_degenerate_geometry .....	91
7.4.51	short_length_curve.....	91
7.4.52	small_area_surface.....	92
7.4.53	entirely_narrow_surface.....	93
7.4.54	geometry_with_local_near_degeneracy.....	95
7.4.55	short_length_curve_segment.....	95
7.4.56	small_area_surface_patch .....	96
7.4.57	narrow_surface_patch .....	98
7.4.58	indistinct_curve_knots .....	99
7.4.59	indistinct_surface_knots.....	100
7.4.60	curve_with_small_curvature_radius .....	101
7.4.61	surface_with_small_curvature_radius.....	103
7.4.62	nearly_degenerate_surface_boundary .....	104
7.4.63	nearly_degenerate_surface_patch .....	106
7.4.64	geometry_with_local_irregularity.....	108
7.4.65	zero_surface_normal.....	108
7.4.66	abrupt_change_of_surface_normal.....	110
7.4.67	extreme_patch_width_variation.....	112

7.4.68	multiply_defined_geometry .....	114
7.4.69	multiply_defined_cartesian_points .....	114
7.4.70	multiply_defined_directions .....	115
7.4.71	multiply_defined_placements .....	116
7.4.72	multiply_defined_curves.....	119
7.4.73	multiply_defined_surfaces .....	120
7.4.74	overlapping_geometry.....	121
7.4.75	partly_overlapping_curves.....	121
7.4.76	partly_overlapping_surfaces .....	123
7.4.77	overcomplex_geometry.....	125
7.4.78	excessively_high_degree_curve.....	125
7.4.79	excessively_high_degree_surface .....	126
7.4.80	curve_with_excessive_segments.....	127
7.4.81	surface_with_excessive_patches_in_one_direction.....	129
7.4.82	high_degree_linear_curve.....	130
7.4.83	high_degree_conic .....	131
7.4.84	high_degree_planar_surface .....	133
7.4.85	high_degree_axi_symmetric_surface.....	134
7.4.86	inapt_topology_and_geometry_relationship.....	135
7.4.87	topology_related_to_nearly_degenerate_geometry .....	136
7.4.88	short_length_edge .....	136
7.4.89	small_area_face.....	137
7.4.90	entirely_narrow_face.....	138
7.4.91	topology_related_to_self_intersecting_geometry .....	140
7.4.92	self_intersecting_loop .....	140
7.4.93	self_intersecting_shell.....	142
7.4.94	intersecting_connected_face_sets .....	143
7.4.95	geometric_gap_in_topology.....	145
7.4.96	gap_between_vertex_and_edge .....	145
7.4.97	gap_between_vertex_and_base_surface .....	146
7.4.98	gap_between_adjacent_edges_in_loop.....	148
7.4.99	gap_between_edge_and_base_surface.....	149
7.4.100	gap_between_faces_related_to_an_edge .....	151
7.4.101	gap_between_pcurves_related_to_an_edge .....	153
7.4.102	overcomplex_topology_and_geometry_relationship.....	155
7.4.103	edge_with_excessive_segments.....	155
7.4.104	face_surface_with_excessive_patches_in_one_direction .....	156
7.4.105	unused_patches .....	158
7.4.106	non_smooth_geometry_transition_across_edge .....	159
7.4.107	g1_discontinuity_between_adjacent_faces .....	159
7.4.108	g2_discontinuity_between_adjacent_faces .....	161
7.4.109	steep_geometry_transition_across_edge.....	164
7.4.110	steep_angle_between_adjacent_edges .....	164
7.4.111	steep_angle_between_adjacent_faces .....	165
7.4.112	topology_related_to_multiply_defined_geometry .....	167
7.4.113	multiply_defined_vertices.....	167
7.4.114	multiply_defined_edges .....	169
7.4.115	multiply_defined_faces .....	170

7.4.116	topology_related_to_overlapping_geometry .....	171
7.4.117	partly_overlapping_edges .....	171
7.4.118	partly_overlapping_faces .....	173
7.4.119	inapt_manifold_solid_brep .....	174
7.4.120	small_volume_solid .....	175
7.4.121	entirely_narrow_solid .....	176
7.4.122	multiply_defined_solids .....	177
7.4.123	partly_overlapping_solids .....	178
7.4.124	solid_with_excessive_number_of_voids .....	180
7.5	Shape data quality criteria function definitions .....	181
7.5.1	validate_inspected_elements_type .....	181
7.5.2	validate_locations_of_extreme_value_type .....	183
7.5.3	validate_measured_data_type .....	186
7.5.4	validate_accuracy_types .....	188
7.5.5	value_limit_type .....	191
8	Shape data quality inspection result .....	193
8.1	Introduction .....	193
8.2	Fundamental concepts and assumptions .....	194
8.2.1	Representation of location information for existing quality defect .....	195
8.3	Shape data quality inspection result type definitions .....	195
8.3.1	measured_value_select .....	195
8.3.2	boolean_value .....	196
8.3.3	location_of_extreme_value_select .....	196
8.3.4	inspected_shape_element_select .....	196
8.3.5	closed_or_open_shell_select .....	197
8.3.6	b_spline_or_composite_curve_select .....	197
8.3.7	b_spline_or_rectangular_composite_surface_select .....	198
8.3.8	u_or_v_parameter .....	198
8.3.9	surface_boundary_type .....	198
8.4	shape data quality inspection result entity definitions .....	199
8.4.1	shape_data_quality_inspection_result_representation .....	199
8.4.2	shape_inspection_result_representation_with_accuracy .....	199
8.4.3	shape_data_quality_inspected_shape_and_result_relationship .....	200
8.4.4	shape_data_quality_inspection_result .....	201
8.4.5	shape_data_quality_inspection_criterion_report .....	201
8.4.6	shape_inspection_result_accuracy_association .....	202
8.4.7	shape_data_quality_inspection_instance_report .....	203
8.4.8	shape_data_quality_inspection_instance_report_item .....	203
8.4.9	instance_report_item_with_extreme_instances .....	204
8.4.10	extreme_instance .....	204
8.4.11	point_on_edge_curve .....	205
8.4.12	point_on_face_surface .....	206
8.4.13	plane_angle_and_ratio_pair .....	206
8.4.14	plane_angle_and_length_pair .....	207
8.4.15	b_spline_surface_knot_locator .....	207
8.4.16	b_spline_surface_patch .....	208
8.4.17	b_spline_curve_knot_locator .....	209
8.4.18	b_spline_curve_segment .....	210

8.4.19	b_spline_surface_strip.....	210
8.4.20	composite_curve_transition_locator .....	211
8.4.21	rectangular_composite_surface_transition_locator.....	212
8.4.22	boundary_curve_of_b_spline_or_rectangular_composite_surface.....	213
8.5	Shape data quality inspection result function definitions .....	214
8.5.1	relating_shape_representations_of_extreme_values .....	214
8.5.2	using_product_definition_of_shape_representation .....	216
Annex A (normative)	Short names of entities.....	218
Annex B (normative)	Information object registration.....	223
B.1	Document identification.....	223
B.2	Schema identification.....	223
B.2.1	Identification of the schema product_data_quality_definition .....	223
B.2.2	Identification of the schema product_data_quality_criteria .....	223
B.2.3	Identification of the schema product_data_quality_inspection_result .....	223
B.2.4	Identification of the schema shape_data_quality_criteria .....	224
B.2.5	Identification of the schema shape_data_quality_inspection_result .....	224
Annex C (informative)	Computer interpretable listings.....	225
Annex D (informative)	EXPRESS-G diagrams .....	226
Annex E (informative)	Technical discussion .....	250
E.1	Background .....	250
E.2	Definition of product data quality .....	250
E.3	Target data type of PDQ-S .....	251
E.4	Quality criteria of three-dimensional shape data.....	251
E.5	Thresholds and Accuracies .....	252
E.6	Assumptions on representation of product data .....	253
Annex F (informative)	Similarity/Difference of this standard with the SASIG PDQ Guidelines ...	254
F.1	Similarity .....	254
F.1.1	Enumeration of concrete measures to eliminate low quality product data .....	254
F.1.2	Product data quality inspection report .....	254
F.2	Difference .....	254
F.2.1	Representation method.....	254
F.2.2	Target industry .....	254
F.2.3	Target data type .....	254
Annex G (informative)	Scenarios for the use of this standard .....	255
G.1	Requirement and Declaration of data quality .....	255
G.2	Assurance of data quality, and long term data archiving.....	256
G.3	Data quality information for use in quality improvement .....	258
Annex H (informative)	Instantiation Examples .....	260
H.1	Graphical notation of instances.....	260
H.2	Instances for short_length_edge .....	261
H.3	Instances for gap_between_edge_and_base_surface.....	289
Bibliography	.....	301
Index	.....	302

## Figures

Figure 1 – EXPRESS-G diagram of the overall model structure .....	xv
---	----

Figure 2 – Schema level diagram of relationships among ISO 10303-59 schemas (inside the box) and with other resource schemas .....	xviii
Figure 3 – Incomplete edge loop.....	45
Figure 4 – Wrong orientation of oriented_edge .....	45
Figure 5 – Inconsistent adjacent face normals .....	48
Figure 6 – Inconsistent edge and curve directions .....	58
Figure 7 – Inconsistent face and surface notmals.....	59
Figure 8 – An inner loop intersecting with the outer.....	62
Figure 9 – An inner loop whose distance to the outer loop is smaller than the tolerance .....	62
Figure 10 – An inner loop outside of the outer.....	63
Figure 11 – An inner loop touching the outer from outside .....	64
Figure 12 – An inner loop inside another inner loop.....	64
Figure 13 – A void intersecting the outer shell.....	66
Figure 14 – A void located outside the outer shell .....	67
Figure 15 – A void located outside the outer shell and touching it .....	67
Figure 16 – A void inside of another void .....	68
Figure 17 – Non-manifold vertex.....	73
Figure 18 – Non-manifold edge .....	74
Figure 19 – G1 discontinuous curve.....	80
Figure 20 – G2 discontinuous because of the difference of curvature radius .....	83
Figure 21 – G2 discontinuous because of the difference of curvature direction.....	83
Figure 22 – Self-intersecting curve .....	88
Figure 23 – Self-intersecting surface.....	89
Figure 24 – Measurement of an entirely narrow face.....	94
Figure 25 – Curve with small curvature radius .....	102
Figure 26 – Nearly degenerate surface boundary .....	105
Figure 27 – Nearly degenerate surface patch .....	107
Figure 28 – Angle between $u$ and $v$ vectors is 180 degree .....	109
Figure 29 – Angle between $u$ and $v$ vectors is zero degree.....	109
Figure 30 – Abrupt change of surface normals .....	111
Figure 31 – Extreme patch width variation .....	112
Figure 32 – Two curves whose length of overlapping portion is greater than the threshold.....	122
Figure 33 – A short curve lying on another curve .....	122
Figure 34 – Measurement of an entirely narrow face.....	139
Figure 35 – Edge crosses another edge in an edge loop.....	140
Figure 36 – Edge loop with a region narrower than the tolerance .....	141
Figure 37 – Face surface with gap between its base surface and a bounding edge.....	149
Figure 38 – Measurement of gap between faces related to an edge .....	151
Figure 39 – Measurement of gap between pcurves related to an edge.....	153
Figure 40 – Measurement of G1 discontinuity between faces .....	160
Figure 41 – G2 discontinuity between faces because of curvature radius difference.....	162
Figure 42 – G2 discontinuity between faces because of curvature direction difference .....	162
Figure 43 – Steep angle between faces.....	166
Figure 44 – Measurement of entirely narrow solid .....	176
Figure D.1 - EXPRESS diagram of the product_data_quality_definition_schema (1 of 1).....	227
Figure D.2 - EXPRESS diagram of the product_data_quality_criteria_schema (1 of 1).....	228
Figure D.3 - EXPRESS diagram of the product_data_quality_inspection_result_schema (1 of 1)....	229
Figure D.4 - EXPRESS diagram of the shape_data_quality_criteria_schema (1 of 13).....	230

Figure D.5 - EXPRESS diagram of the shape_data_quality_criteria_schema (2 of 13).....	231
Figure D.6 - EXPRESS diagram of the shape_data_quality_criteria_schema (3 of 13).....	232
Figure D.7 - EXPRESS diagram of the shape_data_quality_criteria_schema (4 of 13).....	233
Figure D.8 - EXPRESS diagram of the shape_data_quality_criteria_schema (5 of 13).....	234
Figure D.9 - EXPRESS diagram of the shape_data_quality_criteria_schema (6 of 13).....	235
Figure D.10 - EXPRESS diagram of the shape_data_quality_criteria_schema (7 of 13).....	236
Figure D.11 - EXPRESS diagram of the shape_data_quality_criteria_schema (8 of 13).....	237
Figure D.12 - EXPRESS diagram of the shape_data_quality_criteria_schema (9 of 13).....	238
Figure D.13 - EXPRESS diagram of the shape_data_quality_criteria_schema (10 of 13).....	239
Figure D.14 - EXPRESS diagram of the shape_data_quality_criteria_schema (11 of 13).....	240
Figure D.15 - EXPRESS diagram of the shape_data_quality_criteria_schema (12 of 13).....	241
Figure D.16 - EXPRESS diagram of the shape_data_quality_criteria_schema (13 of 13).....	242
Figure D.17 - EXPRESS diagram of the shape_data_quality_inspection_result_schema (1 of 7).....	243
Figure D.18 - EXPRESS diagram of the shape_data_quality_inspection_result_schema (2 of 7).....	244
Figure D.19 - EXPRESS diagram of the shape_data_quality_inspection_result_schema (3 of 7).....	245
Figure D.20 - EXPRESS diagram of the shape_data_quality_inspection_result_schema (4 of 7).....	246
Figure D.21 - EXPRESS diagram of the shape_data_quality_inspection_result_schema (5 of 7).....	247
Figure D.22 - EXPRESS diagram of the shape_data_quality_inspection_result_schema (6 of 7).....	248
Figure D.23 - EXPRESS diagram of the shape_data_quality_inspection_result_schema (7 of 7).....	249
Figure E.1 - Quality of product, product model and product data.....	251
Figure G.1 - Quality information for use in requirement/declaration of data quality.....	256
Figure G.2 - Quality information for use in assurance of data quality.....	257
Figure G.3 - Quality information for use in quality improvement.....	259
Figure H.1 - Example usage of the notation.....	260
Figure H.2 - A typical example of short length edge.....	261
Figure H.3 - Example instances of quality information for use in requirement/declaration of short_length_edge without the accuracy specification (1 of 2).....	263
Figure H.4 - Example instances of quality information for use in requirement/declaration of short_length_edge without the accuracy specification (2 of 2).....	264
Figure H.5 - Example instances of quality information for use in requirement/declaration of short_length_edge with the accuracy specification (1 of 3).....	266
Figure H.6 - Example instances of quality information for use in requirement/declaration of short_length_edge with the accuracy specification (2 of 3).....	267
Figure H.7 - Example instances of quality information for use in requirement/declaration of short_length_edge with the accuracy specification (3 of 3).....	268
Figure H.8- Example instances of quality information for use in assurance of short_length_edge (1 of 6).....	271
Figure H.9 - Example instances of quality information for use in assurance of short_length_edge (2 of 6).....	272
Figure H.10 - Example instances of quality information for use in assurance of short_length_edge (3 of 6).....	273
Figure H.11 - Example instances of quality information for use in assurance of short_length_edge (4 of 6).....	274
Figure H.12 - Example instances of quality information for use in assurance of short_length_edge (5 of 6).....	275
Figure H.13 - Example instances of quality information for use in assurance of short_length_edge (6 of 6).....	276
Figure H.14 - Example instances of quality information for use in the improvement of quality.....	

short_length_edge (1 of 7).....	280
Figure H.15 - Example instances of quality information for use in the improvement of quality short_length_edge (2 of 7).....	281
Figure H.16 - Example instances of quality information for use in the improvement of quality short_length_edge (3 of 7).....	282
Figure H.17 - Example instances of quality information for use in the improvement of quality short_length_edge (4 of 7).....	283
Figure H.18 - Example instances of quality information for use in the improvement of quality short_length_edge (5 of 7).....	284
Figure H.19 - Example instances of quality information for use in the improvement of quality short_length_edge (6 of 7).....	285
Figure H.20 - Example instances of quality information for use in the improvement of quality short_length_edge (7 of 7).....	286
Figure H.21 - Example instances of quality information for use in the improvement of quality gap_between_edge_and_base_surface (1 of 7) .....	291
Figure H.22 - Example instances of quality information for use in the improvement of quality gap_between_edge_and_base_surface (2 of 7) .....	292
Figure H.23 - Example instances of quality information for use in the improvement of quality gap_between_edge_and_base_surface (3 of 7) .....	293
Figure H.24 - Example instances of quality information for use in the improvement of quality gap_between_edge_and_base_surface (4 of 7) .....	294
Figure H.25 - Example instances of quality information for use in the improvement of quality gap_between_edge_and_base_surface (5 of 7) .....	295
Figure H.26 - Example instances of quality information for use in the improvement of quality gap_between_edge_and_base_surface (6 of 7) .....	296
Figure H.27 - Example instances of quality information for use in the improvement of quality gap_between_edge_and_base_surface (7 of 7) .....	297

## Tables

Table A.1 – Short names of entities.....	218
--	-----