

# ISO/TS 10303-5001:2010-11 (E)

## Industrial automation systems and integration - Product data representation and exchange - Part 5001: Guidance on the usage of ISO 10303-214 for gear units

---

<b>Contents</b>		<b>Page</b>
Foreword .....		viii
Introduction .....		ix
1	Scope .....	1
2	Normative references .....	3
3	Terms, definitions and abbreviated terms .....	3
3.1	Terms defined in ISO 10303-1 .....	3
3.2	Abbreviated terms .....	3
4	Information requirements .....	4
4.1	Preliminary elements .....	4
4.2	Application objects .....	4
4.2.1	Application_context .....	4
4.2.2	Application_property .....	5
4.2.3	Assembly_definition .....	5
4.2.4	Assembly_relationship .....	5
4.2.5	Baseplate .....	6
4.2.6	Basic_material .....	6
4.2.7	Bearing .....	6
4.2.8	Bearing_bearing .....	7
4.2.9	Belt_or_chain .....	7
4.2.10	Bevel_or_hypoid_gear .....	7
4.2.11	Bevel_or_hypoid_gear_pair .....	7
4.2.12	Clutch_or_brake .....	7
4.2.13	Coordinate_definition .....	8
4.2.14	Coupling .....	8
4.2.15	Crossed_helical_gear .....	8
4.2.16	Crossed_helical_gear_pair .....	8
4.2.17	Cylindrical_gear .....	8
4.2.18	Cylindrical_gear_pair .....	9
4.2.19	Data_environment .....	9
4.2.20	Deformation_shift_bending .....	9
4.2.21	Direction_definition .....	9
4.2.22	Document_assignment .....	10
4.2.23	Dynamic .....	11
4.2.24	Efficiency_loss .....	11
4.2.25	Environment .....	11
4.2.26	External_geometric_model .....	11
4.2.27	Fit_of_key_assembly .....	11
4.2.28	Fitting_key .....	12
4.2.29	Functional_relationship .....	12
4.2.30	Gear .....	12
4.2.31	Gear_pair .....	12
4.2.32	Gear_unit .....	13
4.2.33	General_gear_pair .....	13
4.2.34	General_property .....	13
4.2.35	Geometric_model .....	14
4.2.36	Geometry_property .....	14

4.2.37	Hardness .....	15
4.2.38	Housing .....	15
4.2.39	Housing_baseplate .....	16
4.2.40	Housing_bearing .....	16
4.2.41	Housing_clutch_or_brake .....	16
4.2.42	Housing_coupling .....	16
4.2.43	Housing_sealing .....	17
4.2.44	Interference_fit_assembly .....	17
4.2.45	Life_time .....	17
4.2.46	Load_capacity .....	17
4.2.47	Lubricant .....	17
4.2.48	Lubricant_definition .....	18
4.2.49	Lubricant_part .....	18
4.2.50	Manufacturing .....	18
4.2.51	Material_definition .....	18
4.2.52	Material_part .....	19
4.2.53	Material_property .....	19
4.2.54	Material_property_association .....	19
4.2.55	Material_property_value_definition .....	19
4.2.56	Mesh .....	20
4.2.57	Numerical_value .....	20
4.2.58	Parameter_property .....	20
4.2.59	Part .....	21
4.2.60	Partial_document_assignment .....	21
4.2.61	Partial_part_shape_definition .....	22
4.2.62	Part_definition .....	24
4.2.63	Part_definition_relationship .....	24
4.2.64	Part_instance .....	25
4.2.65	Part_shape_definition .....	25
4.2.66	Part_version .....	26
4.2.67	Pinion_shaft .....	26
4.2.68	Placement_reference_relationship .....	26
4.2.69	Placement_relationship .....	27
4.2.70	Plain_bearing .....	27
4.2.71	Planetary_gear_train .....	27
4.2.72	Position_orientation_property .....	27
4.2.73	Position_orientation_property_value .....	28
4.2.74	Position_orientation_property_value_definition .....	28
4.2.75	Power_rotation_speed .....	29
4.2.76	Pressure_stress .....	29
4.2.77	Property .....	29
4.2.78	Property_value .....	30
4.2.79	Property_value_definition .....	30
4.2.80	Rolling_element_bearing .....	31
4.2.81	Safety .....	31
4.2.82	Sealing .....	31
4.2.83	Service_property .....	32
4.2.84	Shaft .....	32
4.2.85	Shaft_bearing .....	32
4.2.86	Shaft_clutch_or_brake .....	32
4.2.87	Shaft_collar .....	32
4.2.88	Shaft_sealing .....	33
4.2.89	Shaft_shaft .....	33
4.2.90	Shaft_wheel .....	33
4.2.91	Shape_description_association .....	33
4.2.92	Single_part_definition .....	34
4.2.93	Sliding_wear .....	34
4.2.94	Specification_property .....	34
4.2.95	Stiffness_suspension .....	34
4.2.96	String_value .....	34
4.2.97	Surface_condition .....	35
4.2.98	Surface_condition_association .....	35

4.2.99	Surface_texture .....	35
4.2.100	Surface_texture_parameter .....	36
4.2.101	Temperature .....	37
4.2.102	Tool .....	37
4.2.103	Tool_part_relationship .....	37
4.2.104	Torque_force .....	38
4.2.105	Unit .....	38
4.2.106	User_defined_part .....	38
4.2.107	User_defined_relationship .....	39
4.2.108	Value_association .....	39
4.2.109	Value_limit .....	39
4.2.110	Value_list .....	40
4.2.111	Value_range .....	40
4.2.112	Value_with_unit .....	41
4.2.113	Wheel .....	41
4.2.114	Wheel_bearing .....	41
4.2.115	Wheel_belt_or_chain .....	42
4.2.116	Wheel_wheel .....	42
4.2.117	Worm .....	42
4.2.118	Worm_gear_pair .....	42
4.2.119	Worm_wheel .....	42
4.3	Application assertions .....	43
4.3.1	Assembly_relationship to Assembly_definition .....	43
4.3.2	Assembly_relationship to Part_instance .....	43
4.3.3	Coordinate_definition to Value_with_unit .....	43
4.3.4	Direction_definition to Value_with_unit .....	43
4.3.5	Document_assignment to Assembly_relationship .....	43
4.3.6	Document_assignment to Partial_part_shape_definition .....	43
4.3.7	Document_assignment to Part_definition .....	43
4.3.8	Document_assignment to Part_definition_relationship .....	43
4.3.9	Document_assignment to Part_shape_definition .....	44
4.3.10	Document_assignment to Tool_part_relationship .....	44
4.3.11	Geometry_property to Partial_Part_shape_definition .....	44
4.3.12	Geometry_property to Part_shape_definition .....	44
4.3.13	Hardness to Value_with_unit .....	44
4.3.14	Material_definition to Part_definition .....	44
4.3.15	Material_property_association to Material_definition .....	44
4.3.16	Material_property_association to Material_property_value_definition .....	44
4.3.17	Material_property_value_definition to Material_property .....	45
4.3.18	Material_property_value_definition to Data_environment .....	45
4.3.19	Part_definition to Application_context .....	45
4.3.20	Part_definition to Part_version .....	45
4.3.21	Part_definition_relationship to Part_definition .....	45
4.3.22	Part_instance to Part_definition .....	45
4.3.23	Partial_part_shape_definition to Part_shape_definition .....	45
4.3.24	Part_shape_definition to Part_definition .....	45
4.3.25	Part_shape_definition to Part_instance .....	46
4.3.26	Part_version to Part .....	46
4.3.27	Placement_reference_relationship to Position_orientation_property_value_definition .....	46
4.3.28	Placement_relationship to Position_orientation_property_value_definition .....	46
4.3.29	Placement_relationship to Property_value_definition .....	46
4.3.30	Position_orientation_property_value to Coordinate_definition .....	46
4.3.31	Position_orientation_property_value to Direction_definition .....	46
4.3.32	Position_orientation_property_value_definition to Position_orientation_property .....	46
4.3.33	Position_orientation_property_value_definition to Position_orientation_property_value .....	46
4.3.34	Property to Unit .....	47
4.3.35	Property_value_definition to Property .....	47
4.3.36	Property_value_definition to Property_value .....	47
4.3.37	Shape_description_association to External_geometric_model .....	47
4.3.38	Shape_description_association to Geometric_model .....	47
4.3.39	Shape_description_association to Partial_part_shape_definition .....	47
4.3.40	Shape_description_association to Part_shape_definition .....	47

4.3.41	Surface_condition_association to Part_shape_definition .....	47
4.3.42	Surface_condition_association to Partial_part_shape_definition .....	48
4.3.43	Surface_condition_association to Surface_condition .....	48
4.3.44	Surface_texture_parameter to Surface_texture .....	48
4.3.45	Surface_texture_parameter to Value_with_unit .....	48
4.3.46	Tool_part_relationship to Part_definition .....	48
4.3.47	Value_association to Assembly_relationship .....	48
4.3.48	Value_association to Partial_part_shape_definition .....	48
4.3.49	Value_association to Part_definition .....	49
4.3.50	Value_association to Part_definition_relationship .....	49
4.3.51	Value_association to Part_shape_definition .....	49
4.3.52	Value_association to Property_value_definition .....	49
4.3.53	Value_association to Tool_part_relationship .....	49
4.3.54	Value_list to Property_value .....	49
5	Mapping to ISO 10303-214 .....	49
6	Conformance requirements .....	71
Annex A (informative) Product model for gear units .....		72
Annex B (informative) Property tables for gear units .....		84
Annex C (informative) Mapping mechanism .....		148
Annex D (informative) Mapping to relevant explicit ARM constructs of ISO 10303-224 .....		149
Bibliography .....		150
Index .....		152
Figures Figure A.1 -- Product model for gear units EXPRESS-G diagram: 1 of 11 .....		73
Figure A.2 -- Product model for gear units EXPRESS-G diagram: 2 of 11 .....		74
Figure A.3 -- Product model for gear units EXPRESS-G diagram: 3 of 11 .....		75
Figure A.4 -- Product model for gear units EXPRESS-G diagram: 4 of 11 .....		76
Figure A.5 -- Product model for gear units EXPRESS-G diagram: 5 of 11 .....		77
Figure A.6 -- Product model for gear units EXPRESS-G diagram: 6 of 11 .....		78
Figure A.7 -- Product model for gear units EXPRESS-G diagram: 7 of 11 .....		79
Figure A.8 -- Product model for gear units EXPRESS-G diagram: 8 of 11 .....		80
Figure A.9 -- Product model for gear units EXPRESS-G diagram: 9 of 11 .....		81
Figure A.10 -- Product model for gear units EXPRESS-G diagram: 10 of 11 .....		82
Figure A.11 -- Product model for gear units EXPRESS-G diagram: 11 of 11 .....		83
Figure C.1 -- Connection between product model for gear units and ISO 10303-214 .....		148
Tables Table 1 -- Mapping table for ARM level of ISO 10303-214 .....		51
Table B.1 -- Deformation shift bending .....		88
Table B.2 -- Dynamic .....		89
Table B.3 -- Efficiency loss .....		90

<b>Table B.4 -- Environment .....</b>	<b>92</b>
<b>Table B.5 -- Geometry property .....</b>	<b>93</b>
<b>Table B.6 -- Hardness .....</b>	<b>102</b>
<b>Table B.7 -- Life time .....</b>	<b>103</b>
<b>Table B.8 -- Load capacity - factors .....</b>	<b>104</b>
<b>Table B.9 -- Load capacity - strength .....</b>	<b>113</b>
<b>Table B.10 -- Manufacturing .....</b>	<b>116</b>
<b>Table B.11 -- Mesh .....</b>	<b>118</b>
<b>Table B.12 -- Parameter property .....</b>	<b>122</b>
<b>Table B.13 -- Power rotation speed .....</b>	<b>129</b>
<b>Table B.14 -- Pressure stress .....</b>	<b>131</b>
<b>Table B.15 -- Safety .....</b>	<b>133</b>
<b>Table B.16 -- Service property .....</b>	<b>134</b>
<b>Table B.17 -- Sliding wear .....</b>	<b>136</b>
<b>Table B.18 -- Specification property .....</b>	<b>137</b>
<b>Table B.19 -- Stiffness suspension .....</b>	<b>140</b>
<b>Table B.20 -- Surface texture .....</b>	<b>141</b>
<b>Table B.21 -- Temperature .....</b>	<b>142</b>
<b>Table B.22 -- Torque force .....</b>	<b>145</b>
<b>Table D.1 -- Mapping table for ARM level of ISO 10303-224 .....</b>	<b>149</b>