

# ISO 27893:2011-08 (E)

## Vacuum technology - Vacuum gauges - Evaluation of the uncertainties of results of calibrations by direct comparison with a reference gauge

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Symbols and abbreviated terms .....</b>	<b>3</b>
<b>5</b>	<b>Basic concept and model .....</b>	<b>3</b>
5.1	General .....	3
5.2	Sum model .....	4
5.3	Quotient model .....	4
5.4	Combination of the two models .....	5
<b>6</b>	<b>Calculation of uncertainty in the sum model .....</b>	<b>5</b>
6.1	Total uncertainty -- Sum model .....	5
6.2	Uncertainty contributions due to reference standard .....	6
6.3	Uncertainty contributions due to unit under calibration .....	7
6.4	Uncertainty contributions due to calibration method or calibration conditions .....	8
6.5	Coverage factor .....	8
<b>7</b>	<b>Calculation of uncertainty in the quotient model .....</b>	<b>9</b>
7.1	Total uncertainty -- Quotient model .....	9
7.2	Uncertainty contributions due to reference standard .....	9
7.3	Uncertainty contributions due to the unit under calibration .....	10
7.4	Uncertainty contributions due to calibration method or calibration conditions .....	11
7.5	Coverage factor .....	12
<b>8</b>	<b>Combination of the sum and quotient model for error of reading .....</b>	<b>13</b>
<b>9</b>	<b>Reporting uncertainties .....</b>	<b>13</b>
9.1	Uncertainty budget .....	13
9.2	Calibration certificate .....	14
<b>Bibliography .....</b>		<b>15</b>