

# DIN EN ISO 5801:2011-11 (E)

## Industrial fans - Performance testing using standardized airways (ISO 5801:2007, including Cor 1:2008)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		6
Introduction .....		
<b>1</b>	<b>Scope .....</b>	<b>9</b>
<b>2</b>	<b>Normative references .....</b>	<b>9</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>9</b>
<b>4</b>	<b>Symbols and units .....</b>	<b>24</b>
<b>4.1</b>	<b>Symbols .....</b>	<b>24</b>
<b>4.2</b>	<b>Subscripts .....</b>	<b>27</b>
<b>5</b>	<b>General .....</b>	<b>27</b>
<b>6</b>	<b>Instruments for pressure measurement .....</b>	<b>28</b>
<b>6.1</b>	<b>Barometers .....</b>	<b>28</b>
<b>6.2</b>	<b>Manometers .....</b>	<b>29</b>
<b>6.3</b>	<b>Damping of manometers .....</b>	<b>29</b>
<b>6.4</b>	<b>Checking of manometers .....</b>	<b>29</b>
<b>6.5</b>	<b>Position of manometers .....</b>	<b>30</b>
<b>7</b>	<b>Determination of average pressure in an airway .....</b>	<b>30</b>
<b>7.1</b>	<b>Methods of measurement .....</b>	<b>30</b>
<b>7.2</b>	<b>Use of wall tapplings .....</b>	<b>30</b>
<b>7.3</b>	<b>Construction of tapplings .....</b>	<b>30</b>
<b>7.4</b>	<b>Position and connections .....</b>	<b>31</b>
<b>7.5</b>	<b>Checks for compliance .....</b>	<b>31</b>
<b>7.6</b>	<b>Use of Pitot-static tube .....</b>	<b>31</b>
<b>8</b>	<b>Measurement of temperature .....</b>	<b>32</b>
<b>8.1</b>	<b>Thermometers .....</b>	<b>32</b>
<b>8.2</b>	<b>Thermometer location .....</b>	<b>32</b>
<b>8.3</b>	<b>Humidity .....</b>	<b>32</b>
<b>9</b>	<b>Measurement of rotational speed .....</b>	<b>33</b>
<b>9.1</b>	<b>Fan shaft speed .....</b>	<b>33</b>
<b>9.2</b>	<b>Acceptable instruments .....</b>	<b>33</b>
<b>10</b>	<b>Determination of power input .....</b>	<b>33</b>
<b>10.1</b>	<b>Measurement accuracy .....</b>	<b>33</b>
<b>10.2</b>	<b>Fan shaft power .....</b>	<b>33</b>
<b>10.3</b>	<b>Determination of fan shaft power by electrical measurement .....</b>	<b>33</b>
<b>10.4</b>	<b>Impeller power .....</b>	<b>34</b>
<b>10.5</b>	<b>Transmission systems .....</b>	<b>34</b>
<b>11</b>	<b>Measurement of dimensions and determination of areas .....</b>	<b>34</b>
<b>11.1</b>	<b>Flow-measurement devices .....</b>	<b>34</b>
<b>11.2</b>	<b>Tolerance on dimensions .....</b>	<b>34</b>
<b>11.3</b>	<b>Determination of cross-sectional area .....</b>	<b>35</b>

12	Determination of air density, humid gas constant and viscosity .....	35
12.1	Density of air in the test enclosure at section x .....	35
12.2	Determination of vapour pressure .....	36
12.3	Determination of air viscosity .....	38
13	Determination of flow rate .....	39
13.1	General .....	39
13.2	In-line flowmeters (standard primary devices) .....	39
13.3	Traverse methods .....	40
14	Calculation of test results .....	42
14.1	General .....	42
14.2	Units .....	42
14.3	Temperature .....	42
14.4	Mach number and reference conditions .....	44
14.5	Fan pressure .....	48
14.6	Calculation of stagnation pressure at a reference section of the fan from gauge pressure, $p_{ex}$ , measured at a section x of the test duct .....	51
14.7	Inlet volume flow rate .....	52
14.8	Fan air power and efficiency .....	52
15	Rules for conversion of test results .....	60
15.1	Laws on fan similarity .....	60
15.2	Conversion rules .....	62
16	Fan characteristic curves .....	65
16.1	General .....	65
16.2	Methods of plotting .....	66
16.3	Characteristic curves at constant speed .....	66
16.4	Characteristic curves at inherent speed .....	66
16.5	Characteristic curves for adjustable-duty fan .....	67
16.6	Complete fan characteristic curve .....	68
16.7	Test for a specified duty .....	69
17	Uncertainty analysis .....	70
17.1	Principle .....	70
17.2	Pre-test and post-test analysis .....	70
17.3	Analysis procedure .....	70
17.4	Propagation of uncertainties .....	70
17.5	Reporting uncertainties .....	71
17.6	Maximum allowable uncertainties measurement .....	71
17.7	Maximum allowable uncertainty of results .....	72
18	Selection of test method .....	73
18.1	Classification .....	73
18.2	Installation categories .....	73
18.3	Test report .....	73
18.4	User installations .....	74
18.5	Alternative methods .....	74
18.6	Duct simulation .....	74
19	Installation of fan and test airways .....	74
19.1	Inlets and outlets .....	74
19.2	Airways .....	74
19.3	Test enclosure .....	75
19.4	Matching fan and airway .....	75
19.5	Outlet area .....	75
20	Carrying out the test .....	75
20.1	Working fluid .....	75
20.2	Rotational speed .....	75

20.3	Steady operation .....	75
20.4	Ambient conditions .....	76
20.5	Pressure readings .....	76
20.6	Tests for a specified duty .....	76
20.7	Tests for a fan characteristic curve .....	76
20.8	Operating range .....	76
21	Determination of flow rate .....	76
21.1	Multiple nozzle .....	76
21.2	Conical or bellmouth inlet .....	76
21.3	Orifice plate .....	76
21.4	Pilot-static tube traverse (see ISO 3966 and ISO 5221) .....	77
22	Determination of flow rate using multiple nozzles .....	77
22.1	Installation .....	77
22.2	Geometric form .....	77
22.3	Inlet zone .....	78
22.4	Multiple-nozzle characteristics .....	78
22.5	Uncertainty .....	80
23	Determination of flow rate using a conical or bellmouth inlet .....	81
23.1	Geometric form .....	81
23.2	Screen loading .....	82
23.3	Inlet zone .....	83
23.4	Conical inlet performance .....	83
23.5	Bellmouth inlet performance .....	83
23.6	Uncertainties .....	85
24	Determination of flow rate using an orifice plate .....	85
24.1	Installation .....	85
24.2	Orifice plate .....	85
24.3	Ducts .....	89
24.4	Pressure tapplings .....	89
24.5	Calculation of mass flow rate .....	89
24.6	Reynolds number .....	90
24.7	In-duct orifice with D and D/2 taps [see Figure 20 a) and ISO 5167-1] .....	90
24.8	Outlet orifice with wall tapplings [see Figure 20 c) and e)] .....	94
25	Determination of flow rate using a Pitot-static tube traverse .....	96
25.1	General .....	96
25.2	Pitot-static tube .....	96
25.3	Limits of air velocity .....	101
25.4	Location of measurement points .....	101
25.5	Determination of flow rate .....	102
25.6	Flow rate coefficient .....	102
25.7	Uncertainty of measurement .....	103
26	Installation and setup categories .....	103
26.1	Category A: free inlet and free outlet .....	103
26.2	Category B: free inlet and ducted outlet .....	103
26.3	Category C: ducted inlet and free outlet .....	104
26.4	Category D: ducted inlet and ducted outlet .....	104
26.5	Test installation type .....	104
27	Flow straighteners .....	104
27.1	Types of straightener .....	105
27.2	Rules for use of a straightener .....	106
28	Common-segment airways for ducted fan installations .....	107
28.1	Common segments .....	107
28.2	Common segment at fan outlet .....	107
28.3	Common segment at fan inlet .....	109

28.4	Outlet duct simulation .....	111
28.5	Inlet duct simulation .....	111
28.6	Loss allowances for standardized airways .....	112
29	Standardized test chambers .....	115
29.1	Test chamber .....	115
29.2	Variable supply and exhaust systems .....	120
29.3	Standardized inlet test chambers .....	120
29.4	Standardized outlet test chambers .....	123
30	Standard methods with test chambers -- Category A installations .....	126
30.1	Types of fan setup .....	126
30.2	Inlet-side test chambers .....	126
30.3	Outlet-side test chambers .....	139
31	Standard test methods with outlet-side test ducts -- Category B installations .....	144
31.1	Types of fan setup .....	144
31.2	Outlet-side test ducts with antiswirl device .....	145
31.3	Outlet chamber test ducts without antiswirl device .....	157
32	Standard test methods with inlet-side test ducts or chambers -- Category C installations .....	164
32.1	Types of fan setup .....	164
32.2	Inlet-side test ducts .....	165
32.3	Inlet-side test chambers .....	178
33	Standard methods with inlet- and outlet-side test ducts -- Category D installations .....	188
33.1	Types of fan setup .....	188
33.2	Installation category B with outlet antiswirl device and with an additional inlet duct or inlet-duct simulation .....	192
33.3	Installation category B without outlet antiswirl device nor common segment, modified with addition of an inlet duct or inlet-duct simulation .....	198
33.4	Installation category C with common inlet duct, modified with the addition of an outlet common segment with antiswirl device .....	201
33.5	Installation category C, modified with the addition of an outlet-duct simulation without antiswirl device .....	205
Annex A (normative) Fan pressure and fan installation category .....		213
Annex B (normative) Fan-powered roof exhaust ventilators .....		217
Annex C (informative) Chamber leakage test procedure .....		219
Annex D (informative) Fan outlet elbow in the case of a non-horizontal discharge axis .....		225
Annex E (informative) Electrical input power consumed by a fan installation .....		228
Annex F (informative) Preferred methods of performance testing .....		235
Bibliography .....		236