DIN EN 848-3:2013-01 (E)

Safety of woodworking machines - One side moulding machines with rotating tools - Part 3: Numerically controlled (NC) boring and routing machines

Contents

Page

Foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 9

4 List of significant hazards 17

5 Safety requirements and/or measures 19
5.1 General 19
5.2 Controls 20
5.2.1 Safety and reliability of control systems 20
5.2.2 Position of controls 21
5.2.3 Starting 22
5.2.4 Normal stopping 22
5.2.5 Emergency stop 23
5.2.6 Operational stop 24
5.2.7 Mode selection switch 24
5.2.8 Speed control system 26
5.2.9 Interlocking of guards, protective devices, movements and functions 27
5.2.10 Failure of the power supply 27
5.2.11 Failure of the control circuits 27
5.3 Protection against mechanical hazards 27
5.3.1 Stability 27
5.3.2 Risk of break-up during operation 27
5.3.3 Tool holder 28
5.3.4 Braking tool spindle(s) 28
5.3.5 Devices to minimise the risk of ejection 29
5.3.6 Workpiece supports and guides 29
5.3.7 Prevention of access to moving parts and devices to minimise the effect of ejection 29
5.3.8 Clamping device 40
5.4 Protection against non-mechanical hazards 42
5.4.1 Fire 42
5.4.2 Noise 42
5.4.3 Emission of chips and dust 43
5.4.4 Electricity 44
5.4.5 Ergonomics and handling 44
5.4.6 Lighting 45
5.4.7 Pneumatics 45
5.4.8 Hydraulics 45
5.4.9 Static electricity 45
5.4.10 Electromagnetic compatibility 45
5.4.11 Lasers 45
5.4.12 Unintended movements 46
5.4.13 Supply disconnecting devices 46
5.4.14 Maintenance 46

6 Information for use 46
6.1 Warning devices 46
6.2 Marking 47
6.3 Instruction handbook 47

Annex A (normative) Operating conditions for noise measurement 52

A.1 General 52
A.2 Operating conditions for routing units of NC routing machines and NC combined boring/routing machines 52
A.2.1 General 52
A.2.2 Noise measurements 53
A.2.3 General data sheet 55
A.3 Operating conditions for boring units of NC boring machines and NC combined boring/routing machines 57
A.3.1 General 57
A.3.2 Noise measurements 58
A.3.3 General data sheet 60

Annex B (normative) Curtains on NC routing and NC combined boring and routing machines - Impact test method 63

B.1 General 63
B.2 Test method 63
B.2.1 Preliminary remarks 63
B.2.2 Testing equipment 63
B.2.3 Test procedure 64
B.3 Results 66
B.4 Assessment 67
B.5 Test report 67

Annex C (informative) Example of a test equipment for impact test 69

Annex D (normative) Braking tests 70

D.1 Conditions for brake tests 70
D.2 Tests 70
D.2.1 Un-braked run-down time 70
D.2.2 Braked run-down time 70

Annex E (normative) Curtains on NC routing and NC boring and routing machines - Wear test method 71

E.1 General 71
E.2 Test method 71
E.2.1 Preliminary remarks 71
E.2.2 Test method 71
E.3 Results 76
E.4 Assessment 76
E.5 Test report 76

Annex F (normative) Rigid guards on NC routing machines - Impact test method 77

F.1 General 77
F.2 Test method 77
F.2.1 Preliminary remarks 77
F.2.2 Testing equipment 77
F.2.3 Test procedure 78
F.3 Results 78
F.4 Assessment 78
F.5 Test report 79
F.6 Example of test equipment for impact test 79

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC 80

Bibliography 83