

ISO 14990-1:2016-11 (E)

Earth-moving machinery - Electrical safety of machines utilizing electric drives and related components and systems - Part 1: General requirements

Contents		Page
Foreword		vii
Introduction		viii
1	Scope	1
2	Normative references	2
3	Terms, definitions and abbreviated terms	3
3.1	Electric shock protection-related terms and definitions	3
3.2	Control-related terms and definitions	5
3.3	Electrical infrastructure-related terms and definitions	6
3.4	Risk-related terms and definitions	7
3.5	Miscellaneous terms and definitions	8
3.6	Abbreviated terms	9
4	General requirements	9
4.1	General	9
4.2	Provisions for handling	9
4.3	Provisions for transportation and storage	10
4.4	Components and devices	10
4.5	Intended operating environment	10
4.5.1	General	10
4.5.2	Exposure	10
4.5.3	Altitude	11
4.5.4	Ingress protection	11
4.6	Electrical source	11
5	Protection against electric shock hazards	11
5.1	General	11
5.2	Protection by enclosures	11
5.3	Protection by insulation	12
5.4	Protection against residual voltages	13
5.5	Protection by barriers	13
5.6	Protection by inaccessibility	13
5.7	Special considerations for low voltage energy storage devices and related buses	13
5.8	Prevention of touch voltage	14
5.8.1	General	14
5.8.2	Protection by class II construction or equivalent	14
5.8.3	Protection by electrical separation	14
5.9	Protection by automatic disconnection of source	15
5.10	Protection by equipotential bonding	15
5.10.1	General	15
5.10.2	Protective equipotential bonding circuit	16
5.10.3	Functional equipotential bonding	18
5.10.4	Devices for earthing and short-circuiting live parts	19
5.11	Protection by use of PELV	19
5.11.1	General	19
5.11.2	Sources for PELV	19
6	Protection against electrical fire hazards	20

6.1	General	20
6.2	Fire hazard assessment	20
6.3	Prevention of ignition	20
6.4	Minimizing the spread of fire	20
7	Protection against thermal hazards	20
8	Protection against mechanical hazards	20
9	Protection against abnormal operation hazards	20
9.1	General	20
9.2	Overcurrent protection (OCP)	21
9.2.1	General	21
9.2.2	Transformers	21
9.2.3	Overcurrent protection (OCP) implementation	21
9.2.4	Rating and setting of overcurrent protective systems	21
9.2.5	Placement of overcurrent protective devices	21
9.3	Abnormal temperature protection	22
9.4	Earth (or chassis in the case of self-powered machines) fault/residual current protection	22
9.5	Protection against overvoltages due to lightning and to switching surges	22
9.6	Protection against other abnormal operation hazards	22
10	Electric power source	22
10.1	Disconnection of source	22
10.1.1	General	22
10.1.2	Source disconnecting devices	23
10.1.3	Equipment disconnecting devices	24
10.2	Prevention of unintended start-up	24
10.3	External electrical charging	24
11	Wiring	24
11.1	General	24
11.2	Conductors	25
11.3	Insulation	25
11.4	Conductor and cable ampacity	25
11.5	Flexible cables	26
11.5.1	General	26
11.5.2	Mechanical rating	26
11.5.3	Ampacity of cables wound on reels	26
11.6	Assemblies having sliding contacts	26
11.6.1	Accessibility of live parts	26
11.6.2	Protective conductor circuit	27
11.6.3	Protective conductor current collectors	27
11.6.4	Removable current collectors used for disconnection	27
11.6.5	Clearances	27
11.6.6	Creepage distances	27
11.6.7	Conductor system sectioning	28
11.6.8	Construction and installation	28
11.7	Connections and routing	28
11.7.1	General	28
11.7.2	Conductor and cable runs	28
11.7.3	Conductors of different circuits	29
11.8	Identification of conductors	29
11.8.1	General	29
11.8.2	Protective conductor identification	29
11.8.3	Neutral conductor identification	29
11.8.4	Identification by colour	30
11.9	Wiring inside enclosures	31
11.10	Wiring outside enclosures	31
11.10.1	General	31
11.10.2	External ducts	31

11.10.3	Connection to moving elements of the EMM	31
11.10.4	Interconnection of devices on the EMM	32
11.10.5	Plug/socket combinations	33
11.10.6	Dismantling for shipment	34
11.10.7	Spare conductors	34
11.11	Ducts and boxes	34
11.11.1	General	34
11.11.2	Rigid metal conduit and fittings	35
11.11.3	Flexible metal conduit and fittings	35
11.11.4	Flexible nonmetallic conduit and fittings	35
11.11.5	Cable trunking systems	35
11.11.6	EMM compartments and cable trunking systems	35
11.11.7	Boxes	35
11.11.8	Motor wiring boxes	35
12	Electric motors and generators	36
12.1	General	36
12.2	Enclosures	36
12.3	Dimensions	36
12.4	Mounting and compartments	36
12.5	Criteria for motor selection or design	36
12.6	Overheating protection	37
12.7	Overspeed protection	37
13	Non-motor loads	37
13.1	Accessories	37
13.2	Local lighting	38
13.2.1	General	38
13.2.2	Source	38
13.2.3	Protection	38
13.2.4	Fittings	38
14	Controls	39
14.1	Control circuits	39
14.1.1	Control circuit voltages	39
14.1.2	Protection	39
14.2	Control functions	39
14.3	Protective interlocks	39
14.3.1	Reclosing or resetting of an interlocking safeguard	39
14.3.2	Operating limits, auxiliary functions, interlocks, and reverse current braking	39
14.4	Control functions in the event of failure	39
14.4.1	General	40
14.4.2	Measures to minimize risk in the event of failure	40
14.4.3	Protection against malfunction due to earth (or chassis in the case of self-powered machines) faults, voltage interruptions and loss of continuity	41
14.5	Operator interface and machine-mounted control devices	42
14.5.1	General	42
14.5.2	Push-buttons	42
14.5.3	Indicator lights and displays	43
14.5.4	Illuminated push-buttons	43
14.5.5	Rotary control devices	43
14.5.6	Start devices	43
14.5.7	Emergency stop devices	43
14.5.8	Emergency switching off devices	43
14.5.9	Enabling control devices	43
14.6	Controlgear: location, mounting, and enclosures	43
14.6.1	General	43
14.6.2	Location and mounting	43
14.6.3	Degrees of protection	44
14.6.4	Enclosures, doors, and openings	45
14.6.5	Access to controlgear	46
14.7	Access to low and high-voltage equipment	46

15	Manuals and technical documentation	46
15.1	General	46
15.2	Information to be provided	46
15.3	Documentation	46
15.4	Overview diagrams and function diagrams	47
15.5	Circuit diagrams	47
15.6	Operator's manual	47
15.7	Maintenance manual and service literature	47
15.7.1	General	47
15.7.2	Reduction of electrical hazards while servicing	48
15.8	Parts list	48
16	Marking	49
16.1	General	49
16.2	Warning signs	49
16.2.1	Electric shock hazard	49
16.2.2	Hot surfaces hazard	49
16.2.3	Magnetic field hazard	49
16.2.4	Arc flash hazard	49
16.2.5	Residual voltage hazard	50
16.3	Functional identification	50
16.4	Marking of equipment	50
16.4.1	General	50
16.4.2	Indication of hazardous voltages (all machines)	50
16.5	Reference designations	50
16.6	Protective equipotential bonding terminals	50
17	Tests	50
17.1	General	50
17.2	Protective equipotential bonding circuit continuity	51
17.3	Conditions for protection by automatic disconnection of source	51
17.3.1	General	51
17.3.2	Fault loop impedance verification and suitability of the associated overcurrent protective device in TN systems	52
17.4	Insulation resistance tests	52
17.4.1	Low-voltage insulation resistance test	52
17.4.2	High-voltage insulation resistance test	52
17.5	Voltage withstand tests	52
17.6	Protection against residual voltages	53
17.7	Functional tests	53
17.8	Retesting	53
17.9	IP test for high-voltage equipment	53
	Annex A (informative) List of significant hazards	54
	Annex B (normative) TN systems -- Protection against indirect contact	56
	Annex C (informative) Explanation of emergency operation functions	59
	Bibliography	65