

ISO 8178-1:2017-04 (E)

Reciprocating internal combustion engines - Exhaust emission measurement - Part 1: Test-bed measurement systems of gaseous and particulate emissions

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols and abbreviated terms	9
4.1	Quantities and units - Number and temperature	9
4.2	General symbols	10
4.3	Symbols for fuel consumption	11
4.4	Symbols and abbreviated terms for the chemical components	11
4.5	Abbreviated terms	12
5	General measurement principles	14
5.1	Principle of emission measurement	15
5.1.1	Mass of constituent	15
5.2	Exhaust sampling and dilution	16
5.2.1	General sampling requirements	16
5.2.2	Gas sampling	17
5.2.3	Raw sampling for gaseous emissions	19
5.2.4	Dilute sampling for gaseous emissions	20
5.2.5	Dilution system	20
5.2.6	Dilute sampling for particulate emissions	22
5.3	Performance specifications for measurement instruments	23
5.3.1	Overview	23
5.3.2	Component requirements	23
5.3.3	Data recording and control	24
6	Engine and ambient related measurement equipment	25
6.1	Dynamometer specification	25
6.2	Speed and torque sensors	26
6.2.1	Shaft work	26
6.2.2	Speed sensors	26
6.2.3	Torque sensors	26
6.2.4	Engine accessories	26
6.3	Pressure transducers, temperature sensors, and dew point sensors	26
6.4	Flow related measurements	27
6.4.1	Fuel flow	27
6.4.2	Intake air flow	27
6.4.3	Raw exhaust flow	27
6.4.4	Indirect exhaust flow	29
6.4.5	Dilution air and diluted exhaust flow meters	30
6.4.6	Sample flow meter for batch sampling	31
7	Determination of the gaseous components	31
7.1	General specifications	31
7.2	Gas drying	31

7.3	Analysers	31
7.3.1	General	31
7.3.2	Carbon monoxide (CO) and carbon dioxide (CO ₂) analysis	31
7.3.3	Oxygen (O ₂) analysis	32
7.3.4	Hydrocarbon (HC) analysis	32
7.3.5	Non-methane hydrocarbon (NMHC) analysis	32
7.3.6	Oxides of nitrogen (NO _x) analysis	33
7.3.7	Sulphur dioxide (SO ₂) analysis	34
7.3.8	Ammonia (NH ₃) analysis	34
7.3.9	Dinitrogen oxide (N ₂ O) analysis	34
7.3.10	Formaldehyde (HCHO) analysis	34
7.3.11	Methanol (CH ₃ OH) analysis	35
7.3.12	Air-to-fuel measurement	35
7.4	Measurement system	35
7.4.1	General	35
7.4.2	Analytical system	35
7.4.3	Ammonia analysis	36
7.4.4	Methane analysis	41
7.4.5	Methanol analysis	44
7.4.6	Formaldehyde analysis	45
8	Particulate determination	47
8.1	Particulate mass	47
8.1.1	Particulate Sampling probes (PSP)	47
8.1.2	Transfer tubes	47
8.1.3	Pre-classifier	48
8.1.4	Particulate sampling filters	48
8.1.5	Weighing chamber and analytical balance specifications	48
8.2	Particle number	50
8.2.1	Sampling	50
8.2.2	Compensating for particle number sample flow - full flow dilution systems	50
8.2.3	Compensating for particle number sample flow - partial flow dilution systems.....	50
8.2.4	Correction of PM measurement	51
8.2.5	Proportionality of partial flow dilution sampling	52
8.3	Particulate dilution sampling system equipment	52
8.3.1	General	52
8.3.2	Partial flow dilution system	52
8.3.3	Full-flow dilution system	54
8.3.4	Particulate sampling system	57
8.4	Particle number measurement equipment	60
8.4.1	Particle number measurement system	60
9	Calibration and verification	66
9.1	Calibration and performance checks	66
9.1.1	Introduction	66
9.1.2	Summary of calibration and verification	66
9.1.3	Verifications for accuracy, repeatability, and noise	68
9.1.4	Linearity check	68
9.1.5	Continuous gas analyser system-response and updating-recording verification	72
9.1.6	Response time verification for compensation type analysers	74
9.2	Calibration gases	75
9.2.1	Analytical gases	75
9.2.2	Gas specifications	75
9.2.3	Use of gas dividers	77
9.3	Vacuum-side leak verification	77
9.3.1	Scope and frequency	77
9.3.2	Measurement principles	77
9.3.3	Low-flow leak test	77
9.3.4	Dilution-of-span-gas leak test	78
9.3.5	Vacuum-decay leak test	78
9.4	NO ₂ -to-NO converter conversion verification	79

9.4.1	Scope and frequency	79
9.4.2	Measurement principles	79
9.4.3	System requirements	79
9.4.4	Procedure	79
9.5	Flame ionization detector (FID) optimization and verification	80
9.5.1	Scope and frequency	80
9.5.2	Calibration	81
9.5.3	HC FID response optimization	81
9.5.4	HC FID CH4 response factor determination	81
9.5.5	HC FID methane (CH4) response verification	82
9.5.6	Non-stoichiometric raw exhaust FID O2 interference verification	82
9.5.7	Efficiency of the Non-Methane Cutter (NMC)	84
9.5.8	CO and CO2 Measurements	87
9.5.9	NOx Measurement	89
9.5.10	Methanol response factor	99
9.6	Calibration of the particulate mass measuring system	100
9.6.1	General	100
9.6.2	Checking the partial flow conditions	100
9.6.3	PM balance verifications and weighing process verification	100
9.7	Calibration of the particle number measuring system	103
9.7.1	Calibration of the particle number counter	103
9.7.2	Calibration/Validation of the volatile particle remover	104
9.7.3	Particle number system check procedures	104
9.8	Calibration of the CVS full flow dilution system	105
9.8.1	General	105
9.8.2	Calibration of the Positive Displacement Pump (PDP)	106
9.8.3	Calibration of the Critical Flow Venturi (CFV)	108
9.8.4	Calibration of the Subsonic Venturi (SSV)	110
9.8.5	CVS and batch sampler verification (propane check)	112
9.8.6	Periodic calibration of the partial flow PM and associated raw exhaust gas measurement systems	116
9.9	Calibration of the dynamometer	118
9.9.1	Torque calibration	118
9.10	Calibration of temperature, pressure and dew point sensors	119
9.11	Flow-related measurements	119
9.11.1	Fuel flow calibration	119
9.11.2	Intake air flow calibration	119
9.11.3	Exhaust flow calibration	119
Annex A (normative) Heat calculation (transfer tube)		120
Annex B (normative) Determination of system equivalence		124
Annex C (informative) Carbonflowcheck		125
Annex D (informative) Statistical equations		126
Annex E (informative) Examples of Partial Flow Dilution Systems		134
Annex F (informative) Examples of exhaust gas analysis system		144
Bibliography		148