

ISO 20474-12:2017-07 (E)

Earth-moving machinery - Safety - Part 12: Requirements for cable excavators

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Safety requirements and protective measures	3
4.1	General	3
4.2	Operator's station	3
4.2.1	General	3
4.2.2	Roll-over protective structures (ROPS)	3
4.2.3	Operator's protective guard	3
4.3	Operator's controls and indicators	3
4.3.1	Controls for driving and steering	3
4.3.2	Warning indicator	3
4.4	Steering	3
4.5	Swing brakes	4
4.6	Lift system	4
4.6.1	Force-controlled operation (lifting, lowering)	4
4.6.2	Free-fall operation	4
4.6.3	Switchover	4
4.6.4	Boom	4
4.6.5	Ropes	4
4.6.6	Rope drum, rope pulley	5
4.7	Limiting devices	5
4.7.1	Load moment limiting device	5
4.7.2	Lift limiting switch	5
4.7.3	Limit switch for the boom hoist system	5
4.8	Calculation of the lift capacity	5
4.8.1	Calculation method	5
4.8.2	Rated load table for object-handling application	6
4.9	Safety-related parts of the control system	6
4.10	Stability	6
4.10.1	General	6
4.10.2	Stability in different applications	6
4.10.3	Dragline bucket	7
4.10.4	Grab and front shovel	7
4.10.5	Object-handling applications	7
4.11	Cable excavator with electrical power source	7
5	Verification of safety requirements and protective measures	7
6	Information for use	7
Annex A (normative) Requirements for cable excavator swing brakes		9
Annex B (informative) Illustrations		12
Bibliography		15