

ISO 5801:2017-09 (E)

Fans - Performance testing using standardized airways

Contents		Page
Foreword		vii
Introduction		viii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols, abbreviated terms and subscripts	10
4.1	Symbols and abbreviated terms	10
4.2	Subscripts	12
5	General	13
6	Test configurations	14
6.1	General	14
6.2	Category A configuration	15
6.3	Category B configuration	15
6.4	Category C configuration	15
6.5	Category D configuration	15
6.6	Inlets and outlets	15
6.7	Fans with significant swirl	15
6.8	Airways	15
6.9	Test space	16
6.10	Leakage	16
6.11	Test report	16
7	Carrying out the test	16
7.1	Working fluid	16
7.2	Rotational speed	16
7.3	Steady operation	16
7.4	Ambient conditions	16
7.5	Pressure readings	17
7.6	Test for a specified duty	17
7.7	Test for a fan characteristic curve	17
7.8	Operating range	17
8	Airways for duct simulations	17
8.1	General	17
8.2	Common segments at fan inlet (iCS)	17
8.3	Inlet duct simulation (iDS)	19
8.4	Common segment at fan outlet (oCS)	20
8.5	Outlet duct simulation (oDS)	21
8.6	Long duct (LD)	22
8.7	Loss allowances for standardized airways	23
8.7.1	Loss allowances for an inlet common segment (iCS)	23
8.7.2	Loss allowances for inlet duct simulation (iDS)	24
8.7.3	Loss allowances for outlet common segments (oCS)	24
8.7.4	Loss allowances for duct simulation at outlet (oDS)	25
8.7.5	Loss allowances for long duct (LD)	25

9	Standardized test chambers	25
9.1	General	25
9.2	Pressure tapings	25
9.3	Flow-settling means	25
9.3.1	General	25
9.3.2	Piezometer ring check	26
9.3.3	Blow through verification test	26
9.3.4	Outlet chamber reverse flow verification test	26
9.4	Standardized inlet test chambers (iTC)	26
9.4.1	Test chambers	26
9.4.2	Fan under test	29
9.5	Standardized outlet test chambers (oTC)	30
9.5.1	Test chambers	30
9.5.2	Fan under test	30
10	Various component parts for a laboratory setup	31
10.1	General	31
10.2	Variable supply system	31
10.2.1	General	31
10.2.2	Throttling device	31
10.2.3	Auxiliary fan	31
10.3	Straightener	31
10.3.1	General	31
10.3.2	Cell straightener	31
10.3.3	Star straightener	32
10.4	Transition parts	33
10.4.1	General	33
10.4.2	Rectangular/circular transition	34
10.4.3	Circular/circular transition	34
10.4.4	Connection for double-inlet fans	35
11	Standard test configurations	35
11.1	Units	35
11.2	Measuring flow rate	40
11.3	Standard test configurations A	41
11.4	Standard test configurations B	42
11.5	Standard test configurations C	42
11.6	Standard test configurations D	42
12	Measurements	43
12.1	Calibration	43
12.2	Dimensions and cross-sectional areas	43
12.2.1	Tolerance on dimensions	43
12.2.2	Cross-sectional area	43
12.3	Rotational speed	44
12.4	Power input	44
12.4.1	General	44
12.4.2	Motor input power	44
12.4.3	Fan shaft power	45
12.4.4	Impeller power	46
12.4.5	Transmission systems	46
12.5	Mass flow rate	46
12.6	Temperature	47
12.6.1	General	47
12.6.2	Accuracy of temperature measurement	47
12.6.3	Correction for high velocities	47
12.7	Humidity	48
12.8	Pressure	48
12.8.1	Barometers	48
12.8.2	Manometers	49

12.8.3	Damping of manometers	49
12.8.4	Checking of manometers	49
12.8.5	Position of manometers	49
12.8.6	Average pressure in an airway	50
12.8.7	Construction of tappings	50
12.8.8	Position and connections	51
12.8.9	Methods of measurement	51
12.8.10	Checks for compliance	51
12.8.11	Use of Pitot-static tube	51
12.9	Air properties	52
12.9.1	General	52
12.9.2	Density of air at section x	52
12.9.3	Air viscosity	53
12.9.4	Standard air	53
13	Reference conditions	53
14	General rules for conversion of test results	54
14.1	General	54
14.2	Laws on fan similarity	54
14.2.1	General	54
14.2.2	Geometrical similarity	54
14.2.3	Reynolds number similarity	55
14.2.4	Mach number and similarity of the velocity triangles	55
15	Calculations	55
15.1	Test results	55
15.1.1	General	55
15.1.2	Temperature	56
15.1.3	Pressure	58
15.1.4	Set of formulae	58
15.1.5	Simplified sets of formulae, which can be used for $v_{2.ref} \geq 65\text{m/s}$	60
15.1.6	Fan pressure	61
15.1.7	Fan static pressure	62
15.1.8	Volume flow rate of the fan	62
15.1.9	Fan air power and efficiency	62
15.2	Efficiencies	65
15.2.1	General	65
15.2.2	Fan static air power and static efficiency	66
15.3	Conversion rules	66
15.3.1	General	66
15.3.2	Shaft power and impeller power	66
16	Fan characteristic curves	67
16.1	Methods of plotting	67
16.2	Characteristic curves at constant speed	67
16.3	Characteristic curves at inherent speed	68
16.4	Complete fan characteristic curve	68
16.5	Test for a specified duty	69
16.6	Specific fan types	69
17	Uncertainty analysis	70
17.1	Principle	70
17.2	Pre-test and post-test analysis	70
17.3	Analysis procedure	70
17.4	Propagation of uncertainties	70
17.5	Reporting uncertainties	71
17.6	Maximum allowable uncertainties for measurements	71
17.7	Maximum allowable uncertainty of results	72

Annex A (normative) Determination of air flow rate	73
Annex B (informative) Fan-powered roof exhaust ventilators	90
Annex C (informative) Chamber leakage test procedure	91
Annex D (informative) Fan outlet elbow in the case of a non-horizontal discharge axis	97
Annex E (informative) Input power calculation for driven fans at design point	100
Annex F (informative) Motor fed from a variable frequency speed device	109
Annex G (informative) Axial fans without outlet guide vanes	110
Annex H (informative) Vapour pressure, p_v	112
Annex I (informative) Clearances	113
Annex J (normative) Polytropic approach for the calculation of p_{fC} from p_{fTe}	115
Annex K (informative) Examples for test setups	117
Annex L (informative) Measurement of plenum fans and plug fans	125
Annex M (informative) Comparison of NEMA methodology for calculation motor efficiency with IEC	127
Annex N (informative) Report and results of test	128
Bibliography	136