

DIN EN ISO 19085-17:2021-12 (E)

Woodworking machines - Safety - Part 17: Edge banding machines fed by chains (ISO 19085-17:2021)

| Contents | | Page |
|--|---|-------------|
| European foreword | | 5 |
| Annex ZA (informative) Relationship between this International Standard and the essential requirements of EU Directive 2006/42/EC aimed to be covered | | 6 |
| Foreword | | 9 |
| Introduction | | 10 |
| 1 | Scope | 12 |
| 2 | Normative references | 13 |
| 3 | Terms and definitions | 14 |
| 4 | Safety requirements and measures for controls | 20 |
| 4.1 | Safety and reliability of control systems..... | 20 |
| 4.2 | Control devices..... | 20 |
| 4.3 | Start..... | 20 |
| 4.3.1 | Direct start..... | 20 |
| 4.3.2 | Start via control power-on..... | 21 |
| 4.3.3 | Integrated feed..... | 21 |
| 4.4 | Safe stops..... | 21 |
| 4.4.1 | General..... | 21 |
| 4.4.2 | Normal stop..... | 21 |
| 4.4.3 | Operational stop..... | 22 |
| 4.4.4 | Emergency stop..... | 22 |
| 4.5 | Braking function of tools..... | 22 |
| 4.6 | Mode selection..... | 22 |
| 4.6.1 | Units' Manual adjustments mode (MODE 2)..... | 23 |
| 4.6.2 | Fine adjustment mode (MODE 3)..... | 23 |
| 4.6.3 | Feed chains greasing mode (MODE 4)..... | 24 |
| 4.7 | Tool speed changing..... | 25 |
| 4.7.1 | Speed changing by shifting the belts on the pulleys..... | 25 |
| 4.7.2 | Speed changing by incremental speed change motor..... | 25 |
| 4.7.3 | Infinitely variable speed by frequency inverter..... | 25 |
| 4.8 | Failure of any power supply..... | 25 |
| 4.9 | Manual reset control..... | 25 |
| 4.10 | Standstill detection and monitoring..... | 25 |
| 4.11 | Machine moving parts speed monitoring..... | 25 |
| 4.12 | Time delay..... | 25 |
| 4.13 | Teleservice..... | 25 |
| 5 | Safety requirements and measures for protection against mechanical hazards | 25 |
| 5.1 | Stability..... | 25 |
| 5.2 | Risk of break-up during operation..... | 26 |
| 5.3 | Tool and tool fixing design..... | 26 |
| 5.3.1 | General..... | 26 |
| 5.3.2 | Spindle locking..... | 26 |
| 5.3.3 | Circular saw blade fixing device..... | 26 |
| 5.3.4 | Flange dimension for circular saw blades..... | 26 |
| 5.3.5 | Spindle rings..... | 26 |
| 5.4 | Braking..... | 27 |
| 5.4.1 | Braking of tools..... | 27 |
| 5.4.2 | Maximum run-down time..... | 27 |
| 5.4.3 | Brake release..... | 27 |
| 5.5 | Safeguards..... | 27 |
| 5.5.1 | Fixed guards..... | 27 |
| 5.5.2 | Interlocking moveable guards..... | 27 |

| | | |
|----------|--|-----------|
| 5.5.3 | Hold-to-run control..... | 28 |
| 5.5.4 | Two-hand control..... | 28 |
| 5.5.5 | Electro-sensitive protective equipment (ESPE)..... | 28 |
| 5.5.6 | Pressure-sensitive protective equipment (PSPE)..... | 28 |
| 5.5.7 | Enabling control..... | 28 |
| 5.6 | Prevention of access to hazardous moving parts..... | 28 |
| 5.6.1 | Guarding of tools installed inside the integral enclosure..... | 28 |
| 5.6.2 | Guarding of external milling units..... | 28 |
| 5.6.3 | Guarding of sanding belts..... | 29 |
| 5.6.4 | Guarding of the edge banding zone..... | 29 |
| 5.6.5 | Access between machine halves on double-end machines..... | 29 |
| 5.6.6 | Access to hazard points through the slot between chain beam and top pressure beam..... | 30 |
| 5.6.7 | Guarding of drives..... | 31 |
| 5.6.8 | Safeguarding of the feed mechanisms..... | 31 |
| 5.6.9 | Safeguarding of machine half movement on double-end machines..... | 34 |
| 5.7 | Impact hazard..... | 37 |
| 5.8 | Clamping devices..... | 37 |
| 5.9 | Measures against ejection..... | 37 |
| 5.9.1 | General..... | 37 |
| 5.9.2 | Guards materials and characteristics..... | 38 |
| 5.9.3 | Devices to minimize ejection of rigid edges..... | 38 |
| 5.9.4 | Height adjustments of feed mechanism..... | 39 |
| 5.10 | Workpiece supports and guides..... | 39 |
| 5.10.1 | General..... | 39 |
| 5.10.2 | Additional workpiece support at the outfeed..... | 39 |
| 5.10.3 | Transversal infeed device..... | 40 |
| 5.10.4 | Automatic panel returner..... | 40 |
| 6 | Safety requirements and measures for protection against other hazards..... | 41 |
| 6.1 | Fire..... | 41 |
| 6.2 | Noise..... | 42 |
| 6.2.1 | Noise reduction at the design stage..... | 42 |
| 6.2.2 | Noise emission measurement and declaration..... | 42 |
| 6.3 | Emission of chips and dust..... | 42 |
| 6.4 | Electricity..... | 42 |
| 6.5 | Ergonomics and handling..... | 42 |
| 6.6 | Lighting..... | 42 |
| 6.7 | Pneumatics..... | 42 |
| 6.8 | Hydraulics..... | 42 |
| 6.9 | Electromagnetic compatibility..... | 42 |
| 6.10 | Laser..... | 43 |
| 6.11 | Static electricity..... | 43 |
| 6.12 | Errors of fitting..... | 43 |
| 6.13 | Isolation..... | 43 |
| 6.14 | Maintenance..... | 43 |
| 6.15 | Relevant but not significant hazards..... | 43 |
| 6.16 | Extreme temperatures..... | 43 |
| 6.17 | Substances..... | 44 |
| 6.18 | Artificial optical radiation..... | 44 |
| 7 | Information for use..... | 44 |
| 7.1 | Warning devices..... | 44 |
| 7.2 | Marking..... | 44 |
| 7.2.1 | General..... | 44 |
| 7.2.2 | Additional markings..... | 44 |
| 7.3 | Instruction handbook..... | 45 |
| 7.3.1 | General..... | 45 |
| 7.3.2 | Additional information..... | 45 |

| | |
|--|-----------|
| Annex A (informative) List of significant hazards | 47 |
| Annex B (informative) Performance level required | 49 |
| Annex C (normative) Stability test | 51 |
| Annex D (normative) Test for braking function | 52 |
| Annex E (normative) Impact test for guards | 53 |
| Annex F (normative) Noise test code | 54 |
| Bibliography | 59 |