

DIN EN ISO 18063-2:2022-01 (E)

Rough-terrain trucks - Visibility test methods and their verification - Part 2: Slewing rough-terrain variable-reach trucks (ISO 18063-2:2021)

| Contents | Page |
|--|-------------|
| European foreword | 4 |
| Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC amended by Directive 2009/127/EC aimed to be covered | 5 |
| Foreword | 6 |
| Introduction | 7 |
| 1 Scope | 9 |
| 2 Normative references | 9 |
| 3 Terms and definitions | 9 |
| 4 Basic dimensions | 12 |
| 4.1 Light bulb spacing dimensions..... | 12 |
| 4.2 Masking dimensions..... | 12 |
| 4.3 Reference dimensions for the measurement..... | 13 |
| 5 Test apparatus | 13 |
| 5.1 Test load..... | 13 |
| 5.2 Light source apparatus..... | 13 |
| 5.3 Vertical test object..... | 13 |
| 5.4 Observation mirror..... | 13 |
| 6 Truck test configuration | 14 |
| 6.1 Equipment of the truck..... | 14 |
| 6.2 Openings..... | 14 |
| 6.3 Position of the truck and load handling attachment..... | 14 |
| 6.3.1 General..... | 14 |
| 6.3.2 Test simulating manoeuvring..... | 14 |
| 6.3.3 Test simulating travel..... | 14 |
| 6.3.4 Test simulating pick-and-place..... | 15 |
| 7 Measurement procedure | 15 |
| 7.1 Test-surface marking and truck location on the test surface..... | 15 |
| 7.2 Positioning of the test apparatus..... | 16 |
| 7.3 Measurement of the masking..... | 16 |
| 7.3.1 General..... | 16 |
| 7.3.2 Measurement in travelling condition..... | 16 |
| 7.3.3 Measurement in manoeuvring condition..... | 17 |
| 7.3.4 Measurement in pick-and-place condition..... | 19 |
| 7.4 Fork arm visibility..... | 19 |
| 8 Calculation method and computer simulation | 19 |
| 8.1 Calculation method..... | 19 |
| 8.2 Computer simulation..... | 20 |
| 9 Evaluation method and performance criteria | 20 |
| 9.1 Visibility performance criteria on sector A..... | 20 |
| 9.2 Visibility performance criteria for the RB..... | 20 |
| 9.3 Visibility maskings that exceed the visibility performance criteria with direct view..... | 21 |
| 9.4 Fork arm visibility criteria..... | 21 |

| | | |
|--|----------------------------------|-----------|
| 10 | Test reports | 21 |
| 10.1 | Truck details..... | 21 |
| 10.2 | Drawing..... | 21 |
| 11 | Information for use | 21 |
| Annex A (informative) Light bulb spacing dimensions | | 22 |
| Annex B (informative) Performance criteria for indirect visibility devices | | 23 |
| Annex C (informative) Procedure for the determination of maskings at the sector A or the RB | | 24 |
| Annex D (informative) Examples of drawings for the test report | | 26 |
| Bibliography | | 29 |