

# DIN EN 1493:2023-04 (E)

## Vehicle lifts

---

Contents	Page
European foreword.....	5
Introduction .....	6
1 Scope .....	7
2 Normative references.....	7
3 Terms and definitions .....	8
3.1 General.....	8
3.2 Lift parts .....	10
3.3 Lift type .....	13
3.4 Safety related parts .....	15
4 Safety requirements and/or measures .....	17
4.1 General.....	17
4.2 Preventing unauthorised operation.....	17
4.3 Control devices.....	17
4.3.1 Hold-to-run control .....	17
4.3.2 Grouped control devices.....	17
4.3.3 Logical operation.....	17
4.3.4 Marking.....	17
4.3.5 Unintentional operation.....	17
4.4 Controls.....	17
4.4.1 General.....	17
4.4.2 Fixed controls .....	18
4.4.3 Mobile controls .....	18
4.4.4 Controlling multiple Lifting Unit Lift.....	19
4.4.5 Emergency stop device.....	19
4.4.6 Stopping device.....	20
4.5 Duplicated drive systems .....	20
4.6 Speeds.....	20
4.7 Structural design of the supporting structure.....	20
4.7.1 General.....	20
4.7.2 Loads and forces .....	20
4.7.3 Load combinations .....	23
4.7.4 Load distribution.....	24
4.7.5 Lifting elements .....	32
4.7.6 Proof of stability against overturning .....	35
4.8 Drive system .....	36
4.8.1 Preventing uncontrolled motion .....	36
4.8.2 Preventing inadvertent moving from stationary condition when raised.....	36
4.8.3 Additional requirements for mechanical drives .....	36
4.8.4 Additional requirements for hydraulic drives .....	36
4.8.5 Additional requirements for pneumatic drives .....	37
4.9 Load carrying devices.....	38
4.9.1 Unintended motion of the load carrying device.....	38
4.9.2 Vehicle pick-up-plates.....	38
4.9.3 Vehicle pick-up pads .....	40

<b>4.9.4</b>	<b>Locking systems of carrying arms .....</b>	<b>40</b>
<b>4.9.5</b>	<b>Prevention of rolling off .....</b>	<b>41</b>
<b>4.10</b>	<b>Additional requirements for lifts with balconies.....</b>	<b>42</b>
<b>4.11</b>	<b>Limiting the travel of the load carrying device.....</b>	<b>42</b>
<b>4.12</b>	<b>Unintended blocking of the load carrying device .....</b>	<b>43</b>
<b>4.13</b>	<b>Safety against rupture of mechanical lifting elements.....</b>	<b>43</b>
<b>4.14</b>	<b>Safety against leakage.....</b>	<b>44</b>
<b>4.14.1</b>	<b>Limiting the lowering speed.....</b>	<b>44</b>
<b>4.14.2</b>	<b>Protection against leakage.....</b>	<b>44</b>
<b>4.15</b>	<b>Additional requirements for lifts with more than one lifting units .....</b>	<b>44</b>
<b>4.16</b>	<b>Additional requirements for mobile lifts.....</b>	<b>45</b>
<b>4.16.1</b>	<b>Safety against unintended motion.....</b>	<b>45</b>
<b>4.16.2</b>	<b>Service brakes for vehicle lifts using powered mobility .....</b>	<b>45</b>
<b>4.16.3</b>	<b>Devices for moving manually mobile lifts .....</b>	<b>45</b>
<b>4.16.4</b>	<b>Derailment protection .....</b>	<b>45</b>
<b>4.16.5</b>	<b>Forces.....</b>	<b>45</b>
<b>4.16.6</b>	<b>Visibility .....</b>	<b>45</b>
<b>4.17</b>	<b>Protection against pinching and shearing.....</b>	<b>45</b>
<b>4.17.1</b>	<b>General .....</b>	<b>45</b>
<b>4.17.2</b>	<b>Safety distances.....</b>	<b>46</b>
<b>4.17.3</b>	<b>Other safety measures .....</b>	<b>46</b>
<b>4.18</b>	<b>Safety devices.....</b>	<b>47</b>
<b>4.18.1</b>	<b>General .....</b>	<b>47</b>
<b>4.18.2</b>	<b>Arrangement .....</b>	<b>47</b>
<b>4.18.3</b>	<b>Function of mechanical safety devices.....</b>	<b>47</b>
<b>4.18.4</b>	<b>Safety switches .....</b>	<b>47</b>
<b>4.18.5</b>	<b>Springs in safety devices .....</b>	<b>47</b>
<b>4.19</b>	<b>Protection against damage.....</b>	<b>48</b>
<b>4.19.1</b>	<b>Wearing parts .....</b>	<b>48</b>
<b>4.19.2</b>	<b>Lead screws.....</b>	<b>48</b>
<b>4.19.3</b>	<b>Installation of hoses, pipes and electrical equipment.....</b>	<b>48</b>
<b>4.20</b>	<b>Manually driven vehicle lifts .....</b>	<b>48</b>
<b>4.21</b>	<b>Electrical equipment .....</b>	<b>48</b>
<b>4.21.1</b>	<b>General .....</b>	<b>48</b>
<b>4.21.2</b>	<b>IP-code .....</b>	<b>48</b>
<b>4.21.3</b>	<b>Means of disconnecting the power supply .....</b>	<b>48</b>
<b>4.21.4</b>	<b>Batteries.....</b>	<b>49</b>
<b>4.22</b>	<b>Special requirements for vehicle lifts where it is permitted to stand under the load during lifting and lowering movement.....</b>	<b>49</b>
<b>4.22.1</b>	<b>Control devices .....</b>	<b>49</b>
<b>4.22.2</b>	<b>Control positions.....</b>	<b>49</b>
<b>4.22.3</b>	<b>Lifting and lowering speed.....</b>	<b>49</b>
<b>4.22.4</b>	<b>Safety against rupture or leakage of load bearing devices.....</b>	<b>49</b>
<b>4.22.5</b>	<b>Operation instructions .....</b>	<b>49</b>
<b>4.23</b>	<b>Additional requirements for vehicle lifts for motorcycles .....</b>	<b>49</b>
<b>5</b>	<b>Verification of the safety requirements and/or measures.....</b>	<b>50</b>
<b>5.1</b>	<b>General .....</b>	<b>50</b>
<b>5.2</b>	<b>Introduction .....</b>	<b>53</b>
<b>5.3</b>	<b>Design check.....</b>	<b>53</b>
<b>5.4</b>	<b>Manufacturing check.....</b>	<b>54</b>
<b>5.5</b>	<b>Visual verification .....</b>	<b>54</b>
<b>5.6</b>	<b>Practical tests.....</b>	<b>54</b>

<b>5.6.1</b>	<b>General.....</b>	<b>54</b>
<b>5.6.2</b>	<b>Overload dynamic test.....</b>	<b>54</b>
<b>5.6.3</b>	<b>Overload static test.....</b>	<b>54</b>
<b>5.6.4</b>	<b>Functional tests.....</b>	<b>55</b>
<b>5.6.5</b>	<b>Electrical tests .....</b>	<b>55</b>
<b>6</b>	<b>Information for use .....</b>	<b>55</b>
<b>6.1</b>	<b>General.....</b>	<b>55</b>
<b>6.2</b>	<b>Marking.....</b>	<b>55</b>
<b>6.3</b>	<b>Operation instructions.....</b>	<b>56</b>
<b>6.3.1</b>	<b>Complete instructions .....</b>	<b>56</b>
<b>6.3.2</b>	<b>Digest of the instructions for use.....</b>	<b>58</b>
<b>6.4</b>	<b>Name plate .....</b>	<b>58</b>
<b>Annex A</b> (informative)	<b>List of significant hazards.....</b>	<b>59</b>
<b>Annex B</b> (informative)	<b>Structural calculations.....</b>	<b>61</b>
<b>Annex C</b> (informative)	<b>Examples of solutions.....</b>	<b>66</b>
<b>Annex D</b> (informative)	<b>Example of information about wind .....</b>	<b>98</b>
<b>Annex E</b> (normative)	<b>Test procedure for unintended blocking of the load carrying device (4.12) .....</b>	<b>99</b>
<b>Annex F</b> (normative)	<b>Additional requirements for wireless controls and control systems .....</b>	<b>100</b>
<b>Annex G</b> (normative)	<b>Deflection test of a chassis supporting lift with carrying arms .....</b>	<b>104</b>
<b>Annex H</b> (normative)	<b>Test method for platform end stop.....</b>	<b>106</b>
<b>Annex I</b> (normative)	<b>Arm locking device proof test procedure .....</b>	<b>110</b>
<b>Annex J</b> (normative)	<b>Test method for end stop of telescopic arms.....</b>	<b>111</b>
<b>Bibliography.....</b>		<b>112</b>