ISO 19085-2:2021-10 (E)

Woodworking machines - Safety - Part 2: Horizontal beam panel circular sawing machines

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 3

3 Termsanddefinitions 3

4 Safety requirements and measures for controls 8
4.1 Safety and reliability of control systems 8
4.2 Control devices 8
4.3 Start 9
4.3.1 Direct start 9
4.3.2 Start via control power-on 9
4.3.3 Operating conditions 9
4.4 Safe stops 10
4.4.1 General 10
4.4.2 Normal stop 10
4.4.3 Operational stop 11
4.4.4 Emergency stop 11
4.5 Braking function of tools 11
4.6 Mode selection 11
4.7 Tool speed changing 11
4.7.1 Speed changing by shifting the belts on the pulleys 11
4.7.2 Speed changing by incremental speed change motor 11
4.7.3 Infinitely variable speed by frequency inverter 11
4.8 Failure of any power supply 11
4.9 Manual reset control 12
4.10 Standstill detection and monitoring 12
4.11 Machine moving parts speed monitoring 12
4.12 Time delay 12
4.13 Teleservice 12

5 Safety requirements and measures for protection against mechanical hazards 12
5.1 Stability 12
5.2 Risk of break-up during operation 12
5.3 Tool and tool fixing design 12
5.3.1 General 12
5.3.2 Spindle locking 12
5.3.3 Circular saw blade fixing device 12
5.3.4 Flange dimension for circular saw blades 13
5.4 Braking 13
5.4.1 Braking of tools 13
5.4.2 Maximum run-down time 13
5.4.3 Brake release 13
5.5 Safeguards 13
5.5.1 Fixed guards 13
5.5.2 Interlocking movable guards 13
5.5.3 Hold-to-run control 13

5.5.4 Two-hand control ... 13
5.5.5 Electro-sensitive protective equipment (ESPE) ... 13
5.5.6 Pressure-sensitive protective equipment (PSPE) ... 13
5.5.7 Enabling control ... 14
5.6 Prevention of access to hazardous moving parts ... 14
5.6.1 Safeguarding the saw blades outside the cutting area ... 14
5.6.2 Safeguarding the saw blades in the cutting area ... 14
5.6.3 Safeguarding the moving parts at the front cutting line ... 15
5.6.4 Safeguarding the pressure beam ... 17
5.6.5 Safeguarding the side pressure device ... 20
5.6.6 Safeguarding the front side turn table ... 20
5.6.7 Safeguarding the pushing out device ... 20
5.6.8 Safeguarding the rear of the machine with panel pusher (except loading zone) ... 20
5.6.9 Safeguarding the loading zone at the rear of the machine with panel pusher ... 21
5.6.10 Minimum clearance at the unloading area ... 26
5.6.11 Predisposition for top loading/unloading by an external system ... 27
5.6.12 Integrated trimming unit for offcuts management ... 27
5.7 Impact hazard ... 27
5.8 Clamping devices ... 28
5.9 Measures against ejection ... 28
5.9.1 General ... 28
5.9.2 Guards materials and characteristics ... 28
5.10 Workpiece supports and guides ... 28

6 Safety requirements and measures for protection against other hazards ... 29
6.1 Fire ... 29
6.2 Noise ... 29
6.2.1 Noise reduction at the design stage ... 29
6.2.2 Noise emission measurement ... 29
6.3 Emission of chips and dust ... 29
6.4 Electricity ... 30
6.5 Ergonomics and handling ... 30
6.6 Lighting ... 30
6.7 Pneumatics ... 30
6.8 Hydraulics ... 30
6.9 Electromagnetic compatibility ... 30
6.10 Laser ... 30
6.11 Static electricity ... 30
6.12 Errors of fitting ... 30
6.13 Isolation ... 30
6.14 Maintenance ... 30
6.15 Relevant but not significant hazards ... 30

7 Information for use ... 30
7.1 Warning devices ... 30
7.2 Marking ... 31
7.2.1 General ... 31
7.2.2 Additional markings ... 31
7.3 Instruction handbook ... 31
7.3.1 General ... 31
7.3.2 Additional information ... 31

Annex A (informative)Listofsignificanthazards ... 33

Annex B (informative) Performance level required ... 35

Annex C (normative) Stability test ... 37

Annex D (normative) Test for braking function ... 38

Annex E (normative) Impact test for guards 39

Annex F (normative) Noise test code 40

Annex G (normative) Rigidity tests for sectional safety curtain material 43