

# DIN EN ISO 16890-2:2023-12 (E)

## Air filters for general ventilation - Part 2: Measurement of fractional efficiency and air flow resistance (ISO 16890-2:2022)

---

| <b>Contents</b>                |  | <b>Page</b> |
|--------------------------------|--|-------------|
| <b>European foreword</b> ..... |  | <b>5</b>    |
| <b>Foreword</b> .....          |  | <b>6</b>    |
| <b>Introduction</b> .....      |  | <b>8</b>    |
| <b>1</b>                       | <b>Scope</b> .....   | <b>10</b>   |
| <b>2</b>                       | <b>Normative references</b> .....  | <b>10</b>   |
| <b>3</b>                       | <b>Terms and definitions</b> .....   | <b>10</b>   |
| 3.1                            | Air flow and resistance .....  | 11          |
| 3.2                            | Test device .....  | 11          |
| 3.3                            | Aerosol .....  | 11          |
| 3.4                            | Particle counter .....   | 12          |
| 3.5                            | Efficiency .....   | 12          |
| 3.6                            | Other terms .....  | 13          |
| <b>4</b>                       | <b>Symbols and abbreviated terms</b> .....                                   | <b>13</b>   |
| 4.1                            | Symbols .....  | 13          |
| 4.2                            | Abbreviated terms .....  | 15          |
| <b>5</b>                       | <b>General test requirements</b> .....                                       | <b>15</b>   |
| 5.1                            | Test device requirements .....   | 15          |
| 5.2                            | Test device installation .....   | 15          |
| 5.3                            | Test rig requirements .....  | 16          |
| <b>6</b>                       | <b>Test materials</b> .....  | <b>16</b>   |
| 6.1                            | Liquid phase aerosol .....   | 16          |
| 6.1.1                          | DiEthylHexylSebacate (DEHS) test aerosol .....                               | 16          |
| 6.1.2                          | DEHS properties .....  | 16          |
| 6.1.3                          | Liquid phase aerosol generation .....  | 16          |
| 6.2                            | Solid phase aerosol .....  | 17          |
| 6.2.1                          | Potassium chloride (KCl) test aerosol .....                                  | 17          |
| 6.2.2                          | KCl properties .....   | 17          |
| 6.2.3                          | Solid phase aerosol generation .....   | 18          |
| 6.3                            | Reference aerosols .....   | 19          |
| 6.3.1                          | Reference aerosol for 0,3 µm to 1,0 µm .....                                 | 19          |
| 6.3.2                          | Reference aerosol for 1,0 µm to 10,0 µm .....                                | 19          |
| 6.4                            | Aerosol loading .....  | 19          |
| <b>7</b>                       | <b>Test equipment</b> .....  | <b>20</b>   |
| 7.1                            | Test rig .....   | 20          |
| 7.1.1                          | Dimensions .....   | 20          |
| 7.1.2                          | Construction materials .....   | 20          |
| 7.1.3                          | Test rig shape .....   | 21          |
| 7.1.4                          | Test rig air supply .....  | 21          |
| 7.1.5                          | Test rig isolation .....   | 21          |
| 7.1.6                          | D/S mixing orifice .....   | 21          |
| 7.1.7                          | Aerosol sampling .....   | 22          |
| 7.1.8                          | Test rig air flow rate measurement .....                                     | 24          |
| 7.1.9                          | Resistance to air flow measurement .....                                     | 24          |
| 7.1.10                         | Test devices not measuring 610 mm × 610 mm (24.0 inches × 24.0 inches) ..... | 25          |
| 7.1.11                         | Dust injection testing .....   | 25          |
| 7.2                            | Aerosol particle counter .....   | 26          |
| 7.2.1                          | General .....  | 26          |
| 7.2.2                          | OPC sampled size range .....   | 26          |
| 7.2.3                          | OPC particle size ranges .....   | 26          |
| 7.2.4                          | Sizing resolution .....  | 27          |
| 7.2.5                          | Calibration .....  | 27          |

|           |        |  |           |
|-----------|--------|--|-----------|
|           | 7.2.6  | Air flow rate.....                                   | 27        |
|           | 7.2.7  | Zero counting.....                                   | 27        |
|           | 7.2.8  | Dual OPC(s).....                                     | 27        |
|           | 7.3    | Temperature, relative humidity.....                  | 27        |
| <b>8</b>  |        | <b>Qualification of test rig and apparatus.....</b>  | <b>28</b> |
|           | 8.1    | Schedule of qualification testing requirements.....  | 28        |
|           | 8.1.1  | General.....   | 28        |
|           | 8.1.2  | Qualification testing.....                           | 28        |
|           | 8.1.3  | Qualification documentation.....                     | 28        |
|           | 8.2    | Qualification testing.....                           | 29        |
|           | 8.2.1  | Test rig — Pressure system testing.....              | 29        |
|           | 8.2.2  | OPC — Air flow rate stability test.....              | 30        |
|           | 8.2.3  | OPC — Zero test.....                                 | 30        |
|           | 8.2.4  | OPC — Sizing accuracy.....                           | 30        |
|           | 8.2.5  | OPC — Overload test.....                             | 31        |
|           | 8.2.6  | Aerosol generator — Response time.....               | 31        |
|           | 8.2.7  | Aerosol generator — Neutralizer.....                 | 32        |
|           | 8.2.8  | Test rig — Air leakage test.....                     | 33        |
|           | 8.2.9  | Test rig — Air velocity uniformity.....              | 33        |
|           | 8.2.10 | Test rig — Aerosol uniformity.....                   | 34        |
|           | 8.2.11 | Test rig — Downstream mixing.....                    | 35        |
|           | 8.2.12 | Test rig — Empty test device section pressure.....   | 37        |
|           | 8.2.13 | Test rig — 100 % efficiency test and purge time..... | 37        |
|           | 8.2.14 | Test rig — Correlation ratio.....                    | 38        |
|           | 8.3    | Maintenance.....                                     | 38        |
|           | 8.3.1  | General.....   | 38        |
|           | 8.3.2  | Test rig — Background counts.....                    | 39        |
|           | 8.3.3  | Test rig — Reference filter test.....                | 39        |
|           | 8.3.4  | Test rig — Pressure reference test.....              | 40        |
|           | 8.3.5  | Test rig — Final filter resistance.....              | 41        |
| <b>9</b>  |        | <b>Test methods.....</b>                             | <b>41</b> |
|           | 9.1    | Air flow rate.....                                   | 41        |
|           | 9.2    | Measurement of resistance to air flow.....           | 41        |
|           | 9.3    | Measurement of fractional efficiency.....            | 41        |
|           | 9.3.1  | Aerosol sampling protocol.....                       | 41        |
|           | 9.3.2  | Background sampling.....                             | 41        |
|           | 9.3.3  | Testing sequence for a single OPC.....               | 42        |
|           | 9.3.4  | Testing sequence for dual OPC.....                   | 46        |
| <b>10</b> |        | <b>Data reduction and calculations.....</b>          | <b>47</b> |
|           | 10.1   | Correlation ratio.....                               | 47        |
|           | 10.1.1 | Correlation ratio general.....                       | 47        |
|           | 10.1.2 | Correlation ratio data reduction.....                | 48        |
|           | 10.2   | Penetration and fractional efficiency.....           | 49        |
|           | 10.2.1 | Penetration and fractional efficiency general.....   | 49        |
|           | 10.2.2 | Penetration data reduction.....                      | 50        |
|           | 10.3   | Data quality requirements.....                       | 52        |
|           | 10.3.1 | Correlation background counts.....                   | 52        |
|           | 10.3.2 | Efficiency background counts.....                    | 52        |
|           | 10.3.3 | Correlation ratio.....                               | 52        |
|           | 10.3.4 | Penetration.....                                     | 53        |
|           | 10.4   | Fractional efficiency calculation.....               | 54        |
| <b>11</b> |        | <b>Reporting results.....</b>                        | <b>54</b> |
|           | 11.1   | General.....   | 54        |
|           | 11.2   | Required reporting elements.....                     | 54        |
|           | 11.2.1 | Report general.....                                  | 54        |
|           | 11.2.2 | Report values.....                                   | 54        |

|  |           |
|--|-----------|
| 11.2.3 Report summary .....  | 55        |
| 11.2.4 Report details.....   | 56        |
| <b>Annex A (informative) Example.....</b>                            | <b>59</b> |
| <b>Annex B (informative) Resistance to air flow calculation.....</b> | <b>66</b> |
| <b>Bibliography.....</b>   | <b>68</b> |