ISO 6953-1:2024-01 (E)

Pneumatic fluid power - Compressed air pressure regulators and filter-regulators - Part 1: Main characteristics to include in supplier's literature and product-marking requirements

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Technical requirements 3
4.1 General 3
4.2 General characteristics 3
4.2.1 General dimensions 3
4.2.2 Port forms 4
4.2.3 Rated pressure 4
4.2.4 Range of operating temperatures 4
4.3 Particular requirements 4
4.3.1 General 4
4.3.2 Adjustable pressure ranges (outlet regulated pressure) 4
4.3.3 Flow rate-pressure characteristics 5
4.3.4 Pressure regulation characteristic 6
4.3.5 Pilot pressure/regulated pressure characteristics 6
4.3.6 Repeatability 8
4.3.7 Output resolution in the case of manual air pressure 8
4.3.8 Resolution in the case of pressure-pilot air pressure regulator 8
4.3.9 Sensitivity for manual and pressure-pilot air pressure regulator 8
4.3.10 Maximum air consumption at null forward flow rate or relief flow rate for pilot- operated regulator with air bleed 8
4.3.11 Useful retention capacity of the reservoir 8
4.3.12 Filter-regulator draining devices 9
4.3.13 Materials of construction 9

5 Operation and maintenance 9

6 Marking 9

7 Identification statement -- Reference to ISO 6953-1 (this document) 9

Bibliography 11