ISO 10828:2024-04 (E)

Worm gears - Worm profiles and gear mesh geometry

Contents

Page

Foreword ..... **vi**

Introduction ..... **vii**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **1**

4 Symbols and abbreviated terms **2**

5 Formulae for calculation of dimensions **6**

5.1 Parameters for a cylindrical worm 6

5.1.1 Axial pitch 6

5.1.2 Axial module 6

5.1.3 Lead 6

5.1.4 Unit lead 6

5.1.5 Diameter quotient 6

5.1.6 Reference lead angle 6

5.1.7 Reference helix angle 6

5.1.8 Normal pitch on reference cylinder 6

5.1.9 Normal module 7

5.1.10 Reference diameter 7

5.1.11 Reference tooth depth 7

5.1.12 Reference addendum 7

5.1.13 Reference dedendum 7

5.1.14 Tip diameter 8

5.1.15 Root diameter 8

5.1.16 Thread thickness coefficient s^*_{mx1} 8

5.1.17 Reference thread thickness in the axial section 8

5.1.18 Reference space width in the axial section 8

5.1.19 Normal thread thickness 8

5.1.20 Normal space width 8

5.1.21 Profile flank form 8

5.1.22 Normal pressure angle 9

5.1.23 Base lead angle for profile type I 9

5.1.24 Base diameter for profile type I 9

5.1.25 Normal pitch on base cylinder 9

5.1.26 Worm face width 9

5.1.27 Right-hand helix and left-hand helix 9

5.1.28 Right flank and left flank 10

5.1.29 Flank definition 10

5.1.30 Root form and tip form diameter for worm 10

5.2 Parameters for a worm wheel 11

5.2.1 General 11

5.2.2 Reference diameter 11

5.2.3 Transverse pitch 12

5.2.4 Transverse tooth thickness at reference diameter 12

5.2.5 Space width at reference diameter 12

5.2.6 Profile shift coefficient 12

5.2.7 Tooth reference addendum 12

5.2.8 Tooth reference dedendum 12

5.2.9 Tooth depth 12

5.2.10 Outside addendum ... 13
5.2.11 Root diameter ... 13
5.2.12 Tip diameter ... 13
5.2.13 Outside diameter ... 13
5.2.14 Minimum and maximum outside diameter ... 13
5.2.15 Worm wheel face width ... 13
5.2.16 Throat form radius ... 14
5.2.17 Root form and tip diameter for worm wheel ... 14
5.3 Meshing parameters ... 15
5.3.1 Centre distance ... 15
5.3.2 Pitch diameter of worm wheel ... 16
5.3.3 Pitch diameter of worm ... 16
5.3.4 Worm gear ratio ... 16
5.3.5 Contact ratio ... 17
5.3.6 Tip clearance ... 17
5.3.7 Start of active profile (SAP) and end of active profile (EAP) diameters for worm and worm wheel ... 17

6 Generalities on worm profile types ... 18
6.1 Worm profile types, see Table 4 ... 18
6.2 Conventions relative to the formulae of this document ... 18

7 Definition of profile types ... 19
7.1 General ... 19
7.2 A worm profile type ... 20
7.2.1 Geometrical definition ... 20
7.2.2 Machining methods ... 20
7.3 I worm profile type ... 21
7.3.1 Geometrical definition ... 21
7.3.2 Machining methods ... 22
7.4 N worm profile type ... 25
7.4.1 Geometrical definition ... 25
7.4.2 Machining methods ... 26
7.5 General formulae for A, I and N profile types ... 27
7.6 K worm profile type ... 28
7.6.1 Geometrical definition and method ... 28
7.7 C worm profile type ... 30
7.7.1 Geometrical definition ... 30
7.7.2 General formulae for C and K profiles ... 33
7.8 General formula of the axial profile ... 36
7.8.1 General ... 36
7.8.2 Derivative of pressure angle for all profile types ... 36
7.9 Algorithm to initialize the calculation ... 36

8 Useful section planes ... 37
8.1 General ... 37
8.2 Axial plane and axial section ... 37
8.3 Offset plane and offset section ... 37
8.4 Transverse plane and transverse section ... 38
8.5 Normal plane and normal section ... 38
8.6 Point of the worm surface in an offset plane: offset profile of worm ... 39

9 Pitch surfaces ... 40

10 Conjugate worm wheel profile ... 42
10.1 General ... 42
10.2 Path of contact ... 42
10.3 Worm wheel profile conjugate with worm profile ... 44
10.4 Trochoid (or fillet) at root of the worm wheel ... 46
10.5 Equivalent radius of curvature in an offset plane ... 48
10.5.1 Curvature for the worm at a point in an offset plane ... 49
10.5.2 Curvature for the worm wheel at a point in an offset plane ... 49
10.5.3 Equivalent radius of curvature in an offset plane ... 51
10.6 Singularities of worm gear mesh ... 51
10.6.1 Point of zero pressure angle ... 51

10.6.2 Loss of contact 52
10.6.3 Cusp 53

11 Geometry of contact 55
11.1 General 55
11.2 Tangent plane at point of contact 56
11.3 Normal plane at point of contact 56
11.4 Zone of contact 57
11.5 Lines of contact 59
11.6 Contact ratio 63
11.7 Tangent vector to the line of contact 64
11.8 Normal plane at point of contact 66
11.9 Principal equivalent radius of curvature 66
11.10 Calculation of the path of contact and zone of contact 67
11.11 Calculation of line of contact 67

12 Velocities at contact point 68
12.1 Velocity of a point of worm 68
12.2 Velocity of a point of worm wheel 69
12.3 Relative velocity between two conjugate flanks 69
12.4 Tangent to the path of contact 69
12.5 Velocity of the contact point along the path of contact 70
12.6 Velocity of the point of contact 70

Annex A (informative) **Parameters and derivatives of formulae for A, I, N profile types 71**

Annex B (informative) **Parameters and derivatives of formulae for K and C profile types 77**

Annex C (informative) **Algorithm to determine the point of generations of worm and worm wheel 89**

Annex D (informative) **Comparison of different worm profile types 91**

Annex E (informative) **Comparison of singularities for different worm profile types 94**

Annex F (informative) **Comparison of gear mesh for different worm profile types 96**

Annex G (informative) **Utilisation of existing tooling for machining of worm wheel teeth 104**

Annex H (informative) **Interface for geometry for involute worms defined with ISO 21771-1 ..... 107**

Bibliography 110