

ISO 19085-5:2024-07 (E)

Woodworking machines - Safety - Part 5: Dimension saws

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Safety requirements and measures for controls	4
4.1	Safety and reliability of control systems	4
4.2	Control devices	4
4.3	Start	5
4.3.1	Direct start	5
4.3.2	Start via control power-on	5
4.4	Safe stops	5
4.4.1	General	5
4.4.2	Normal stop	5
4.4.3	Operational stop	6
4.4.4	Emergency stop	6
4.5	Braking function of tools	6
4.6	Mode selection	6
4.7	Tool speed changing	6
4.7.1	Speed changing by shifting the belts on the pulleys	6
4.7.2	Speed changing by incremental speed change motor	6
4.7.3	Infinitely variable speed by frequency inverter	6
4.8	Failure of any power supply	6
4.9	Manual reset control	6
4.10	Standstill detection and monitoring	6
4.11	Machine moving part speed monitoring	6
4.12	Time delay	6
4.13	Teleservice	7
4.14	Power-operated adjustment of the saw blades and fences	7
4.14.1	Risk of contact between the saw blades and fences	7
4.14.2	Crushing hazard for the body	7
4.14.3	Crushing and shearing hazard for the arm, hand or finger	8
5	Safety requirements and measures for protection against mechanical hazards	8
5.1	Stability	8
5.2	Risk of break-up during operation	8
5.3	Tool and tool fixing design	8
5.3.1	General	8
5.3.2	Spindle locking	9
5.3.3	Circular saw blade fixing device	9
5.3.4	Flange dimension for circular saw blades	9
5.3.5	Fixing device for milling tools	9
5.4	Braking	10
5.4.1	Braking of tools	10
5.4.2	Maximum run-down time	10
5.4.3	Brake release	10
5.5	Safeguards	10

5.5.1	Fixed guards	10
5.5.2	Interlocking movable guards	10
5.5.3	Hold-to-run control	10
5.5.4	Two-hand control	10
5.5.5	Electro-sensitive protective equipment (ESPE)	11
5.5.6	Pressure-sensitive protective equipment (PSPE)	11
5.5.7	Enabling control	11
5.6	Prevention of access to hazardous moving parts	11
5.6.1	Access to the saw blades above the machine table	11
5.6.2	Access to the saw blade below the machine table	16
5.6.3	Guarding of drives	17
5.7	Impact hazard	17
5.8	Clamping devices	17
5.9	Measures against ejection	17
5.9.1	General	17
5.9.2	Guards materials and characteristics	18
5.9.3	Anti-kickback devices	18
5.10	Workpiece supports and guides	21
5.10.1	Rip fence	21
5.10.2	Cross-cut fence	23
5.10.3	Workpiece clamping shoe	24
5.10.4	Machine table	24
5.10.5	Extension table	24
5.10.6	Sliding table	24
5.11	Safety appliances	24
6	Safety requirements and measures for protection against other hazards	27
6.1	Fire	27
6.2	Noise	27
6.2.1	Noise reduction at the design stage	27
6.2.2	Noise emission measurement and declaration	27
6.3	Emission of chips and dust	28
6.4	Electricity	28
6.5	Ergonomics and handling	28
6.6	Lighting	28
6.7	Pneumatics	28
6.8	Hydraulics	29
6.9	Electromagnetic compatibility	29
6.10	Laser	29
6.11	Static electricity	29
6.12	Errors of fitting	29
6.13	Isolation	29
6.14	Maintenance	29
6.15	Relevant but not significant hazards	29
7	Information for use	29
7.1	Warning devices	29
7.2	Marking	29
7.2.1	General	29
7.2.2	Additional markings	29
7.3	Instruction handbook	30
7.3.1	General	30
7.3.2	Additional information	30
Annex A (informative)	List of significant hazards	33
Annex B (informative)	Performance level required	35
Annex C (normative)	Stability test	36
Annex D (normative)	Test for braking function	37

Annex E (normative) Impact test for guards 38
Annex F (normative) Noise test code 39
Annex G (normative) Riving knife rigidity tests 42
Annex H (normative) Minimum dimensions of machine table and extension table 44
Annex I (normative) Saw blade guard rigidity test 45
Bibliography 48