

# ISO 23725:2024-08 (E)

## Autonomous system and fleet management system inter operability

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
1	Scope .....	1
2	Normative references .....	1
3	Terms, definitions and abbreviations .....	1
3.1	Terms and definitions .....	2
3.2	Abbreviations .....	2
4	Computer communication .....	3
4.1	Session and transport layer .....	3
4.1.1	WebSocket client and service behaviour .....	4
4.2	Presentation layer .....	4
4.2.1	Container, serialization, and encoding .....	4
4.2.2	JSON container .....	4
4.2.3	NULL attribute .....	4
4.2.4	Units .....	4
4.2.5	On machine component arrays .....	5
5	Messaging .....	6
5.1	Overview .....	6
5.2	Event based messaging .....	6
5.3	Message header .....	7
5.3.1	General .....	7
5.3.2	Header example .....	7
5.4	Messages during connection outage .....	8
5.5	Out of standard message .....	8
5.5.1	General .....	8
5.5.2	Out of standard examples .....	8
5.6	Common attribute enumeration .....	9
5.6.1	General .....	9
5.6.2	Actor .....	9
5.6.3	Action request .....	9
5.6.4	Action response .....	10
5.6.5	Action status .....	10
5.6.6	Autonomy mode .....	10
6	System messaging .....	10
6.1	General .....	10
6.2	Fleet definition message .....	10
6.2.1	General .....	10
6.2.2	Fleet ID .....	12
6.2.3	Equipment type .....	12
6.2.4	Autonomous .....	13
6.2.5	Equipment length and width .....	13
6.2.6	Fleet definition example .....	13
6.3	Machine all-stop .....	15
6.3.1	Optional feature .....	15
6.3.2	Scope of effect .....	15

6.3.3	Machine all-stop status message .....	15
6.3.4	Machine all-stop request message .....	16
6.3.5	Machine all-stop response message .....	17
6.3.6	Machine all-stop examples .....	18
7	Generic machine telemetry .....	20
7.1	Message content .....	20
7.2	Data streams .....	20
7.3	Machine position .....	20
7.3.1	Machine coordinate system and frame of reference .....	20
7.4	Machine position message .....	21
7.4.1	Machine position examples .....	23
7.5	Basic machine health message .....	25
7.5.1	Basic machine health message example .....	27
8	Generic machine messaging .....	27
8.1	Message content .....	27
8.2	Machine autonomy mode message .....	27
8.3	Machine dispatch availability .....	28
8.3.1	General .....	28
8.3.2	Purpose .....	29
8.3.3	Machine Dispatch Availability message .....	29
8.3.4	Trigger the FMS to re-send an assignment .....	29
8.3.5	Impending custodian change .....	30
8.3.6	Machine dispatch availability example .....	30
8.4	Machine diagnostic message .....	32
8.4.1	General .....	32
8.4.2	Purpose .....	32
8.4.3	Component identification number .....	32
8.4.4	Fault Code number .....	33
8.4.5	AHS documentation .....	33
8.4.6	Connection time .....	33
8.4.7	When the last fault clears .....	33
8.4.8	Machine diagnostic message examples .....	34
9	Routing .....	35
9.1	Map connectivity .....	36
9.1.1	Purpose .....	36
9.1.2	Map Connectivity message .....	36
9.1.3	Clarification of unidirectionality of connections .....	37
9.1.4	Understanding the specification by example .....	37
10	Map service .....	44
10.1	Map object concepts .....	44
10.2	Map object identification number rules and restrictions .....	44
10.2.1	Restrictions on object identification numbers .....	44
10.2.2	Identification numbers rules for ways and nodes .....	45
10.3	Map format .....	45
10.3.1	Map document encoding .....	45
10.3.2	Splitting a large map into chunks .....	46
10.3.3	Point - node element .....	46
10.3.4	Line - way element .....	47
10.3.5	Road .....	48
10.3.6	Lane .....	48
10.3.7	Area .....	49
10.4	Adding context to objects .....	51
10.4.1	Tag Element Attribute Encoding .....	51
10.4.2	Standard tags .....	52
10.4.3	Tag with Attribute k = 'name' .....	52
10.4.4	Tag with Attribute k = 'default task' .....	53
10.4.5	Tag with Attribute k = 'autonomy' .....	53

10.4.6	Tag with Attribute k = 'autonomy:area' .....	54
10.4.7	Tag with Attribute k = 'oneway' .....	54
10.5	Map building .....	55
10.5.1	Connecting map objects .....	55
10.5.2	Building a purely structured road model .....	55
10.5.3	Purely structured rules .....	55
10.6	Map service messaging .....	56
10.6.1	Map service identification .....	56
10.6.2	Map Service Identification V1 .....	56
10.6.3	Map summary .....	56
10.6.4	Map command - get summary .....	58
10.6.5	Map command - get all .....	59
10.6.6	Map document message .....	59
11	Interface diagnostic .....	60
11.1	Interface diagnostic information .....	60
11.1.1	Diagnostic measurement information .....	60
11.1.2	Diagnostic message information .....	61
12	Haul truck production .....	63
12.1	Message content .....	63
12.2	Production cycle message .....	63
12.3	Production cycle definition .....	63
12.3.1	Definition of a haul truck cycle .....	64
12.3.2	Proposed state decision tree .....	64
12.4	Haul truck production state message .....	65
12.4.1	Haul truck production state V2 .....	66
12.5	Haul truck production state sensor V1 .....	66
12.5.1	Haul truck production state sensor V1 .....	67
12.6	Haul truck payload message .....	68
12.7	Operational context .....	69
12.8	Haul truck dump message .....	69
13	Haul truck assignment .....	70
13.1	Message content .....	70
13.2	Haul truck task assignment types .....	71
13.3	Haul truck assignment message .....	71
13.3.1	Precondition and behaviour .....	71
13.3.2	Current assignment .....	71
13.3.3	Future assignment .....	71
13.3.4	Responsibility of safe execution .....	71
13.3.5	Haul truck assignment request message .....	71
13.3.6	Haul truck assignment response message .....	73
13.3.7	Haul truck assignment rejection .....	75
13.3.8	Haul truck assignment reset message .....	76
13.3.9	Haul truck assignment message .....	77
	Annex A (informative) Example of message exchange .....	79
	Annex B (informative) External IT infrastructure .....	86
	Bibliography .....	87