

ISO 16368:2024-08 (E)

Mobile elevating work platforms - Design, calculations, safety requirements and test methods

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | vi |
| Introduction | | vii |
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Terms and definitions | 3 |
| 4 | Safety requirements and/or protective/risk reduction measures | 10 |
| 4.1 | General | 10 |
| 4.2 | Stability and structural calculations | 10 |
| 4.2.1 | Calculations and rated load | 10 |
| 4.2.2 | Loads and forces acting on MEWP structure | 10 |
| 4.2.3 | Stability calculations | 14 |
| 4.2.4 | Structural calculations | 25 |
| 4.3 | Chassis and stabilising devices | 28 |
| 4.3.1 | Travel prevention | 28 |
| 4.3.2 | Chassis inclination | 28 |
| 4.3.3 | Locking pins | 29 |
| 4.3.4 | Control bars and tow bars | 29 |
| 4.3.5 | Control bars and tow bars held in vertical position | 29 |
| 4.3.6 | Stabilising device ground contact points | 29 |
| 4.3.7 | Permitted work platform positions | 30 |
| 4.3.8 | Totally manually operated MEWPs | 30 |
| 4.3.9 | Prevention of powered stabilising devices movement | 30 |
| 4.3.10 | Manually operated stabilising devices | 30 |
| 4.3.11 | Movement of stabilising devices | 30 |
| 4.3.12 | Vehicle-mounted MEWP transport position indicators | 30 |
| 4.3.13 | Visual contact at control positions | 30 |
| 4.3.14 | Levelling stabilising devices | 31 |
| 4.3.15 | Oscillating axle lock or control systems | 31 |
| 4.3.16 | Maximum travel speeds in elevated travel position | 31 |
| 4.3.17 | Maximum travel speed of pedestrian-controlled MEWPs | 32 |
| 4.3.18 | Self-propelled MEWP brakes | 32 |
| 4.3.19 | Stopping distances | 32 |
| 4.3.20 | Unauthorized use | 33 |
| 4.3.21 | Thermal hazards | 33 |
| 4.3.22 | Engine exhaust | 33 |
| 4.3.23 | Filling points for fluids | 33 |
| 4.3.24 | Batteries and battery containers | 33 |
| 4.3.25 | Derailment and run-away prevention of rail-mounted MEWPs | 34 |
| 4.3.26 | Vehicle-mounted MEWP chassis selection | 35 |
| 4.4 | Extending structure | 35 |
| 4.4.1 | Methods to avoid overturning and exceeding permissible stresses | 35 |
| 4.4.2 | Sequencing of extending structure | 37 |
| 4.4.3 | Trapping and shearing | 37 |
| 4.4.4 | Supporting extending structure for routine maintenance | 37 |
| 4.4.5 | Speeds of extending structure | 38 |
| 4.4.6 | Support in transport position | 38 |

| | | |
|--------|--|----|
| 4.5 | Extending structure drive systems | 38 |
| 4.5.1 | General | 38 |
| 4.5.2 | Wire-rope drive systems | 39 |
| 4.5.3 | Chain drive systems | 41 |
| 4.5.4 | Lead screw drive systems | 43 |
| 4.5.5 | Rack and pinion drive systems | 43 |
| 4.6 | Work platform | 44 |
| 4.6.1 | Level of work platform | 44 |
| 4.6.2 | Work platform materials | 44 |
| 4.6.3 | Guardrail (protection) systems | 44 |
| 4.6.4 | Anchorage(s) | 45 |
| 4.6.5 | Openings in guardrails for entrance and exit | 46 |
| 4.6.6 | Floor of work platform | 46 |
| 4.6.7 | Chains or ropes | 46 |
| 4.6.8 | Accessing the work platform | 46 |
| 4.6.9 | Trapdoors | 50 |
| 4.6.10 | Protecting controls and hands | 50 |
| 4.6.11 | Audible warning device | 51 |
| 4.6.12 | Means of communication | 51 |
| 4.6.13 | Mechanical stops | 51 |
| 4.6.14 | Support in transport position | 51 |
| 4.7 | Controls | 51 |
| 4.7.1 | General | 51 |
| 4.7.2 | Sustained involuntary operation protection | 51 |
| 4.7.3 | Location, accessibility, protection, and selection among duplicate controls | 51 |
| 4.7.4 | Emergency stops | 52 |
| 4.7.5 | Pilot and solenoid valves | 52 |
| 4.7.6 | Restoration of power after failure | 52 |
| 4.7.7 | Auxiliary lowering system | 52 |
| 4.7.8 | Overriding of functions | 52 |
| 4.7.9 | Automatic or programmed operation | 53 |
| 4.7.10 | Winch control on vehicle-mounted MEWPs | 53 |
| 4.7.11 | MEWPs with retractable guardrails | 53 |
| 4.8 | Electrical equipment | 53 |
| 4.8.1 | Relevant norms and standards | 53 |
| 4.8.2 | Main switch | 53 |
| 4.8.3 | Cables | 53 |
| 4.8.4 | Battery protection | 53 |
| 4.8.5 | Ingress of water | 54 |
| 4.8.6 | Electromagnetic compatibility (EMC) | 54 |
| 4.8.7 | Hourmeter | 54 |
| 4.9 | Hydraulic systems | 54 |
| 4.9.1 | Pressure-limiting device | 54 |
| 4.9.2 | Strength of pipes and connections | 54 |
| 4.9.3 | Bursting strength of hoses and fittings | 54 |
| 4.9.4 | Pressure rating of other components | 54 |
| 4.9.5 | Gauge connections | 54 |
| 4.9.6 | Venting of air | 55 |
| 4.9.7 | Inlet filter | 55 |
| 4.9.8 | Fluid level indicators | 55 |
| 4.9.9 | Fluid cleanliness | 55 |
| 4.9.10 | Gas-loaded accumulators | 55 |
| 4.10 | Hydraulic cylinders | 55 |
| 4.10.1 | Structural design | 55 |
| 4.10.2 | Prevention of unintended movement of load-holding cylinders | 60 |
| 4.11 | Safety devices and safety functions | 60 |
| 4.11.1 | General | 60 |
| 4.11.2 | Safety functions of mechanical devices | 60 |
| 4.12 | Noise reduction | 61 |
| 5 | Verification of the safety requirements and/or protective/risk reductions measures | 62 |

| | | |
|---|---|-----|
| 5.1 | Examinations and tests | 62 |
| 5.1.1 | General | 62 |
| 5.1.2 | Design check | 65 |
| 5.1.3 | Manufacturing checks | 66 |
| 5.1.4 | Tests | 66 |
| 5.2 | Type tests | 74 |
| 5.3 | Production tests | 74 |
| 5.3.1 | MEWPs not vehicle-mounted | 74 |
| 5.3.2 | Vehicle-mounted MEWPs | 74 |
| 6 | Information for use | 75 |
| 6.1 | General | 75 |
| 6.2 | Operator's manual | 75 |
| 6.2.1 | Content | 75 |
| 6.2.2 | Modification or repair | 76 |
| 6.3 | Parts and service manuals | 76 |
| 6.4 | Marking | 77 |
| 6.4.1 | Responsible entity's plate | 77 |
| 6.4.2 | Work platform | 77 |
| 6.4.3 | Multiple rated loads | 78 |
| 6.4.4 | Auxiliary systems | 78 |
| 6.4.5 | Overriding of functions | 78 |
| 6.4.6 | Work platform rated loads | 78 |
| 6.4.7 | MEWPs designated for indoor use | 79 |
| 6.4.8 | External power supply connections | 79 |
| 6.4.9 | Detachable parts | 79 |
| 6.4.10 | Instructions | 79 |
| 6.4.11 | Projecting extremities | 79 |
| 6.4.12 | Wheel/stabilising device load | 79 |
| 6.4.13 | Tyre pressure | 79 |
| 6.4.14 | Clearances | 79 |
| 6.4.15 | Maintenance | 79 |
| 6.4.16 | Stabilising device use | 79 |
| 6.4.17 | Levelling instructions | 80 |
| 6.4.18 | Pressurized vessel | 80 |
| 6.4.19 | Annual Inspection | 80 |
| Annex A (informative) Use of MEWPs in wind speeds greater than 12,5 m/s -- Beaufort scale 6 | | 81 |
| Annex B (normative) Additional requirements for wireless controls and control systems | | 82 |
| Annex C (normative) Calculation of wire-rope drive systems | | 84 |
| Annex D (informative) Calculation example -- Wire-rope drive systems | | 91 |
| Annex E (informative) Kerb test calculations | | 96 |
| Annex F (informative) List of significant hazards | | 102 |
| Bibliography | | 105 |