

# DIN EN 81-41:2025-07 (E)

## Safety rules for the construction and installation of lifts - Special lifts for the transport of persons and goods - Part 41: Vertical lifting platforms intended for use by persons with impaired mobility

---

| <b>Contents</b>         |  | <b>Page</b> |
|-------------------------|--|-------------|
| European foreword ..... |  | 6           |
| Introduction .....      |  | 7           |
| <b>1</b>                | <b>Scope .....</b>   | <b>9</b>    |
| <b>2</b>                | <b>Normative references .....</b>  | <b>10</b>   |
| <b>3</b>                | <b>Terms and definitions .....</b>   | <b>12</b>   |
| <b>4</b>                | <b>List of significant hazards .....</b>                                       | <b>17</b>   |
| <b>5</b>                | <b>Safety requirements and/or protective measures .....</b>                    | <b>20</b>   |
| <b>5.1</b>              | <b>General requirements for lifting platforms .....</b>                        | <b>20</b>   |
| <b>5.1.1</b>            | <b>General .....</b>   | <b>20</b>   |
| <b>5.1.2</b>            | <b>Pattern of use .....</b>  | <b>20</b>   |
| <b>5.1.3</b>            | <b>Guarding .....</b>  | <b>20</b>   |
| <b>5.1.4</b>            | <b>Access for maintenance, repair and inspection .....</b>                     | <b>21</b>   |
| <b>5.1.5</b>            | <b>Speed .....</b>   | <b>22</b>   |
| <b>5.1.6</b>            | <b>Rated load .....</b>  | <b>22</b>   |
| <b>5.1.7</b>            | <b>Load control .....</b>  | <b>23</b>   |
| <b>5.1.8</b>            | <b>Carrier dimensions .....</b>  | <b>23</b>   |
| <b>5.1.9</b>            | <b>Mechanical strength of the carrier .....</b>                                | <b>23</b>   |
| <b>5.1.10</b>           | <b>Resistance to operating forces .....</b>                                    | <b>24</b>   |
| <b>5.1.11</b>           | <b>Protection of equipment against harmful external influences .....</b>       | <b>24</b>   |
| <b>5.1.12</b>           | <b>Degree of protection for outdoor use .....</b>                              | <b>25</b>   |
| <b>5.2</b>              | <b>Carrier support/guide system (including any scissor mechanism) .....</b>    | <b>25</b>   |
| <b>5.2.1</b>            | <b>Horizontal clearance .....</b>  | <b>25</b>   |
| <b>5.2.2</b>            | <b>Tilting .....</b>   | <b>25</b>   |
| <b>5.2.3</b>            | <b>Material .....</b>  | <b>25</b>   |
| <b>5.2.4</b>            | <b>General provisions concerning guide rails .....</b>                         | <b>25</b>   |
| <b>5.2.5</b>            | <b>Guide rails for traction drive lifting platform .....</b>                   | <b>26</b>   |
| <b>5.2.6</b>            | <b>Guide rails for positive drive lifting platform .....</b>                   | <b>26</b>   |
| <b>5.3</b>              | <b>Safety gear and overspeed governor .....</b>                                | <b>27</b>   |
| <b>5.3.1</b>            | <b>Safety gear .....</b>   | <b>27</b>   |
| <b>5.3.2</b>            | <b>Overspeed governor .....</b>  | <b>28</b>   |
| <b>5.4</b>              | <b>Driving units and drive systems .....</b>                                   | <b>29</b>   |
| <b>5.4.1</b>            | <b>General requirements .....</b>  | <b>29</b>   |
| <b>5.4.2</b>            | <b>Braking system .....</b>  | <b>30</b>   |
| <b>5.4.3</b>            | <b>Emergency/manual operation .....</b>  | <b>32</b>   |
| <b>5.4.4</b>            | <b>Additional requirements for rack and pinion drive .....</b>                 | <b>33</b>   |
| <b>5.4.5</b>            | <b>Additional requirements for rope, toothed belt, chain suspensions .....</b> | <b>34</b>   |
| <b>5.4.6</b>            | <b>Additional requirements for screw and nut drive .....</b>                   | <b>37</b>   |
| <b>5.4.7</b>            | <b>Additional requirements for guided chain system .....</b>                   | <b>40</b>   |
| <b>5.4.8</b>            | <b>Additional requirements for scissors mechanism drive .....</b>              | <b>42</b>   |
| <b>5.4.9</b>            | <b>Additional requirements for hydraulic drive .....</b>                       | <b>42</b>   |
| <b>5.4.10</b>           | <b>Additional requirements for counterweighted traction system .....</b>       | <b>50</b>   |
| <b>5.4.11</b>           | <b>Additional requirements for rope traction system .....</b>                  | <b>51</b>   |
| <b>5.4.12</b>           | <b>Traction sheaves, pulleys and sprockets in the liftway .....</b>            | <b>51</b>   |

|        |  |    |
|--------|--|----|
| 5.4.13 | Ascending carrier overspeed protection means .....                   | 51 |
| 5.4.14 | Motor run time limiter .....   | 52 |
| 5.5    | Electric installation and equipment .....                            | 53 |
| 5.5.1  | General .....  | 53 |
| 5.5.2  | Conductors of different circuits .....                               | 54 |
| 5.5.3  | Insulation resistance of the electric installation .....             | 54 |
| 5.5.4  | Lighting .....   | 55 |
| 5.5.5  | Socket outlet .....  | 55 |
| 5.5.6  | Drive contactors .....   | 55 |
| 5.5.7  | Electric supply to the motors .....                                  | 56 |
| 5.5.8  | Creepage and clearance distances and enclosure requirements .....    | 56 |
| 5.5.9  | Electromagnetic compatibility .....                                  | 57 |
| 5.5.10 | Protection against electric faults .....                             | 57 |
| 5.5.11 | Electric/Electronic safety devices .....                             | 57 |
| 5.5.12 | Protection of the driving motor .....                                | 61 |
| 5.5.13 | Electric wiring .....  | 62 |
| 5.5.14 | Additional requirements for battery powered supply .....             | 62 |
| 5.5.15 | Control devices .....  | 64 |
| 5.5.16 | Emergency alarm devices .....  | 66 |
| 5.5.17 | Cable-less controls .....  | 66 |
| 5.5.18 | Control of inspection operation .....                                | 66 |
| 5.6    | Specific requirements for lifting platform enclosures .....          | 67 |
| 5.6.1  | General .....  | 67 |
| 5.6.2  | Top clearance .....  | 67 |
| 5.6.3  | Risks for persons working in the liftway .....                       | 67 |
| 5.6.4  | Enclosure construction .....   | 68 |
| 5.6.5  | Glass .....  | 70 |
| 5.6.6  | Inspection doors and traps .....                                     | 71 |
| 5.6.7  | Ventilation .....  | 71 |
| 5.7    | Fire protection .....  | 71 |
| 5.8    | Enclosed liftway entrances .....                                     | 72 |
| 5.8.1  | General .....  | 72 |
| 5.8.2  | Swing hinged landing doors .....                                     | 72 |
| 5.8.3  | Height of landing doors .....  | 72 |
| 5.8.4  | Construction of landing doors .....                                  | 73 |
| 5.8.5  | Door locking .....   | 74 |
| 5.8.6  | Emergency unlocking .....  | 75 |
| 5.8.7  | Protection during door operation .....                               | 76 |
| 5.9    | Carrier .....  | 76 |
| 5.9.1  | Construction .....   | 76 |
| 5.9.2  | Sensitive edges, photocells and light curtains .....                 | 76 |
| 5.9.3  | Toe guard .....  | 78 |
| 5.9.4  | Floor covering .....   | 78 |
| 5.9.5  | Ceilings .....   | 79 |
| 5.9.6  | Control panel .....  | 79 |
| 5.9.7  | Handrail .....   | 79 |
| 5.9.8  | Glass .....  | 79 |
| 5.9.9  | Tip up seat .....  | 79 |
| 5.9.10 | Structure, floor, wall, ceiling and decorative materials .....       | 79 |
| 6      | Verification of safety requirements and/or protective measures ..... | 80 |
| 6.1    | Verification of design .....   | 80 |
| 6.2    | Verification tests .....   | 83 |
| 6.2.1  | Overspeed safety device .....  | 83 |
| 6.2.2  | Ascending overspeed protection .....                                 | 83 |
| 6.2.3  | Rupture valve/Restrictor .....                                       | 83 |
| 6.2.4  | Safety gear .....  | 83 |
| 6.2.5  | Self-sustaining system .....   | 83 |
| 6.2.6  | Stopping safety device .....   | 83 |
| 6.2.7  | Landing door locking devices .....                                   | 84 |
| 6.2.8  | Safety circuits containing electronic components .....               | 84 |
| 6.2.9  | Self-monitoring .....  | 84 |

|       |  |            |
|-------|--|------------|
| 6.3   | Verification tests on each vertical lifting platform before first use .....  | 84         |
| 7     | Information for use .....  | 85         |
| 7.1   | Introduction .....   | 85         |
| 7.2   | General .....  | 85         |
| 7.3   | Signals and warning devices .....  | 85         |
| 7.3.1 | Information to be displayed .....  | 85         |
| 7.3.2 | Rated load .....   | 85         |
| 7.3.3 | Function devices .....   | 85         |
| 7.3.4 | Emergency alarm device .....   | 85         |
| 7.3.5 | Disabled persons symbol .....  | 85         |
| 7.4   | Emergency manual operation .....   | 86         |
| 7.5   | Main electric switch .....   | 86         |
| 7.6   | Fragile roof .....   | 86         |
| 7.7   | No goods .....   | 86         |
| 7.8   | Operating instructions .....   | 86         |
| 7.9   | Accompanying documents (in particular: Instruction handbook) .....   | 87         |
| 7.9.1 | General .....  | 87         |
| 7.9.2 | Instruction manual .....   | 89         |
| 7.9.3 | Marking .....  | 89         |
| 7.9.4 | Building clearance requirements .....  | 89         |
|       | <b>Annex A (normative) Electronic components: failure exclusion .....</b>  | <b>90</b>  |
|       | <b>Annex B (informative) Guidance in selection of lifting platforms .....</b>  | <b>96</b>  |
| B.1   | Introduction .....   | 96         |
| B.2   | Selection of lifting platforms .....   | 96         |
| B.2.1 | Suitability .....  | 96         |
| B.2.2 | Control devices .....  | 96         |
| B.2.3 | Location of the lifting platform .....   | 96         |
| B.2.4 | Duty cycle .....   | 97         |
| B.3   | Electric supply and lighting .....   | 97         |
| B.4   | Maintenance .....  | 97         |
|       | <b>Annex C (informative) Recommendations for the provisions and use of specially adapted control devices, switches and sensors .....</b> | <b>98</b>  |
| C.1   | Control devices .....  | 98         |
| C.2   | Assistance .....   | 98         |
| C.3   | Specially adapted switches .....   | 98         |
|       | <b>Annex D (informative) In-use periodic examination, tests and servicing .....</b>  | <b>99</b>  |
| D.1   | Periodic examinations and tests .....  | 99         |
| D.2   | Servicing .....  | 99         |
|       | <b>Annex E (normative) Safety components - Tests procedures for verification of conformity .....</b>                                     | <b>100</b> |
| E.1   | General provisions .....   | 100        |
| E.2   | Screw and nut (not self-sustaining system) stopping safety device .....  | 100        |
| E.2.1 | General provisions .....   | 100        |
| E.2.2 | Check on the characteristic of the stopping safety device .....  | 100        |
| E.2.3 | Comments .....   | 102        |
| E.2.4 | Test report .....  | 103        |
| E.3   | Self-sustaining system .....   | 103        |
|       | <b>Annex F (informative) Building interfaces .....</b>   | <b>104</b> |
| F.1   | General provisions .....   | 104        |
| F.2   | Support of Guide Rails .....   | 104        |
| F.3   | Ventilation of the enclosed liftway .....  | 104        |

|  |  |            |
|--|--|------------|
| <b>F.3.1</b>   | <b>General .....</b>                             | <b>104</b> |
| <b>F.3.2</b>   | <b>Ventilation of the enclosed liftway .....</b> | <b>105</b> |
| <b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered .....</b> |  | <b>107</b> |
| <b>Bibliography .....</b>  |  | <b>111</b> |