

# ISO 10218-1:2025-02 (E)

## Robotics - Safety requirements - Part 1: Industrial robots

---

| <b>Contents</b>    |   | <b>Page</b> |
|--------------------|---|-------------|
| Foreword .....     |   | vi          |
| Introduction ..... |   | vii         |
| <b>1</b>           | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>           | <b>Normative references .....</b>                                 | <b>2</b>    |
| <b>3</b>           | <b>Terms, definitions and abbreviated terms .....</b>             | <b>3</b>    |
| <b>3.1</b>         | <b>Terms and definitions .....</b>                                | <b>3</b>    |
| <b>3.1.1</b>       | <b>Robot, robot system, robot application, application .....</b>  | <b>3</b>    |
| <b>3.1.2</b>       | <b>Sub-assemblies and components .....</b>                        | <b>4</b>    |
| <b>3.1.3</b>       | <b>Controls-related .....</b>                                     | <b>6</b>    |
| <b>3.1.4</b>       | <b>Program-related .....</b>                                      | <b>7</b>    |
| <b>3.1.5</b>       | <b>Power-, energy-related .....</b>                               | <b>8</b>    |
| <b>3.1.6</b>       | <b>Hazard-related .....</b>                                       | <b>8</b>    |
| <b>3.1.7</b>       | <b>Role-related .....</b>   | <b>8</b>    |
| <b>3.1.8</b>       | <b>Functional safety-related .....</b>                            | <b>9</b>    |
| <b>3.1.9</b>       | <b>Spaces, zones and distances .....</b>                          | <b>10</b>   |
| <b>3.1.10</b>      | <b>Risk reduction measures .....</b>                              | <b>11</b>   |
| <b>3.1.11</b>      | <b>Verification and validation .....</b>                          | <b>12</b>   |
| <b>3.2</b>         | <b>Abbreviated terms and symbols .....</b>                        | <b>12</b>   |
| <b>4</b>           | <b>Risk assessment .....</b>                                      | <b>13</b>   |
| <b>5</b>           | <b>Design and risk reduction measures .....</b>                   | <b>13</b>   |
| <b>5.1</b>         | <b>Robot design .....</b>   | <b>13</b>   |
| <b>5.1.1</b>       | <b>General .....</b>  | <b>13</b>   |
| <b>5.1.2</b>       | <b>Materials, mechanical strength and mechanical design .....</b> | <b>13</b>   |
| <b>5.1.3</b>       | <b>Handling, lifting and transportation .....</b>                 | <b>14</b>   |
| <b>5.1.4</b>       | <b>Packaging .....</b>  | <b>15</b>   |
| <b>5.1.5</b>       | <b>Stability .....</b>  | <b>15</b>   |
| <b>5.1.6</b>       | <b>Temperature and fire risks .....</b>                           | <b>15</b>   |
| <b>5.1.7</b>       | <b>Special equipment .....</b>                                    | <b>15</b>   |
| <b>5.1.8</b>       | <b>Position holding .....</b>                                     | <b>15</b>   |
| <b>5.1.9</b>       | <b>Auxiliary axis (axes) .....</b>                                | <b>15</b>   |
| <b>5.1.10</b>      | <b>Power loss or change .....</b>                                 | <b>16</b>   |
| <b>5.1.11</b>      | <b>Component malfunction .....</b>                                | <b>16</b>   |
| <b>5.1.12</b>      | <b>Hazardous energy .....</b>                                     | <b>16</b>   |
| <b>5.1.13</b>      | <b>Electrical, pneumatic and hydraulic parts .....</b>            | <b>17</b>   |
| <b>5.1.14</b>      | <b>Tool centre point (TCP) setting .....</b>                      | <b>17</b>   |
| <b>5.1.15</b>      | <b>Payload setting .....</b>                                      | <b>18</b>   |
| <b>5.1.16</b>      | <b>Cybersecurity .....</b>  | <b>18</b>   |
| <b>5.1.17</b>      | <b>Robot class .....</b>  | <b>18</b>   |
| <b>5.2</b>         | <b>Controls .....</b>   | <b>19</b>   |
| <b>5.2.1</b>       | <b>General .....</b>  | <b>19</b>   |
| <b>5.2.2</b>       | <b>Protection from unexpected start-up .....</b>                  | <b>19</b>   |
| <b>5.2.3</b>       | <b>Singularity .....</b>  | <b>20</b>   |
| <b>5.2.4</b>       | <b>Interlocking devices .....</b>                                 | <b>20</b>   |
| <b>5.2.5</b>       | <b>Status indication and warning devices .....</b>                | <b>20</b>   |
| <b>5.2.6</b>       | <b>Labelling .....</b>  | <b>20</b>   |
| <b>5.2.7</b>       | <b>Modes .....</b>  | <b>20</b>   |

|        |   |    |
|--------|---|----|
| 5.2.8  | Means of controlling the robot .....              | 23 |
| 5.2.9  | Means of initiating automatic operation .....     | 25 |
| 5.3    | Safety functions .....                            | 25 |
| 5.3.1  | General .....                                     | 25 |
| 5.3.2  | Functional safety standards .....                 | 25 |
| 5.3.3  | Performance .....                                 | 25 |
| 5.3.4  | Failure or fault detection .....                  | 26 |
| 5.3.5  | Parameterization of safety functions .....        | 26 |
| 5.3.6  | Communications .....                              | 26 |
| 5.3.7  | Electromagnetic compatibility (EMC) .....         | 27 |
| 5.4    | Stopping functions .....                          | 28 |
| 5.4.1  | General .....                                     | 28 |
| 5.4.2  | Emergency stop .....                              | 28 |
| 5.4.3  | Protective stop .....                             | 29 |
| 5.4.4  | Normal stop .....                                 | 29 |
| 5.5    | Other safety functions .....                      | 30 |
| 5.5.1  | Single-point-of-control .....                     | 30 |
| 5.5.2  | Start/restart interlock and reset .....           | 30 |
| 5.5.3  | Speed limit(s) monitoring .....                   | 31 |
| 5.5.4  | Enabling function .....                           | 32 |
| 5.5.5  | Monitored-standstill .....                        | 33 |
| 5.5.6  | Stopping time limiting .....                      | 33 |
| 5.5.7  | Stopping distance limiting .....                  | 34 |
| 5.6    | Simultaneous motion .....                         | 34 |
| 5.7    | Limiting robot motion .....                       | 34 |
| 5.7.1  | General .....                                     | 34 |
| 5.7.2  | Mechanical limiting .....                         | 35 |
| 5.7.3  | Electro-mechanical limiting .....                 | 35 |
| 5.7.4  | Software-based limiting .....                     | 35 |
| 5.7.5  | Dynamic limiting .....                            | 36 |
| 5.8    | Movement without drive power .....                | 36 |
| 5.9    | Lasers and laser equipment .....                  | 36 |
| 5.10   | Capabilities for collaborative applications ..... | 36 |
| 5.10.1 | General .....                                     | 36 |
| 5.10.2 | Hand-guided control (HGC) .....                   | 36 |
| 5.10.3 | Speed and separation monitoring (SSM) .....       | 37 |
| 5.10.4 | Power and force limiting (PFL) .....              | 38 |
| 6      | Verification and validation .....                 | 38 |
| 6.1    | General .....                                     | 38 |
| 6.2    | Verification and validation .....                 | 38 |
| 7      | Information for use .....                         | 38 |
| 7.1    | General .....                                     | 38 |
| 7.2    | Signals and warning devices .....                 | 39 |
| 7.3    | Marking .....                                     | 39 |
| 7.4    | Signs (pictograms) and written warnings .....     | 39 |
| 7.5    | Instruction handbook .....                        | 40 |
| 7.5.1  | General .....                                     | 40 |
| 7.5.2  | Identification .....                              | 40 |
| 7.5.3  | Intended use .....                                | 40 |
| 7.5.4  | Installation .....                                | 41 |
| 7.5.5  | Stopping .....                                    | 41 |
| 7.5.6  | Commissioning and programming .....               | 41 |
| 7.5.7  | Operation and setting .....                       | 42 |
| 7.5.8  | Singularity .....                                 | 42 |
| 7.5.9  | Hazardous energy .....                            | 42 |
| 7.5.10 | Movement without drive power .....                | 42 |
| 7.5.11 | Cybersecurity .....                               | 42 |
| 7.5.12 | Functional safety .....                           | 43 |
| 7.5.13 | Teach pendants .....                              | 45 |

|                              |   |           |
|------------------------------|---|-----------|
| <b>7.5.14</b>                | <b>Change or addition of component parts .....</b>  | <b>46</b> |
| <b>7.5.15</b>                | <b>Standards .....</b>  | <b>46</b> |
| <b>7.5.16</b>                | <b>Maintenance .....</b>  | <b>46</b> |
| <b>7.5.17</b>                | <b>Abnormal and emergency situations .....</b>  | <b>46</b> |
| <b>7.5.18</b>                | <b>Handling, lifting and transportation .....</b>   | <b>46</b> |
| <b>Annex A (informative)</b> | <b>List of significant hazards .....</b>  | <b>47</b> |
| <b>Annex B (informative)</b> | <b>Illustrations of spaces .....</b>  | <b>52</b> |
| <b>Annex C (normative)</b>   | <b>Safety functions .....</b>   | <b>55</b> |
| <b>Annex D (informative)</b> | <b>Safety function information .....</b>  | <b>61</b> |
| <b>Annex E (normative)</b>   | <b>Test methodology for Class I robots - Maximum force per manipulator (FMPM) .....</b>     | <b>63</b> |
| <b>Annex F (informative)</b> | <b>Symbols .....</b>  | <b>71</b> |
| <b>Annex G (informative)</b> | <b>Means of verification and validation of the design and risk reduction measures .....</b> | <b>73</b> |
| <b>Annex H (normative)</b>   | <b>Stopping time and distance measurement .....</b>   | <b>92</b> |
| <b>Annex I (informative)</b> | <b>Implementation of start/restart interlock and reset functions .....</b>                  | <b>93</b> |
| <b>Bibliography</b>          | <b>.....</b>  | <b>95</b> |