IEC 63086-2-2:2026-09 (E)

Household and similar electrical air cleaning appliances - Method for measuring the performance - Part 2-2: Particular requirements for determination of gas-phase pollutant reduction

Contents

Page

FOREWORD 4
1 Scope 6
2 Normative references 6
3 Terms, definitions and abbreviated terms 6
3.1 Terms and definitions 6
3.2 Abbreviated terms 8
4 Test gases and initial concentrations for testing 8
4.1 General 8
4.2 Representative test gases 9
4.2.1 Formaldehyde 9
4.2.2 Toluene 9
4.2.3 *n*-heptane 9
4.2.4 *d*-limonene 9
4.2.5 Ammonia 10
4.2.6 Nitrogen dioxide 10
5 Methods for measuring the test gas concentration 10
5.1 General 10
5.2 Measurement and analysis method for formaldehyde 10
5.3 Measurement and analysis method for toluene, *n*-heptane, and *d*-limonene 10
5.4 Measurement and analysis method for ammonia 10
5.5 Measurement and analysis method for nitrogen dioxide 10
6 Generation of initial gas concentrations 10
6.1 General 10
6.2 Gas cylinder method 11
6.3 Temperature-controlled vaporization method 11
7 Test chamber 11
8 Measurement of the CADR in maximum performance operation mode 11
8.1 General 11
8.2 Natural decay test 11
8.2.1 General 11
8.2.2 Setting the sampling point 11
8.2.3 Cleaning of the test chamber 12
8.2.4 Test chamber conditions 12
8.2.5 Test gas injection 12
8.2.6 Measurement of the initial concentration 13
8.2.7 Measurement of the natural decay rate 13
8.2.8 Calculation of the natural decay rate 13
8.2.9 Acceptability of the run 13

8.3 Total decay test 13
8.3.1 Pre-treatment and placement of the DUT 13
8.3.2 Setting the sampling point 14
8.3.3 Cleaning of the test chamber 14
8.3.4 Test chamber conditions 14
8.3.5 Test gas injection 14
8.3.6 Measurement of the initial concentration 14
8.3.7 Operation of the DUT 14
8.3.8 Measurement of the total decay rate 14
8.3.9 Calculation of the total decay rate 14
8.3.10 Acceptability of the run 15
8.4 Calculation of the clean air delivery rate 15
9 Calculation procedures 15
9.1 Criteria for the acceptance of data points 15
9.1.1 Outliers from the regression line 15
9.1.2 Concentration below 3 % of the initial concentration 15
9.2 Calculation of decay constants 15
9.3 Sample standard deviation of the slope of the regression line 16
9.4 Calculation of the clean air delivery rate 17
9.5 Sample standard deviation of the clean air delivery rate 17
Annex A (informative) Information on the choice of the test gases 18
A.1 General 18
A.2 Representative test gases 18
A.2.1 General 18
A.2.2 Formaldehyde 18
A.2.3 Toluene 18
A.2.4 *n*-heptane 18
A.2.5 *d*-limonene 18
A.2.6 Ammonia 19
A.2.7 Nitrogen dioxide 19
A.3 Optional test gases 19
A.3.1 General 19
A.3.2 Acetaldehyde 19
A.3.3 *α*-pinene 20
A.3.4 Acetic acid 20
A.3.5 Isovaleric acid 20
A.3.6 Hydrogen sulfide 20
A.3.7 Methyl mercaptan 20
A.3.8 Indole 20
A.4 Alternative measurement techniques for the test gas 20
Annex B (informative) Calculation of the 99 % prediction interval of the regression line 22
Annex C (informative) Test report information 24
C.1 General 24
C.2 General data 24
C.3 Description of the DUT 24
C.4 Test chamber 24
C.5 Generation method of test gases 24
C.6 Test gas measurement instrumentation 24

C.7 Test conditions 25
C.8 Test execution 25
C.9 Results 25
Annex D (informative) Background concentration 26
Annex E (normative) Limits of measurability 27
E.1 General 27
E.2 Maximum clean air delivery rate 27
E.3 Minimum clean air delivery rate 27
Annex F (informative) Schematic representation of a CADR measurement 28
Annex G (normative) Particular requirements for determination of ozone reduction 29
G.1 General 29
G.2 Measurement method for test gas concentration 29
G.3 Generation of initial gas concentrations 29
G.4 Measurement of the CADR in maximum performance operation mode 29
Bibliography 30

Figure F.1 – Schematic representation of the CADR measurement in accordance with Clause 8 28

Table 1 – Representative test gases 9
Table 2 – Target of the background concentration of test gases 12
Table 3 – Limits for the sample standard deviation of the slope of the regression line for the natural decay 13
Table 4 – Limits for the sample standard deviation of the slope of the regression line for the total decay 15
Table A.1 – Test gases 19
Table A.2 – Alternative instruments 21
Table B.1 – Values of the Student *t*-distribution with df=n-2 degrees of freedom for different numbers of pairs of data points n 23
Table D.1 – Background concentration measurement results 26
Table E.1 – Minimum CADR measurable for the test gases 27