

# ISO 6072:2002-03 (E)

## Hydraulic fluid power - Compatibility between fluids and standard elastomeric materials

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Test elastomers .....</b>	<b>2</b>
4.1	General .....	2
4.2	Standard acrylonitrile-butadiene rubber (NBR 1) .....	2
4.3	Standard acrylonitrile-butadiene rubber (NBR 2) .....	4
4.4	Standard fluoroelastomer (FKM 2) (vinylidene fluoride hexafluoropropylene copolymer) ....	6
4.5	Standard ethylene propylene diene rubber (EPDM 1) .....	7
4.6	Standard hydrogenated NBR (HNBR 1) .....	9
<b>5</b>	<b>Determination of elastomer compatibility index (ECI) .....</b>	<b>10</b>
5.1	General .....	10
5.2	Test conditions .....	11
5.3	Determination of percentage change in volume .....	12
5.4	Determination of change in hardness .....	14
5.5	Determination of percentage change in tensile strength and elongation at break .....	14
5.6	Test report .....	15
<b>6</b>	<b>Identification statement (Reference to this International Standard) .....</b>	<b>16</b>
<b>Annex A (informative) Information report .....</b>		<b>17</b>
<b>Annex B (informative) Example of test report -- Fluid-elastomer compatibility index (ECI) .....</b>		<b>19</b>
<b>Annex C (informative) Guidelines on elastomer compatibility .....</b>		<b>20</b>