

ISO 9506-2:2003-07 (E)

Industrial automation systems - Manufacturing Message Specification - Part 2: Protocol specification

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | ix |
| Introduction | | x |
| 1 | Scope | 1 |
| 1.1 | Specifications | 1 |
| 1.2 | Procedures | 1 |
| 1.3 | Applicability | 1 |
| 1.4 | Conformance | 1 |
| 2 | Normative references | 1 |
| 3 | Definitions | 2 |
| 3.1 | Reference Model definitions | 3 |
| 3.2 | Service Convention definitions | 3 |
| 3.3 | Abstract Syntax Notation definitions | 3 |
| 3.4 | Other definitions | 4 |
| 4 | Abbreviations | 7 |
| 5 | Conventions | 7 |
| 5.1 | Service Conventions | 7 |
| 5.2 | Base of Numeric Values | 7 |
| 5.3 | Notation | 7 |
| 5.4 | Supporting Productions | 7 |
| 5.5 | Pass-through Parameters | 8 |
| 5.6 | Negative Confirmation | 8 |
| 5.7 | Modifiers to a Service Request | 8 |
| 5.8 | Presentation of Errors | 9 |
| 5.9 | Calling and Called MMS-user | 9 |
| 5.10 | Sending and Receiving MMS-user and MPPM | 9 |
| 5.11 | Requesting and Responding MMS-user | 9 |
| 5.12 | Client and Server of a Service | 9 |
| 5.13 | ASN.1 Definitions | 9 |
| 5.14 | Protocol Subset Notation | 10 |
| 5.15 | Determination of the effective protocol | 10 |
| 6 | Elements of Protocol Procedure | 11 |
| 6.1 | Descriptive Conventions | 11 |
| 6.2 | Entering and Leaving the MMS Environment | 11 |
| 6.3 | Operating in the MMS Environment | 11 |
| 6.4 | Handling of Error Conditions | 16 |
| 6.5 | The Reject Service and RejectPDU | 17 |
| 7 | MMS PDU | 17 |
| 7.1 | The Confirmed-RequestPDU | 18 |
| 7.2 | The Unconfirmed-PDU | 30 |
| 7.3 | The Confirmed-ResponsePDU | 31 |
| 7.4 | The Confirmed-ErrorPDU | 42 |
| 7.5 | Common MMS Types | 45 |

| | | |
|-----------|--|-----------|
| 8 | Environment and General Management Protocol | 48 |
| 8.1 | Introduction | 48 |
| 8.2 | Initiate | 48 |
| 8.3 | Conclude | 49 |
| 8.4 | Abort | 49 |
| 8.5 | Cancel | 49 |
| 8.6 | Reject | 50 |
| 9 | Conditioned Service Response Protocol | 51 |
| 9.1 | Introduction | 51 |
| 9.2 | Access Condition | 51 |
| 9.3 | DefineAccessControlList | 51 |
| 9.4 | GetAccessControlListAttributes | 52 |
| 9.5 | ReportAccessControlledObjects | 53 |
| 9.6 | DeleteAccessControlList | 53 |
| 9.7 | ChangeAccessControl | 54 |
| 10 | VMD Support Protocol | 54 |
| 10.1 | Introduction | 54 |
| 10.2 | Status Response Parameter | 54 |
| 10.3 | Status | 55 |
| 10.4 | UnsolicitedStatus | 56 |
| 10.5 | GetNameList | 56 |
| 10.6 | Identify | 56 |
| 10.7 | Rename | 57 |
| 10.8 | GetCapabilityList | 57 |
| 10.9 | VMDStop | 57 |
| 10.10 | VMDReset | 58 |
| 11 | Domain Management Protocol | 58 |
| 11.1 | Introduction | 58 |
| 11.2 | InitiateDownloadSequence | 58 |
| 11.3 | DownloadSegment | 59 |
| 11.4 | TerminateDownloadSequence | 59 |
| 11.5 | InitiateUploadSequence | 60 |
| 11.6 | UploadSegment | 60 |
| 11.7 | TerminateUploadSequence | 61 |
| 11.8 | RequestDomainDownload | 61 |
| 11.9 | RequestDomainUpload | 61 |
| 11.10 | LoadDomainContent | 62 |
| 11.11 | StoreDomainContent | 62 |
| 11.12 | DeleteDomain | 63 |
| 11.13 | GetDomainAttributes | 63 |
| 12 | Program Invocation Management Protocol | 64 |
| 12.1 | Introduction | 64 |
| 12.2 | CreateProgramInvocation | 64 |
| 12.3 | DeleteProgramInvocation | 65 |
| 12.4 | Start | 65 |
| 12.5 | Stop | 66 |
| 12.6 | Resume | 67 |
| 12.7 | Reset | 67 |
| 12.8 | Kill | 68 |
| 12.9 | GetProgramInvocationAttributes | 68 |
| 12.10 | Select | 69 |
| 12.11 | AlterProgramInvocationAttributes | 69 |
| 12.12 | ReconfigureProgramInvocation | 70 |
| 13 | Unit Control Protocol | 70 |
| 13.1 | Introduction | 70 |
| 13.2 | Control Element | 70 |
| 13.3 | InitiateUnitControlLoad service | 71 |

| | | |
|-------|---|----|
| 13.4 | UnitControlLoadSegment service | 71 |
| 13.5 | UnitControlUpload service | 72 |
| 13.6 | StartUnitControl service | 72 |
| 13.7 | StopUnitControl service | 73 |
| 13.8 | CreateUnitControl service | 73 |
| 13.9 | AddToUnitControl service | 74 |
| 13.10 | RemoveFromUnitControl service | 74 |
| 13.11 | GetUnitControlAttributes service | 74 |
| 13.12 | LoadUnitControlFromFile service | 75 |
| 13.13 | StoreUnitControlToFile service | 75 |
| 13.14 | DeleteUnitControl service | 76 |
| | | |
| 14 | Variable Access Protocol | 76 |
| 14.1 | Conventions | 76 |
| 14.2 | Protocol For Specifying Types | 77 |
| 14.3 | Protocol For Specifying Alternate Access | 77 |
| 14.4 | Protocol For Specifying Data Values | 78 |
| 14.5 | Protocol for Specifying Access To Variables | 82 |
| 14.6 | Read | 82 |
| 14.7 | Write | 83 |
| 14.8 | InformationReport | 83 |
| 14.9 | GetVariableAccessAttributes | 83 |
| 14.10 | DefineNamedVariable | 84 |
| 14.11 | DeleteVariableAccess | 84 |
| 14.12 | DefineNamedVariableList | 85 |
| 14.13 | GetNamedVariableListAttributes | 85 |
| 14.14 | DeleteNamedVariableList | 86 |
| 14.15 | DefineNamedType | 86 |
| 14.16 | GetNamedTypeAttributes | 86 |
| 14.17 | DeleteNamedType | 87 |
| | | |
| 15 | Data Exchange Protocol | 87 |
| 15.1 | Introduction | 87 |
| 15.2 | ExchangeData | 87 |
| 15.3 | GetDataExchangeAttributes | 88 |
| | | |
| 16 | Semaphore Management Protocol | 88 |
| 16.1 | Introduction | 88 |
| 16.2 | TakeControl | 89 |
| 16.3 | RelinquishControl | 89 |
| 16.4 | DefineSemaphore | 90 |
| 16.5 | DeleteSemaphore | 90 |
| 16.6 | ReportSemaphoreStatus | 90 |
| 16.7 | ReportPoolSemaphoreStatus | 91 |
| 16.8 | ReportSemaphoreEntryStatus | 91 |
| 16.9 | AttachToSemaphore Modifier | 92 |
| | | |
| 17 | Operator Communication Protocol | 92 |
| 17.1 | Introduction | 92 |
| 17.2 | Input | 92 |
| 17.3 | Output | 93 |
| | | |
| 18 | Event Management Protocol | 93 |
| 18.1 | Introduction | 93 |
| 18.2 | TriggerEvent | 93 |
| 18.3 | EventNotification | 94 |
| 18.4 | AcknowledgeEventNotification | 95 |
| 18.5 | GetAlarmSummary | 95 |
| 18.6 | GetAlarmEnrollmentSummary | 96 |
| 18.7 | AttachToEventCondition | 97 |
| | | |
| 19 | Event Condition Protocol | 98 |

| | | |
|-------|--|-----|
| 19.1 | Introduction | 98 |
| 19.2 | DefineEventCondition | 98 |
| 19.3 | DeleteEventCondition | 98 |
| 19.4 | GetEventConditionAttributes | 99 |
| 19.5 | ReportEventConditionStatus | 100 |
| 19.6 | AlterEventConditionMonitoring | 100 |
| 20 | Event Action Protocol | 101 |
| 20.1 | Introduction | 101 |
| 20.2 | DefineEventAction | 101 |
| 20.3 | DeleteEventAction | 102 |
| 20.4 | GetEventActionAttributes | 102 |
| 20.5 | ReportEventActionStatus | 103 |
| 21 | Event Enrollment Protocol | 103 |
| 21.1 | Introduction | 103 |
| 21.2 | DefineEventEnrollment | 104 |
| 21.3 | DeleteEventEnrollment | 104 |
| 21.4 | GetEventEnrollmentAttributes | 105 |
| 21.5 | ReportEventEnrollmentStatus | 107 |
| 21.6 | AlterEventEnrollment | 107 |
| 21.7 | Supporting Productions | 108 |
| 22 | Event Condition List Protocol | 108 |
| 22.1 | Introduction | 108 |
| 22.2 | DefineEventConditionList protocol | 108 |
| 22.3 | DeleteEventConditionList protocol | 109 |
| 22.4 | AddEventConditionListReference protocol | 109 |
| 22.5 | RemoveEventConditionListReference protocol | 110 |
| 22.6 | GetEventConditionListAttributes protocol | 110 |
| 22.7 | ReportEventConditionListStatus protocol | 111 |
| 22.8 | AlterEventConditionListMonitoring protocol | 111 |
| 23 | Journal Management Protocol | 112 |
| 23.1 | Introduction | 112 |
| 23.2 | ReadJournal | 112 |
| 23.3 | WriteJournal | 112 |
| 23.4 | InitializeJournal | 113 |
| 23.5 | ReportJournalStatus | 113 |
| 23.6 | CreateJournal | 114 |
| 23.7 | DeleteJournal | 114 |
| 23.8 | Supporting Productions | 114 |
| 24 | Mapping to Underlying Communication Services | 115 |
| 24.1 | Mapping of PDUs | 115 |
| 24.2 | M-ASSOCIATE Data | 115 |
| 24.3 | Termination of Application Association | 116 |
| 24.4 | Directly-Mapped Abort Service | 116 |
| 24.5 | Construction of MMS PDUs | 116 |
| 24.6 | Delivery of Service Primitives to an MMS-user | 116 |
| 24.7 | Right to Send Data | 117 |
| 24.8 | Reliable Underlying Service | 117 |
| 24.9 | Flow Control | 117 |
| 24.10 | Use of Presentation Contexts | 117 |
| 24.11 | Abstract Syntax Definition | 117 |
| 25 | Configuration and Initialization Statement | 117 |
| 25.1 | Introduction | 117 |
| 25.2 | CIS Part One: Initialization of the VMD | 118 |
| 25.3 | CIS Part Two: Service and Parameter CBBs | 130 |
| | Annex A (normative) Relation of M-Services to ACSE and Presentation Services | 144 |

| | | |
|--|---|------------|
| A.1 | Mapping of M-services | 144 |
| A.2 | M-DATA service | 145 |
| A.3 | M-U-ABORT service | 145 |
| A.4 | M-P-ABORT service | 145 |
| A.5 | Use of Presentation Contexts | 145 |
| A.6 | Transfer Syntax Definition | 146 |
| A.7 | Application Context Name | 146 |
| Annex B (normative) Abstract format for Configuration and Initialization | | 148 |
| B.1 | SCI Part One: Initialization of the VMD | 148 |
| B.2 | Services and parameter CBBs | 156 |
| Annex C (normative) File Access Protocol | | 159 |
| C.1 | Introduction | 159 |
| C.2 | ObtainFile | 159 |
| Annex D (informative) File Management Protocol | | 161 |
| D.1 | Overview | 161 |
| D.2 | FileOpen | 161 |
| D.3 | FileRead | 161 |
| D.4 | FileClose | 162 |
| D.5 | FileRename | 162 |
| D.6 | FileDelete | 162 |
| D.7 | FileDirectory | 163 |
| D.8 | FileAttributes | 163 |
| Annex E (informative) Scattered Access | | 164 |
| E.1 | Introduction | 164 |
| E.2 | DefineScatteredAccess | 164 |
| E.3 | GetScatteredAccessAttributes | 164 |
| Annex F (informative) REAL Data Type | | 166 |
| F.1 | Introduction | 166 |
| F.2 | REAL Data | 166 |
| F.3 | End of Module | 166 |
| Index | | 167 |
| Figures Figure 1 - Confirmed Service Request as seen by the Service Requester | | 12 |
| Figure 2 - Confirmed Service Request as seen by the Service Responder | | 14 |
| Figure 3 - Unconfirmed Service as seen by the Service Requester | | 15 |
| Figure 4 - Unconfirmed Service as seen by the Service Responder | | 16 |
| Tables Table 1 - CIS Implementation Information | | 119 |
| Table 2 - Capability Description | | 120 |
| Table 3 - Predefined Access Control object | | 121 |
| Table 4 - Predefined Domain object | | 122 |
| Table 5 - Predefined Program Invocation object | | 123 |

| | |
|---|------------|
| Table 6 - Predefined Unit Control object | 123 |
| Table 7 - Unnamed Variable objects | 124 |
| Table 8 - Predefined Named Variable object | 124 |
| Table 9 - Predefined Named Variable List object | 125 |
| Table 10 - Predefined Named Type object | 125 |
| Table 11 - Predefined Data Exchange object | 126 |
| Table 12 - Predefined Semaphore object | 126 |
| Table 13 - Predefined Operator Station object | 127 |
| Table 14 - Predefined Event Condition object | 127 |
| Table 15 - Predefined Event Action object | 128 |
| Table 16 - Predefined Event Enrollment object | 128 |
| Table 17 - Predefined Event Condition List object | 129 |
| Table 18 - Predefined Journal object | 129 |
| Table 19 - Predefined Journal Entry object | 130 |
| Table 20 - Environment & General Management services | 131 |
| Table 21 - Environment & General Management parameters | 131 |
| Table 22 - Access Control services | 132 |
| Table 23 - Access Control parameter | 132 |
| Table 24 - VMD Support services | 132 |
| Table 25 - VMD Support parameters | 133 |
| Table 26 - Domain Management services | 133 |
| Table 27 - Domain Management parameters | 134 |
| Table 28 - Program Invocation Management services | 134 |
| Table 29 - Program Invocation Management parameters | 135 |
| Table 30 - Unit Control services | 135 |
| Table 31 - Variable Access services | 136 |
| Table 32 - Variable Access parameters | 137 |
| Table 33 - Data parameters | 137 |
| Table 34 - Data Exchange services | 137 |
| Table 35 - Semaphore Management services | 138 |
| Table 36 - Semaphore Management parameter | 138 |

| | |
|--|------------|
| Table 37 - Operator Communication services | 138 |
| Table 38 - Operator Communication parameter | 139 |
| Table 39 - Event Management services | 139 |
| Table 40 - Event Condition services | 139 |
| Table 41 - Event Condition parameters | 140 |
| Table 42 - Event Action services | 140 |
| Table 43 - Event Enrollment services | 140 |
| Table 44 - Event Condition List services | 141 |
| Table 45 - Event Condition List parameter | 141 |
| Table 46 - Journal Management services | 141 |
| Table 47 - Errors parameters | 142 |
| Table 48 - File Access service | 142 |
| Table 49 - File Management services | 142 |
| Table 50 - File Management parameter | 142 |
| Table 51 - Scattered Access services | 143 |
| Table 52 - Scattered Access parameter | 143 |