

ISO/TS 10303-325:2004-01 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 325: Abstract test suite: Building elements using explicit shape representation

Contents

Page

| | | |
|------|--|-----|
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms, definitions and abbreviations | 2 |
| 3.1 | Terms defined in ISO 10303-1 | 2 |
| 3.2 | Terms defined in ISO 10303-31 | 2 |
| 3.3 | Abbreviations | 3 |
| 4 | Test purposes | 3 |
| 4.1 | Application element test purposes | 3 |
| 4.2 | AIM test purposes | 17 |
| 5 | General test purposes and verdict criteria | 39 |
| 5.1 | General test purposes | 39 |
| 5.2 | General verdict criteria for all abstract test cases | 39 |
| 5.3 | General verdict criteria for preprocessor abstract test cases | 39 |
| 5.4 | General verdict criteria for postprocessor abstract test cases | 40 |
| 6 | Abstract test cases | 40 |
| 6.1 | Building_complex with foundation as faceted_b_rep | 40 |
| 6.2 | Building_complex with foundation as block | 46 |
| 6.3 | Building_complex with foundation as Truncated_pyramid | 52 |
| 6.4 | Building_complex with foundation as Truncated_cone | 58 |
| 6.5 | Building_complex with foundation as Right_circular_cylinder | 63 |
| 6.6 | Building_complex with foundation as Trimmed_sphere | 69 |
| 6.7 | Building_complex with foundation as solid_of_linear_extrusion | 75 |
| 6.8 | Building_complex with foundation as solid_of_revolution | 81 |
| 6.9 | Wall with window using Faceted_face_with_thickness | 87 |
| 6.10 | Column with recess using Faceted_b_rep | 96 |
| 6.11 | Column with recess using Trimmed_torus | 103 |
| 6.12 | Column with recess using Advanced_b_rep | 110 |
| 6.13 | Wall with doorway including change and approval | 117 |
| 6.14 | Wall with doorway using Elementary_face_with_thickness | 129 |
| 6.15 | Wall with doorway using Advanced_face_with_thickness | 141 |
| 6.16 | Building with levels (floors) using Faceted_b_rep | 152 |
| 6.17 | Building with levels (floors) using Elementary_b_rep | 165 |
| 6.18 | Item_assembly with approvals as roof (beams) using Faceted_b_rep | 182 |
| 6.19 | Item_assembly as stairway using Faceted_b_rep | 193 |
| 6.20 | Item_group (single level) | 201 |
| 6.21 | Multi-level Item_group | 212 |
| 6.22 | Structural wire using faceted_curve | 221 |
| 6.23 | Structural wire using elementary_curve | 227 |
| 6.24 | Structural wire using advanced_curve | 233 |
| 6.25 | Building with levels using faceted_shell | 239 |
| 6.26 | Building with levels using elementary_shell | 248 |
| 6.27 | Building with levels using advanced_shell | 257 |
| 6.28 | Building with levels using ground_face | 266 |
| 6.29 | Building_complex with surrounding_grounds_shape as faceted_surface | 276 |

| | | |
|--|---|-----|
| 6.30 | Building_complex with surrounding_grounds_shape as point_and_line_representation | 278 |
| Annex A (normative) | Conformance classes | 281 |
| Annex B (normative) | Information object registration | 288 |
| Annex C (normative) | Postprocessor input specification file names | 289 |
| Annex D (informative) | Excluded test purposes | 291 |
| Index | | 292 |
| Tables | Table 1 - Application elements for Building_complex with foundation as faceted_b_rep | 40 |
| Table 2 - Application elements for Building_complex with foundation as Block | | 46 |
| Table 3 - Application elements for Building_complex with foundation as Truncated_pyramid | | 52 |
| Table 4 - Application elements for Building_complex with foundation as Truncated_cone | | 58 |
| Table 5 - Application elements for Building_complex with foundation as right_circular_cylinder | | 64 |
| Table 6 - Application elements for Building_complex with foundation as trimmed_sphere | | 70 |
| Table 7 - Application elements for Building_complex with foundation as solid_of_linear_extrusion | | 76 |
| Table 8 - Application elements for Building_complex with foundation as solid_of_revolution | | 82 |
| Table 9 - Application elements for wall with window using Faceted_face_with_thickness | | 88 |
| Table 10 - Application elements for column with recess using Faceted_b_rep | | 96 |
| Table 11 - Application elements for column with recess using Trimmed_torus | | 103 |
| Table 12 - Application elements for column with recess using Advanced_b_rep | | 110 |
| Table 13 - Application elements for wall with doorway including change and approval | | 117 |
| Table 14 - Application elements for wall with doorway using Elementary_face_with_thickness | | 129 |
| Table 15 - Application elements for wall with doorway using Advanced_face_with_thickness | | 141 |
| Table 16 - Application elements for building with levels (floors) using faceted_b_rep | | 153 |
| Table 17 - Application elements for building with levels (floors) using elementary_b_rep | | 166 |
| Table 18 - Application elements for item_assembly with approvals as roof (beams) using faceted_b_rep | | 182 |
| Table 19 - Application elements for item_assembly as stairway using faceted_b_rep | | 194 |
| Table 20 - Application elements for Item_group | | 201 |
| Table 21 - Application elements for item_group | | 213 |
| Table 22 - Application elements for structural wire | | 222 |
| Table 23 - Application elements for structural wire using elementary_curve | | 228 |
| Table 24 - Application elements for structural wire using advanced_curve | | 234 |
| Table 25 - Application elements for building with levels using faceted_shell | | 239 |

| | |
|---|------------|
| Table 26 - Application elements for building with levels using elementary_shell | 248 |
| Table 27 - Application elements for building with levels using advanced_shell | 257 |
| Table 28 - Application elements for building with levels using ground_face | 266 |
| Table 29 - Application elements for building_complex with surrounding_grounds_shape as faceted_surface | 276 |
| Table 30 - Application elements for building_complex with surrounding_grounds_shape as point_and_line_representation | 279 |
| Table C.1 - Postprocessor input specification file names | 289 |