ISO 10303-108:2005-02 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 108: Integrated application resource: Parameterization and constraints for explicit geometric product models

Contents

Page

1 Scope 1
1.1 Parameterization schema 2
1.2 Explicit constraint schema 3
1.3 Variational representation schema 3
1.4 Explicit geometric constraint schema 4
1.5 Sketch schema 4

2 Normative references 4

3 Terms, definitions and abbreviations 5
3.6 Terms defined in ISO 13584-20 7
3.7 Other terms and definitions 7
3.8 Abbreviations 14

4 Parameterization 15
4.1 Introduction 15
4.2 Fundamental concepts and assumptions 15
4.2.1 Model parameters 16
4.2.2 Parameter binding to an instance attribute 17
4.3 Parameterization type definitions 18
4.3.1 attribute identifier 18
4.4 Parameterization entity definitions 19
4.4.1 model parameter 19
4.4.2 bound model parameter 20
4.4.3 unbound model parameter 22
4.4.4 bound parameter environment 23
4.4.5 unbound parameter environment 23
4.4.6 instance attribute reference 24
4.4.7 unbound model parameter semantics 25
4.4.8 fixed instance attribute set 25
4.4.9 generated finite numeric space 26
4.5 Parameterization function definitions 27
4.5.1 make numeric set 27
4.5.2 validate attribute id 28

5 Explicit constraint 30
5.1 Introduction 30
5.2 Fundamental concepts and assumptions 31
5.2.1 Free-form and defined constraints 32
5.2.2 Simultaneous groups of constraints 32
5.2.3 Use of the current result in the resolution of ambiguities 32
5.2.4 Directed and undirected constraints 33
5.2.5 Roles of model parameters in free-form constraints 33
5.2.6 Accuracy of constraint satisfaction 34
5.3 Explicit constraint type definitions 34
5.3.1 constraint group member 34
5.4 Explicit constraint entity definitions 34
5.4.1 explicit constraint 34
5.4.2 defined constraint 35

5.4.3 equal parameter constraint 36
5.4.4 free form constraint 37
5.4.5 free form assignment 38
5.4.6 free form relation 39
5.4.7 simultaneous constraint group 40

6 Variational representation 43
6.1 Introduction 43
6.2 Fundamental concepts and assumptions 43
6.3 Variational representation entity definitions 45
6.3.1 variational representation item 45
6.3.2 auxiliary geometric representation item 46
6.3.3 variational representation 46
6.3.4 variational current representation relationship 48
6.4 Variational representation function definitions 49
6.4.1 invalidate vrep item 49

7 Explicit geometric constraint 52
7.1 Introduction 52
7.2 Fundamental concepts and assumptions 52
7.2.1 Dimensional constraints 54
7.2.2 Semantics of dimensional constraints 55
7.2.3 Constraints on procedurally defined model elements 56
7.3 Explicit geometric constraint type definitions 56
7.3.1 geometric constraint element 56
7.3.2 point curve or surface constraint element 57
7.3.3 curve or surface constraint element 57
7.3.4 linear geometry constraint element 57
7.3.5 radial geometry constraint element 57
7.3.6 axial geometry constraint element 58
7.3.7 swept surface or solid 59
7.3.8 tangent contact type 59
7.3.9 parallel offset type 59
7.3.10 non negative length measure 60
7.4 Explicit geometric constraint entity definitions 60
7.4.1 explicit geometric constraint 60
7.4.2 fixed element geometric constraint 61
7.4.3 parallel geometric constraint 62
7.4.4 pgc with dimension 63
7.4.5 point distance geometric constraint 64
7.4.6 pdgc with dimension 65
7.4.7 skew line distance geometric constraint 65
7.4.8 near point relationship 66
7.4.9 curve distance geometric constraint 67
7.4.10 cdgc with dimension 69
7.4.11 surface distance geometric constraint 69
7.4.12 sdgc with dimension 71
7.4.13 radius geometric constraint 72
7.4.14 rgc with dimension 72
7.4.15 curve length geometric constraint 73
7.4.16 clgc with dimension 74
7.4.17 parallel offset geometric constraint 74
7.4.18 pogc with dimension 76
7.4.19 angle geometric constraint 77
7.4.20 agc with dimension 78
7.4.21 perpendicular geometric constraint 79
7.4.22 incidence geometric constraint 80
7.4.23 coaxial geometric constraint 82
7.4.24 tangent geometric constraint 82
7.4.25 symmetry geometric constraint 84
7.4.26 swept point curve geometric constraint 86
7.4.27 swept curve surface geometric constraint 87

7.4.28 curve segment set 88
7.4.29 curve smoothness geometric constraint 89
7.4.30 surface patch set 90
7.4.31 surface smoothness geometric constraint 90

8 Sketch 92
8.1 Introduction 92
8.2 Fundamental concepts and assumptions 92
8.3 Sketch type definitions 93
8.3.1 surface or solid model 93
8.3.2 planar curve select 94
8.3.3 sketch element select 95
8.3.4 sketch basis select 95
8.3.5 sketch type select 95
8.3.6 curves or area 96
8.4 Sketch entity definitions 96
8.4.1 implicit point on plane 96
8.4.2 implicit planar intersection point 98
8.4.3 implicit planar projection point 98
8.4.4 implicit planar curve 99
8.4.5 implicit intersection curve 100
8.4.6 implicit projected curve 100
8.4.7 implicit model intersection curve 101
8.4.8 implicit silhouette curve 101
8.4.9 neutral sketch representation 102
8.4.10 positioned sketch 103
8.4.11 repositioned neutral sketch 105
8.4.12 implicit explicit positioned sketch relationship 106
8.4.13 subsketch 107
8.4.14 rigid subsketch 108
8.5 Sketch function definitions 108
8.5.1 get relative direction 2points 108
8.5.2 check curve planarity 109
8.5.3 get plane of implicit geometry 110

Annex A (normative) Short names of entities 113

Annex B (normative) Information object registration 115

B.1 Document identification 115
B.2 Schema identification 115
B.2.1 parameterization schema identification 115
B.2.2 explicit constraint schema identification 115
B.2.3 variational representation schema identification 115
B.2.4 explicit geometric constraint schema identification 116
B.2.5 sketch schema identification 116

Annex C (informative) Computer interpretable listings 117

Annex D (informative) EXPRESS-G diagrams 118

Annex E (informative) Technical discussions 137

E.1 Role of parameterization and constraints in procedural and hybrid representations 137
E.2.1 Non-binary constraints 139
E.2.2 The modelling of variational representations 140
E.3 Application-related sketches with specific geometric forms 141

Annex F (informative) Examples 142

eters with attributes of entity instances 142

F.1.1 Example 1 142
F.1.2 Example 2 144
F.2 Example of a two-dimensional sketch 147

Bibliography 151

Index 152

Figures box) and other resource schemas xi

Figure 3 Embedding of a current result representation in a variational representation 45

Figure D.1 EXPRESS-G diagram of the parameterization schema (1 of 2) 119

Figure D.2 EXPRESS-G diagram of the parameterization schema (2 of 2) 120

Figure D.3 EXPRESS-G diagram of the explicit constraint schema (1 of 1) 121

Figure D.4 EXPRESS-G diagram of the variational representation schema (1 of 1) 122

Figure D.5 EXPRESS-G diagram of the explicit geometric constraint schema (1 of 10) 123

Figure D.6 EXPRESS-G diagram of the explicit geometric constraint schema (2 of 10) 124

Figure D.7 EXPRESS-G diagram of the explicit geometric constraint schema (3 of 10) 125

Figure D.8 EXPRESS-G diagram of the explicit geometric constraint schema (4 of 10) 126

Figure D.9 EXPRESS-G diagram of the explicit geometric constraint schema (5 of 10) 127

Figure D.10 EXPRESS-G diagram of the explicit geometric constraint schema (6 of 10) 128

Figure D.11 EXPRESS-G diagram of the explicit geometric constraint schema (7 of 10) 129

Figure D.12 EXPRESS-G diagram of the explicit geometric constraint schema (8 of 10) 130

Figure D.13 EXPRESS-G diagram of the explicit geometric constraint schema (9 of 10) 131

Figure D.14 EXPRESS-G diagram of the explicit geometric constraint schema (10 of 10) 132

Figure D.15 EXPRESS-G diagram of the sketch schema (1 of 4) 133

Figure D.16 EXPRESS-G diagram of the sketch schema (2 of 4) 134

Figure D.17 EXPRESS-G diagram of the sketch schema (3 of 4) 135

Figure D.18 EXPRESS-G diagram of the sketch schema (4 of 4) 136

13548 generic expressions schema 146

Figure F.2 A simple sketch composed of line segments and circular arcs 147

Tables A.1 Short names of entities 113