

ISO 16038:2017-11 (E)

Male condoms - Guidance on the use of ISO 4074 and ISO 23409 in the quality management of condoms

Contents		Page
Foreword		iv
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Quality of design	1
4.1	General	1
4.2	Clinical investigation	3
4.3	Risk management	3
4.3.1	Risk analysis and risk management	3
4.3.2	Latex allergy	3
4.3.3	Microbial contamination (bioburden)	4
4.3.4	Nitrosamines	4
5	Quality of manufacture	4
5.1	Quality management	4
5.2	Lot testing (finished product testing)	4
5.3	Rounding-off values	5
6	Quality in procurement	5
7	Quality in testing	6
8	Important parameters to consider when using ISO 4074 and ISO 23409	6
8.1	Application of ISO 4074 and ISO 23409	6
8.2	Dimensions	6
8.3	Visibly open seals	7
8.4	Justification of additional claims	7
8.5	Compatibility of materials	7
8.6	Freedom from holes	8
8.7	Shelf life and resistance to degradation	8
8.8	Packaging and labelling	9
8.9	Type testing	10
8.10	Lubricants	10
9	Sampling	10
Bibliography		11