ISO 20395:2019 (E)

Biotechnology — Requirements for evaluating the performance of quantification methods for nucleic acid target sequences — qPCR and dPCR

Contents

	For	eword	
	Intr	oduction	
1	Sco	Scope	
2	Nor	Normative references	
3	Ter	Terms and definitions	
4	Design of measurement procedure		
	4.1	General	
	4.2	Quantification method	
	4.2.1	General	
	4.2.2	qPCR determination of nucleic acid concentrations using a calibration curve	
	4.2.3	dPCR determination of copy number concentration using molecular counting	
	4.2.4	Relative quantification by qPCR	
	4.2.5	dPCR determination of ratio between two targets	
	4.3 4.4	Normalization strategy Controls	
	4.4	Controls	
5	Sample QC — Total nucleic acid quantity, integrity and purity		
	5.1	General	
	5.2	Total nucleic acid quantification	
	5.2.1	General	
	5.2.2	Spectrophotometry	
	5.2.3	Fluorometry	
	5.2.4	Assessment of total DNA concentration using qPCR/dPCR	
	5.3	Nucleic acid integrity	
	5.4	Nucleic acid purity	
6	Assay design and optimization for quantification of nucleic acid target sequen		
	6.1	Assay design	
	6.1.1	General	
	6.1.2	Amplicon selection	
	6.1.3	Primer and probe design	
	6.1.4	In silico evaluation of specificity	
	6.1.5	RT-qPCR/RT-dPCR design	
	6.2	Assay optimization using purified samples	
	6.2.1	General	
	6.2.2	Optimization of fluorescence signal	
	6.2.3	(RT)-qPCR amplification efficiency	
	6.2.4	RT efficiency	
	6.2.5	Specificity	
	6.3	Method optimization using test samples	
	6.3.1	Effect of PCR inhibitors in sample matrix	
	6.3.2	Presence of nucleic acid contaminants in test sample	
	6.3.3	Validated measurement range	
7	6.4	No template controls	
'	Data quality control (QC) and analysis		
	7.1	General	
	7.2	Acceptance criteria	

	7.2.	1 qPCR
	7.2.	2 dPCR
	7.3	Threshold setting
	7.3.	1 qPCR
	7.3.	2 dPCR
	7.4	Data pre-processing
	7.4.	
	7.4.	·
	7.5	Identification of outliers
8		Nucleic acid quantification measurement method validation
	8.1	General
	8.2	Precision
	8.3	LOQ
	8.4	LOD
	8.5	Linearity
	8.6	Trueness
	8.7	Robustness
	8.8	Specific considerations for qPCR method validation
	8.8.	·
	8.8.	
	8.9	Specific considerations for dPCR method validation
9		Nucleic acid quantification measurement traceability and comparability
	9.1	Metrological traceability
	9.2	Use of reference materials
	9.3	Instrument calibration
10		Measurement uncertainty (MU) in qPCR and dPCR measurements
	10.1	General requirements for MU calculations
	10.1	
	10.2	
	10.3	
	10.4	dPCR measurement uncertainty
11		Reporting
Anne	хА	(informative) Spectrophotometry
	A.1	General
	A.2	Relationship between absorbance and total nucleic acid concentration
	A.3	Absorbance ratios and nucleic acid purity
Anne	хВ	(informative) Nucleic acid integrity
	B.1	General
	B.2	
	B.2.	•
	B.2.	
	B.2.	
	B.3	Techniques for evaluation of RNA integrity
	B.3.	• • • • • • • • • • • • • • • • • • • •
	B.3.	
	B.3.	•
	B.3.	·
	Б.З.	4 KI-qrok assays with different size amplicons
Anne		(informative) PCR efficiency
	C.1	General
	C.2	Experimental design
	C.3	Calculations
Anne	x D	(informative) Measurement uncertainty
	D.1	General
	D.2	Sources of uncertainty for whole process (qPCR)
	D.3	Sources of uncertainty for dPCR
A		-
Anne	ХC	(informative) MIQE and dMIQE checklists

- E.1 General
- E.2
- MIQE checklist dMIQE checklist E.3

Page count: 50