DIN ISO 22343-2:2025-04 (E)

Security and resilience - Vehicle security barriers - Part 2: Application (ISO 22343-2:2023)

Contents

Page

National foreword ... **5**

National Annex NA (informative) **Bibliography** ... **6**

Foreword ... **7**

1 Scope ... **8**

2 Normative references ... **8**

3 Terms and definitions ... **9**

4 Introduction to hostile vehicle mitigation ... **9**
4.1 General ... 9
4.1.1 Vehicle-borne threats ... 9
4.1.2 Mitigation of vehicle-borne threats ... 9
4.2 Selection of a VSB ... 11

5 The threat ... **11**
5.1 Identify and quantify the threat ... 11
5.2 Deployment considerations ... 12
5.2.1 General ... 12
5.2.2 Installation ... 12

6 Assets ... **13**
6.1 Identification of the critical assets ... 13
6.2 Identification of interested parties ... 13
6.3 Consequence evaluation ... 13

7 Site assessment ... **13**
7.1 New locations ... 13
7.2 Review of existing security arrangements ... 14
7.3 Site survey ... 14
7.4 Traffic survey ... 15
7.5 Civil works ... 15
7.5.1 Variations between VSB performance under vehicle impact test conditions and site conditions ... 15
7.5.2 Ground types ... 16
7.5.3 Foundations ... 16
7.5.4 Surface-placed VSB ... 17

8 Site design ... **17**
8.1 Traffic management ... 17
8.2 Aesthetics ... 19

9 VSB performance ... **19**
9.1 Impact performance ... 19
9.2 Vehicle speed ... 19
9.2.1 General ... 19
9.2.2 Vehicle dynamics assessment ... 20
9.2.3 Road layout ... 20
9.2.4 Speed reduction features ... 20
9.3 Impact angle ... 20
9.4 Vehicle penetration distance and major debris distance/coordinates ... 20

9.4.1 Vehicle penetration distance 20
9.4.2 Major debris distance/coordinates 20
9.4.3 Stand-off distance 21
9.5 Operational performance 21
9.5.1 Vehicle access control 21
9.5.2 Speed of legitimate access 22
9.5.3 Power requirement 22
9.5.4 Environmental conditions 22
9.5.5 Design criteria 23
9.6 VSB integrity 23
9.6.1 VSB damage 23
9.6.2 Remote access to automatic access control system 23
9.6.3 Repairs 24
9.6.4 Staff, skills and availability 24
9.7 Design method 25
10 Procurement strategy 25
10.1 General 25
10.2 Availability and maintenance of the VSB 25
10.3 Quality 25
10.4 Cost 25
10.5 Commissioning and handover 26
11 Deployment and removal 27
11.1 Highway/local authority approval 27
11.2 Logistics of deployment 27
11.3 Installation 27
11.4 Lifting and placement 27
11.5 Removal considerations 28
12 Types of VSB 28
12.1 General 28
12.2 Passive VSBs 28
12.3 Active VSBs 28
12.4 Foundation type 29
12.5 Foundations and layout 30
12.6 Examples of VSBs — Bollards 31
12.6.1 General 31
12.6.2 Fixed bollards 31
12.6.3 Active bollards 31
12.7 Examples of VSBs — Road blockers 32
12.8 Examples of VSBs — Rising arm barriers 32
12.8.1 General 32
12.8.2 Layout 33
12.9 Examples of VSBs — Sliding and swing gates 33
12.9.1 General 33
12.9.2 Foundations 33
12.9.3 Layout 33
12.10 Examples of VSBs — Street furniture 34
12.10.1 General 34
12.10.2 Foundations 34
12.11 Examples of VSBs — Manually deployable (portable) 35
13 Vehicle access control points 35
13.1 General 35
13.2 Layout of active VSBs at VACPs 37
13.2.1 General 37
13.2.2 Single line of VSBs 37
13.2.3 Interlocked VSBs 38

13.2.4 Final denial VSB 39
13.2.5 Traffic throughput 40
13.3 Safety issues 41
13.4 Control system 42
14 Training 43
15 Maintenance, service and inspection 43
15.1 General 43
15.2 Adjacent works 44
16 Operational requirements 44
16.1 General 44
16.2 Level 1 OR 44
16.3 Level 2 OR 44
16.4 Level 2 OR proforma 46
Annex A (informative) **Level 2 operational requirement proforma 47**
Annex B (informative) **Design method 63**
Annex C (informative) **Modifications to the VSB 67**
Annex D (informative) **VSB compliance sign off 68**
Bibliography 70