

DIN EN 13480-8:2013-11 (E)

Metallic industrial piping - Part 8: Additional requirements for aluminium and aluminium alloy piping

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | 5 |
| 1 | Scope | 7 |
| 2 | Normative references | 7 |
| 3 | Terms, definitions, symbols and units | 9 |
| 4 | General requirements | 9 |
| 5 | Materials | 9 |
| 5.1 | General | 9 |
| 5.2 | Material grouping system | 9 |
| 5.3 | Elongation after fracture | 10 |
| 5.4 | Chemical composition | 11 |
| 5.5 | Lamellar tearing | 11 |
| 5.6 | Design temperature and properties | 11 |
| 5.7 | Prevention of brittle fracture | 11 |
| 5.8 | Specific requirements for fasteners made of aluminium and aluminium alloys | 12 |
| 5.9 | Lined piping | 12 |
| 5.10 | Clad products | 12 |
| 5.11 | Technical delivery conditions for welding consumables | 12 |
| 6 | Design | 12 |
| 6.1 | General | 12 |
| 6.2 | Time-independent nominal design stress | 12 |
| 6.3 | Straight pipes | 13 |
| 6.4 | Pipe bends and elbows | 13 |
| 6.5 | Mitre bends | 13 |
| 6.6 | Socket welds | 14 |
| 6.7 | Designing with transition joints | 15 |
| 6.7.1 | Design considerations | 15 |
| 6.7.2 | Location of transition joints | 15 |
| 6.7.3 | Requirements for transition joints | 15 |
| 7 | Fabrication and installation | 15 |
| 7.1 | General | 15 |
| 7.2 | Material grouping | 15 |
| 7.3 | Tolerances | 15 |
| 7.3.1 | Welded pipes and connection dimensions of pipe fittings | 15 |
| 7.3.2 | Welded piping construction | 16 |
| 7.4 | Cutting and bevelling | 16 |
| 7.5 | Bending and other forming | 16 |
| 7.5.1 | General | 16 |
| 7.5.2 | Definition of cold- and hot forming | 16 |
| 7.5.3 | Heat treatment after cold forming | 17 |
| 7.5.4 | Heat treatment after hot forming | 18 |
| 7.6 | Welding | 19 |
| 7.6.1 | Welding personnel | 19 |
| 7.6.2 | Welding processes | 19 |
| 7.6.3 | Weld joint preparation | 19 |

| | | |
|--|--|----|
| 7.6.4 | Preheating | 20 |
| 7.6.5 | Backing rings and backing strips | 21 |
| 7.6.6 | Post-weld heat treatment (PWHT) | 21 |
| Issue 2 (2013-08) 8 Inspection and testing | | 21 |
| 8.1 | General | 21 |
| 8.2 | Formed pressure retaining parts | 21 |
| 8.2.1 | General | 21 |
| 8.2.2 | Testing of formed parts | 22 |
| 8.2.3 | Destructive testing of formed and heat treated parts | 22 |
| 8.3 | Welding | 23 |
| 8.4 | Visual and non-destructive testing of welds | 23 |
| 8.4.1 | Application of NDT | 23 |
| 8.4.2 | Circumferential, branch, socket and seal welds | 23 |
| 8.4.3 | Longitudinal welds and spiral welded tubes/pipes | 24 |
| 8.5 | VT and NDT Methods | 24 |
| 8.6 | Production test plates for welded pipes | 25 |
| 9 | Final assessment and documentation | 26 |
| 9.1 | General | 26 |
| 9.2 | Pneumatic pressure test | 27 |
| 9.3 | Documentation for components | 27 |
| Annex A (informative) Dimensional tolerances | | 29 |
| Annex B (normative) Transition joints | | 31 |
| Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 97/23/EC | | 36 |
| Bibliography | | 37 |
| Figures Figure 6.5.1 -- Mitre bend | | 14 |
| Figure 7.6.3.1 -- Socket welds | | 20 |
| Figure A.1 -- Dimensional details of spools | | 30 |
| Tables Table 5.2-1 -- Grouping system based on CEN ISO/TR 15608:2000 and allowable materials of construction based on EN 12392:2000 using the EN AW numbers according to EN 573-3:2009 | | 10 |
| Table 6.2-1 -- Design stresses for aluminium and aluminium alloy material | | 12 |
| Table 6.2-2 -- Allowable design strength values for 6 000 series aluminium alloys in the welded condition (see 5.6) | | 13 |
| Table 6.5-1 -- Special symbols for subclause 6.5 | | 14 |
| Table 7.3-1 -- Tolerances for welded pipes | | 16 |
| Table 7.5-1 -- Heat treatment of flat products after cold forming | | 17 |
| Table 7.5-2 Heat treatment of pipes after cold forming | | 18 |
| Table 7.5-3 Heat treatment after hot forming | | 18 |
| Table 8.2-1 -- Destructive testing of formed and heat treated parts | | 23 |
| Issue 2 (2013-08) Table 8.4-1 -- Extent of testing for circumferential, branch, socket and seal welds | | 24 |

| | |
|---|-----------|
| Table 8.4-2 -- Extent of VT and NDT for longitudinal welds and spiral welded tubes/pipes | 24 |
| Table 8.5-1 -- Techniques, methods, acceptance criteria | 25 |
| Table 8.6-1 -- Production test plates for welded pipes according to 8.6 a) | 26 |
| Table 8.6-2 -- Required tests and acceptance criteria for production test plates | 26 |
| Table 9.2-1 -- Extent of NDT in case of pneumatic pressure test according to 9.2b) | 27 |
| Table A.1 -- Tolerances | 29 |
| Table B.1-1 -- Testing of transition joints (T.J.) | 34 |
| Table ZA.1 -- Correspondence between this European Standard and Directive 97/23/EC | 36 |