

# DIN 6647-2:2020-07 (E)

## Means of packaging - Cylindrical beverage containers - Part 2: Allowable operating pressure up to 0,7 MPa, nominal volume up to 50 l

---

| <b>Contents</b>          |   | <b>Page</b> |
|--------------------------|---|-------------|
| Foreword .....           |   | 3           |
| <b>1</b>                 | <b>Scope .....</b>                      | <b>4</b>    |
| <b>2</b>                 | <b>Normative references .....</b>       | <b>4</b>    |
| <b>3</b>                 | <b>Terms and definitions.....</b>       | <b>4</b>    |
| <b>4</b>                 | <b>Dimensions and designation .....</b> | <b>4</b>    |
| <b>5</b>                 | <b>Material .....</b>                   | <b>6</b>    |
| <b>6</b>                 | <b>Design.....</b>                      | <b>6</b>    |
| <b>6.1</b>               | <b>General .....</b>                    | <b>6</b>    |
| <b>6.2</b>               | <b>Hygiene.....</b>                     | <b>6</b>    |
| <b>7</b>                 | <b>Requirements .....</b>               | <b>6</b>    |
| <b>7.1</b>               | <b>Constancy of volume .....</b>        | <b>6</b>    |
| <b>7.2</b>               | <b>Dimensional stability .....</b>      | <b>7</b>    |
| <b>7.3</b>               | <b>Safety against bursting.....</b>     | <b>7</b>    |
| <b>8</b>                 | <b>Testing .....</b>                    | <b>7</b>    |
| <b>8.1</b>               | <b>General .....</b>                    | <b>7</b>    |
| <b>8.2</b>               | <b>Procedure .....</b>                  | <b>7</b>    |
| <b>8.3</b>               | <b>Constancy of volume .....</b>        | <b>8</b>    |
| <b>8.4</b>               | <b>Dimensional stability.....</b>       | <b>8</b>    |
| <b>8.5</b>               | <b>Pressure test.....</b>               | <b>8</b>    |
| <b>8.6</b>               | <b>Hygiene.....</b>                     | <b>8</b>    |
| <b>9</b>                 | <b>Marking .....</b>                    | <b>8</b>    |
| <b>Bibliography.....</b> |   | <b>9</b>    |