

DIN EN 12952-5:2022-02 (E)

Water-tube boilers and auxiliary installations - Part 5: Workmanship and construction of pressure parts of the boiler

| Contents | | Page |
|-------------------------|---|-------------|
| European foreword | | 8 |
| 1 | Scope | 10 |
| 2 | Normative references | 10 |
| 3 | Terms and definitions | 12 |
| 4 | Symbols and abbreviations | 12 |
| 5 | General | 12 |
| 6 | Pressure part | 13 |
| 6.1 | Drums, headers and similar pressure parts | 13 |
| 6.1.1 | Principles for manufacturing | 13 |
| 6.1.2 | Manufacturing process for header ends | 13 |
| 6.1.3 | Material for header ends | 13 |
| 6.2 | Material identification | 13 |
| 6.3 | Material marking | 13 |
| 6.3.1 | General | 13 |
| 6.3.2 | Responsible personnel | 13 |
| 6.3.3 | Method of marking | 14 |
| 6.3.4 | Marking of non-pressure parts | 14 |
| 6.3.5 | Marking of bolts and nuts | 14 |
| 6.4 | Marking during manufacture | 14 |
| 6.4.1 | Temporary marking | 14 |
| 6.4.2 | Permanent marking | 14 |
| 6.4.3 | Tube bends | 14 |
| 6.4.4 | Location drawings | 14 |
| 7 | Cutting, forming and fabrication tolerances | 15 |
| 7.1 | Cutting material | 15 |
| 7.1.1 | Methods for cutting | 15 |
| 7.1.2 | Post-cutting measures | 15 |
| 7.2 | Forming of drums, headers and ends | 15 |
| 7.2.1 | General | 15 |
| 7.2.2 | Drum and header shells | 15 |
| 7.2.3 | Ends | 16 |
| 7.2.4 | Plates welded prior to hot or cold forming | 16 |
| 7.2.5 | Extruded openings in headers | 16 |
| 7.3 | Forming of tube bends | 16 |
| 7.3.1 | General | 16 |
| 7.3.2 | Tube bending procedure test | 16 |
| 7.3.3 | Requirements for dimensional testing | 16 |
| 7.3.4 | Thinning at the tube bend extrados for tubes of nominal outside diameter 142 mm and below | 17 |
| 7.3.5 | Thickening at the tube bend intrados for tubes of nominal outside diameter above 80 mm and including 142 mm | 18 |
| 7.3.6 | Thinning/thickening at the tube bend extrados/intrados for tubes of nominal outside diameter greater than 142 mm | 18 |
| 7.3.7 | Departure from circularity of the tube bends | 18 |

| | | |
|--------|--|----|
| 7.3.8 | Post bend heat treatment of tube bends | 19 |
| 7.3.9 | Post-bend heat treatment requirements | 20 |
| 7.3.10 | Ripples on the intrados of tube bends | 21 |
| 7.3.11 | The surface of tube bends | 23 |
| 7.3.12 | Gang bending of tube panels | 23 |
| 7.3.13 | Bending of composite materials tubing | 23 |
| 7.3.14 | Manufacturing of tube reducers | 23 |
| 7.4 | Drum and header fabrication tolerances | 24 |
| 7.4.1 | Assembly tolerances for shells and fabricated from plate and end to shells | 24 |
| 7.4.2 | Finished tolerances for shells | 25 |
| 7.4.3 | Finished tolerances for ends | 26 |
| 8 | Welding | 26 |
| 8.1 | Design and other requirements specific to welding | 26 |
| 8.1.1 | General | 26 |
| 8.1.2 | Material selection with regard to welding | 27 |
| 8.1.3 | Indication of the welded seams in the drawings | 27 |
| 8.1.4 | Pre-requisites for welding | 27 |
| 8.1.5 | Oxy-acetylene welding | 27 |
| 8.1.6 | Butt welds in tube bends | 27 |
| 8.1.7 | Minimum distances between adjacent seams | 27 |
| 8.1.8 | Longitudinal butt welds in drum strakes | 28 |
| 8.1.9 | Offset of longitudinal butt welds in the case of several strakes | 28 |
| 8.1.10 | Joints of dissimilar materials | 28 |
| 8.1.11 | Protection from the weather | 28 |
| 8.1.12 | Availability of the welding procedure specification | 28 |
| 8.2 | Welding consumables | 29 |
| 8.3 | Welding procedure qualification | 29 |
| 8.3.1 | General | 29 |
| 8.3.2 | Application of EN ISO 15614-1:2017, Level 2 | 29 |
| 8.4 | Qualification of welders and welding operators | 31 |
| 8.5 | General production requirements for welding | 32 |
| 8.5.1 | Surface condition before welding | 32 |
| 8.5.2 | Assembly of components for welding | 32 |
| 8.5.3 | Temporary attachments | 32 |
| 8.5.4 | Stray arcing | 32 |
| 8.5.5 | Traceability of welders | 32 |
| 8.6 | Repairs to welds | 33 |
| 8.6.1 | General | 33 |
| 8.6.2 | Repair of longitudinal and circumferential butt welds of drums and headers requiring test plates | 33 |
| 8.6.3 | Non-destructive examination | 33 |
| 8.6.4 | Records of weld repairs | 33 |
| 8.7 | Pre-heating | 33 |
| 8.8 | Post-weld heat treatment | 33 |
| 8.9 | Welding subsequent to final post-weld heat treatment | 34 |
| 8.10 | Welded joints, connections and production test plates | 35 |
| 8.10.1 | Longitudinal and circumferential butt welds and test plates in drums and headers 35 | |
| 8.10.2 | Welded header end closures | 37 |
| 8.10.3 | Welded branches, nozzles, stubs and other attachments on drums and headers | 37 |
| 8.10.4 | Pads, reinforcing plates and manhole frames | 38 |
| 8.11 | Attachment of non-pressure parts to drums and headers by welding | 38 |
| 8.12 | Welding of tubes | 39 |
| 8.12.1 | General | 39 |
| 8.12.2 | Continuity of welding | 39 |
| 8.12.3 | Completion of welding | 39 |
| 8.12.4 | Proximity of butt welds in straight tubes | 39 |
| 8.12.5 | Alignment of tube bores | 39 |
| 8.12.6 | Angular alignment of butt welded tubes | 40 |

| | | |
|----------------------------|---|-----------|
| 8.12.7 | Fabricated bends | 40 |
| 8.12.8 | Backing rings | 40 |
| 8.12.9 | Purging of welds | 40 |
| 8.12.10 | Welding of branches, nozzles and stubs to tubes | 40 |
| 8.12.11 | Attachment by welding of non-pressure parts to tubes | 41 |
| 8.13 | Flash butt welding of tubes | 41 |
| 8.14 | Welded tube water walls | 41 |
| 8.15 | Arc stud welding | 41 |
| 9 | Mechanical connections | 41 |
| 9.1 | General | 41 |
| 9.2 | Access openings | 41 |
| 9.2.1 | Types | 41 |
| 9.2.2 | Size | 42 |
| 9.2.3 | Internal doors | 42 |
| 9.2.4 | External doors | 42 |
| 9.3 | Branches and nozzles mechanically connected to the main pressure parts | 43 |
| 9.3.1 | Scope and restrictions | 43 |
| 9.3.2 | Screwed connections | 43 |
| 9.3.3 | Studded connections | 43 |
| 9.4 | Tube connections | 43 |
| 9.4.1 | Expanded connections | 43 |
| 9.4.2 | Tube to tube mechanical connections | 46 |
| 9.4.3 | Connection of non-pressure parts to pressure parts | 46 |
| 10 | Thermal treatment | 46 |
| 10.1 | General | 46 |
| 10.2 | Heating cycles and heat treatment(s) associated with plate forming operations | 46 |
| 10.2.1 | Heating cycles associated with hot forming | 46 |
| 10.2.2 | Heat treatment associated with forming | 47 |
| 10.2.3 | Shells and strakes | 47 |
| 10.2.4 | Ends | 47 |
| 10.2.5 | Production test requirements for formed components | 48 |
| 10.3 | Pre-heating for welding and thermal cutting | 48 |
| 10.3.1 | General | 48 |
| 10.3.2 | Pre-heating for welding | 48 |
| 10.3.3 | Pre-heating for thermal cutting | 49 |
| 10.3.4 | Measurement of pre-heat | 49 |
| 10.4 | Post weld heat treatment | 50 |
| 10.4.1 | General | 50 |
| 10.4.2 | Methods of post weld heat treatment | 55 |
| 10.4.3 | Post-weld heat treatment procedures | 58 |
| 10.5 | Heat treatment of production test plates | 59 |
| Annex A (normative) | Tube bending procedure tests | 60 |
| A.1 | General | 60 |
| A.2 | Hot or cold formed bends in tubes with outside diameter 142 mm | 60 |
| A.2.1 | Types of bending processes | 60 |
| A.2.2 | Post bending heat treatment (PBHT) | 61 |
| A.2.3 | Validity range of tests | 61 |
| A.2.4 | Qualification test requirements | 62 |
| A.2.4.1 | General | 62 |
| A.2.4.2 | Ripples on intrados of the bend | 62 |
| A.2.4.3 | Surface defects | 62 |
| A.2.4.4 | Bend geometry | 63 |
| A.2.4.5 | Hardness test | 63 |
| A.2.4.6 | Mechanical tests | 63 |
| A.2.4.7 | Gang bending of tube panels | 63 |
| A.3 | Cold formed bends in tubes with outside diameter > 142 mm | 63 |
| A.3.1 | Types of bending processes | 63 |
| A.3.2 | Post bending heat treatment | 63 |

| | | |
|--|--|-----------|
| A.3.3 | The validity range of the test | 64 |
| A.3.4 | Qualification test requirements | 64 |
| A.3.4.1 | General | 64 |
| A.3.4.2 | Ripples on intrados of the bend | 64 |
| A.3.4.3 | Surface imperfections | 64 |
| A.3.4.4 | Bend geometry | 64 |
| A.3.4.5 | Hardness test | 64 |
| A.3.4.6 | Mechanical testing | 65 |
| A.4 | Hot formed bends in tubes with outside diameter > 142 mm | 65 |
| A.4.1 | Types of bending processes | 65 |
| A.4.2 | Post bending heat treatment | 65 |
| A.4.3 | The validity range of the test | 65 |
| A.4.4 | Qualification test requirements | 65 |
| A.4.4.1 | General | 65 |
| A.4.4.2 | Ripples on intrados of the bend | 66 |
| A.4.4.3 | Surface imperfections | 66 |
| A.4.4.4 | Bend geometry | 66 |
| A.4.4.5 | Mechanical testing | 66 |
| A.4.4.5.1 | General | 66 |
| A.4.4.5.2 | Metallographic examination | 66 |
| A.4.4.5.3 | Definitive and comparative tests | 66 |
| A.4.4.5.4 | Tensile test in accordance with EN ISO 6892-1:2019 | 67 |
| Annex B (informative) Welded pressure connections and non-pressure containing attachments | | 69 |
| Annex C (normative) Manufacture of welded tubewalls | | 70 |
| C.1 | General | 70 |
| C.2 | Methods of manufacture | 70 |
| C.2.1 | General | 70 |
| C.2.2 | Tubes finned by welding | 70 |
| C.2.3 | Integrally finned tubes | 70 |
| C.2.4 | Other methods | 70 |
| C.3 | Allowable materials | 70 |
| C.3.1 | Tubes | 70 |
| C.3.2 | Fins | 70 |
| C.3.3 | Filler materials | 71 |
| C.4 | Manufacturing processes and controls | 71 |
| C.4.1 | Welding process | 71 |
| C.4.2 | Specific requirements for manufacturers | 71 |
| C.4.2.1 | Surface cleanliness | 71 |
| C.4.2.2 | Fin to tube attachment welds | 71 |
| C.4.2.3 | Welding imperfections in fin to tube welds | 72 |
| C.4.2.4 | Site welding | 72 |
| C.4.3 | Heat treatment | 72 |
| C.4.3.1 | Pre-heating | 72 |
| C.4.3.2 | Post-weld heat treatment | 72 |
| C.5 | Welding procedure approvals | 72 |
| C.6 | Production tests | 72 |
| C.7 | Non-destructive examination (NDE) | 73 |
| Annex D (normative) Coiled boilers and coiled superheaters | | 77 |
| D.1 | General | 77 |
| D.2 | Special requirements | 77 |
| Annex E (normative) Special requirements for chemical recovery boilers | | 78 |
| E.1 | General | 78 |
| E.2 | Special requirements for forming of composite tube bends | 78 |
| E.2.1 | General | 78 |
| E.2.2 | Application of forming rules to composite tubing | 78 |

| | | |
|---|---|-----------|
| E.2.2.1 | Range of tube bending procedure test approval | 78 |
| E.2.2.2 | Additional tests required for composite tubes | 78 |
| E.2.2.2.1 | Ultrasonic testing of a composite tube bend concerning the metallurgical bonding | 78 |
| E.2.2.2.2 | Hardness test | 78 |
| E.3 | Special requirements for manufacture of welded tubewalls from composite tubes | 78 |
| E.3.1 | General | 78 |
| E.3.2 | Fins | 79 |
| E.3.3 | Fin-to-tube attachment welds on composite tubes | 79 |
| E.4 | Material marking | 79 |
| E.5 | Flash butt welding | 79 |
| E.6 | Special requirements of qualification of welding procedures for fusion welding | 79 |
| E.6.1 | General | 79 |
| E.6.2 | Application of EN ISO 15614-1:2017, Level 2 to composite tubes | 79 |
| E.6.2.1 | Range of qualification | 79 |
| E.6.2.2 | Additional tests required | 79 |
| E.6.2.2.1 | Depth of penetration of clad weld | 79 |
| E.6.2.2.2 | Hardness test | 80 |
| E.6.2.2.3 | Bend test | 80 |
| E.6.2.2.4 | Transverse tensile test | 80 |
| E.6.2.2.5 | Microscopic examination | 80 |
| E.7 | Special requirements for welder's qualification for fusion welding of composite tubes | 80 |
| E.7.1 | General | 80 |
| E.7.2 | Application of EN ISO 9606-1:2017 to composite tubes | 80 |
| E.7.2.1 | Range of qualification | 80 |
| E.7.2.2 | Additional tests required - Macroscopic examination | 81 |
| Annex F (informative) Guidelines for the determination of the competency of boiler manufacturers | | 82 |
| F.1 | General | 82 |
| F.2 | Responsibility of the purchaser | 82 |
| F.3 | Responsibility of the manufacturer | 82 |
| F.4 | Requirements concerning the manufacturer's competency | 82 |
| F.5 | Manufacturer's competency declaration | 83 |
| Annex G (informative) Significant technical changes between this document and the previous edition | | 94 |
| Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/68/EU aimed to be covered | | 95 |
| Bibliography | | 96 |