

DIN EN 13480-3:2024-12 (E)

Metallic industrial piping - Part 3: Design and calculation

Contents		Page
European foreword.....		10
1	Scope.....	12
2	Normative references.....	12
3	Terms, definitions, symbols and units	13
3.1	Terms and definitions	13
3.2	Symbols and units.....	13
4	Basic design criteria.....	15
4.1	General.....	15
4.2	Loadings.....	15
4.2.1	General.....	15
4.2.2	Combination of loads	16
4.2.3	Loads for dimensioning	16
4.2.4	Other loads to be taken into account	18
4.2.5	Design conditions.....	19
4.3	Thickness	21
4.4	Tolerances	24
4.5	Joint coefficient.....	24
4.6	Dimensioning of piping components subject to pressure.....	25
5	Design stresses.....	25
5.1	General.....	25
5.2	Time-independent nominal design stress	26
5.2.1	Steels other than austenitic steels	26
5.2.2	Austenitic steels.....	26
5.2.3	Nickel and / or chromium alloy steels.....	27
5.2.4	Steels castings.....	27
5.2.5	Additional requirements for steels with no specific control.....	27
5.3	Time-dependent nominal design stress	28
5.3.1	General.....	28
5.3.2	Steels.....	28
5.3.3	Nickel and/or chromium alloy steels.....	29
6	Design of piping components under internal pressure	29
6.1	Straight pipes.....	29
6.2	Pipe bends and elbows.....	29
6.2.1	General.....	29
6.2.2	Symbols.....	30
6.2.3	Required wall thicknesses	30
6.3	Mitre bends.....	31
6.3.1	General.....	31
6.3.2	Symbols.....	31
6.3.3	Effective radius of mitre bend	32
6.3.4	Multiple mitre bends	32
6.3.5	Single mitre bends	33
6.3.6	Adjacent straight pipe sections of mitre bends.....	33
6.4	Reducers.....	33
6.4.1	Conditions of applicability.....	33

6.4.2	Specific definitions.....	34
6.4.3	Specific symbols and abbreviations.....	34
6.4.4	Conical shells.....	36
6.4.5	Junctions - general.....	36
6.4.6	Junction between the large end of a cone and a cylinder without a knuckle.....	37
6.4.7	Junction between the large end of a cone and a cylinder with a knuckle	39
6.4.8	Junction between the small end of a cone and a cylinder	41
6.4.9	Offset reducers	43
6.4.10	Special forged reducers.....	43
6.5	Flexible piping components.....	44
6.5.1	General	44
6.5.2	Expansion joints.....	44
6.5.3	Corrugated metal hose assemblies	46
6.6	Bolted flange connections	47
6.6.1	General	47
6.6.2	Symbols	47
6.6.3	Standard flange	47
6.6.4	Non-standard flange	48
7	Design of ends under internal pressure.....	48
7.1	Dished ends.....	48
7.1.1	Symbols	48
7.1.2	Hemispherical ends	49
7.1.3	Torispherical ends	50
7.1.4	Ellipsoidal ends	51
7.1.5	Calculation of β	52
7.2	Circular flat ends.....	56
7.2.1	General	56
7.2.2	Symbols	56
7.2.3	Unstayed flat circular ends welded to cylindrical shells/pipes.....	58
7.2.4	Unstayed flat circular bolted ends.....	65
7.2.5	Reinforcements of openings in unstayed flat ends.....	71
8	Openings and branch connections	74
8.1	General	74
8.2	Symbols	74
8.3	Limitations.....	75
8.3.1	Thickness ratio	75
8.3.2	Openings in the vicinity of discontinuities	77
8.3.3	Types of reinforcement	79
8.3.4	Calculation method	79
8.3.5	Elliptical openings and oblique branch connections.....	80
8.3.6	Reinforcing pads	81
8.3.7	Dissimilar material of shell and reinforcements	81
8.3.8	Extruded outlets.....	82
8.3.9	Forged tee.....	82
8.3.10	Branches in bends or elbows.....	83
8.3.11	Screwed-in branches	83
8.4	Isolated openings.....	84
8.4.1	General	84
8.4.2	Unreinforced openings.....	87
8.4.3	Reinforced openings with $d_i/D_i < 0,8$	87
8.4.4	Reinforced single openings with $0,8 < d_i/D_i \leq 1,0$	93
8.5	Adjacent openings	93

8.5.1	Unreinforced openings.....	93
8.5.2	Reinforced openings with $d_i/D_i \leq 0,8$	93
8.6	Design of special piping components.....	94
8.6.1	Cylindrical Y-pieces	94
8.6.2	Spherical Y-pieces	95
8.6.3	Triform reinforced branches	96
9	Design of piping components under external pressure.....	97
9.1	General.....	97
9.1.1	External calculation pressure.....	97
9.1.2	Exception from verification against external pressure.....	98
9.1.3	General acceptance criteria.....	98
9.2	Symbols and elastic stress limits.....	99
9.2.1	Symbols.....	99
9.2.2	Stress limits.....	101
9.3	Cylindrical pipes, elbows and mitre bends.....	102
9.3.1	Determination of lengths	102
9.3.2	Interstiffener collapse	104
9.3.3	Overall collapse of stiffened pipes	105
9.3.4	Stiffener stability.....	106
9.3.5	Heating/cooling channels	109
9.4	Reducers (conical shells)	110
9.5	Dished ends	112
9.5.1	Hemispherical ends.....	112
9.5.2	Torispherical ends.....	113
9.5.3	Ellipsoidal ends.....	113
10	Design for cyclic loading.....	113
10.1	General.....	113
10.2	Exemption from detailed fatigue analysis	113
10.3	Fatigue design for cyclic pressure.....	114
10.3.1	Equivalent full load cycles.....	114
10.3.2	Simplified fatigue analysis.....	114
10.4	Fatigue design for thermal gradients.....	129
10.4.1	General.....	129
10.4.2	Design guidance.....	129
10.5	Fatigue design for combined loads	129
11	Integral attachments.....	130
11.1	General.....	130
11.2	Allowable stresses	130
11.3	Symbols.....	131
11.4	Hollow circular attachments.....	133
11.4.1	Limitations.....	133
11.4.2	Preliminary calculations	133
11.4.3	Analysis of attachments welded to pipe with a full penetration weld.....	135
11.4.4	Analysis of attachments welded to pipe with fillet or partial penetration weld	136
11.5	Rectangular attachments	136
11.5.1	Limitations.....	136
11.5.2	Preliminary calculations	136
11.5.3	Analysis of attachments welded to pipe with a full penetration weld.....	138
11.5.4	Analysis of attachments welded to pipe with fillet or partial penetration weld	139
11.6	Stress analysis of the run pipe.....	139
11.7	Shear stress analysis in attachment.....	141
11.7.1	Hollow circular attachments.....	141

11.7.2	Rectangular attachments.....	141
11.8	Alternative calculation methods.....	141
12	Flexibility analysis and acceptance criteria.....	142
12.1	Basic conditions.....	142
12.1.1	General.....	142
12.1.2	Loading conditions.....	142
12.1.3	Allowable stresses.....	142
12.2	Piping flexibility.....	144
12.2.1	General.....	144
12.2.2	Basic conditions.....	144
12.2.3	Displacement strains.....	144
12.2.4	Displacement stresses.....	145
12.2.5	Stress range.....	146
12.2.6	Cold pull.....	146
12.2.7	Properties for flexibility analysis.....	146
12.2.8	Supporting conditions.....	147
12.2.9	Expansion joints.....	148
12.2.10	Flexibility analysis.....	149
12.3	Flexibility analysis.....	151
12.3.1	General.....	151
12.3.2	Stress due to sustained loads.....	152
12.3.3	Stress due to sustained and occasional or exceptional loads.....	153
12.3.4	Stress range due to thermal expansion and alternating loads.....	155
12.3.5	Additional conditions for the creep range.....	157
12.3.6	Stresses due to a single non-repeated support movement.....	157
12.3.7	Determination of resultant moments.....	158
12.3.8	Reactions.....	160
12.4	Fatigue analysis.....	160
12.5	Vibration.....	160
13	Pipe Supports.....	161
13.1	General requirements.....	161
13.1.1	General.....	161
13.1.2	Classification of supports.....	162
13.1.3	Additional definitions.....	162
13.1.4	Boundaries.....	164
13.1.5	Pipe supports welded to the pipe.....	166
13.2	Selection of pipe supports.....	167
13.2.1	General.....	167
13.2.2	Detail design of pipe supports.....	168
13.2.3	Support location.....	169
13.3	Constant hangers/base mounted (pedestal) constant supports.....	169
13.3.1	General.....	169
13.3.2	Load deviation from calibrated load.....	169
13.3.3	Site adjustment of the calibrated load.....	169
13.3.4	Travel reserve (Overtravel).....	169
13.3.5	Blocking.....	169
13.3.6	Identification Marking/Name plate.....	169
13.4	Variable load spring hangers and base mounted (pedestal) variable load spring supports.....	170
13.4.1	General.....	170
13.4.2	Tolerance on spring rate.....	171
13.4.3	Travel reserve (Overtravel).....	171

13.4.4	Blocking	171
13.4.5	Name plate	171
13.5	Rigid struts	171
13.6	Shock arrestors, shock absorber (snubber)	172
13.7	Sliding supports	172
13.8	Anchors	173
13.9	Documentation of supports	173
13.10	Marking of supports	173
13.11	Design and manufacture of pipe supports	173
13.11.1	Material requirements	173
13.11.2	Design temperatures for support components	173
13.11.3	Design details	175
13.11.4	Determination of component sizes	175
13.11.5	Welded connections	177
13.11.6	Bolted connections	179
13.11.7	Additional requirements on springs	182
13.11.8	Design details for rigid struts	182
13.11.9	Design details for shock arrestors, shock absorbers (snubbers)	182
13.11.10	Clamps for shock arrestors, rigid struts	183
13.11.11	Alternative rules for design and manufacture of pipe supports	184
Annex A (informative) Dynamic effect		185
A.1	General	185
A.1.1	Introduction	185
A.1.2	Vibration design guidelines	185
A.2	Analysis by calculation	191
A.2.1	General	191
A.2.2	Seismic events	192
A.2.3	Rapid valve closure	197
A.2.4	Flow induced vibration	200
A.2.5	Safety valve discharge	203
A.2.6	Allowable stresses	205
A.2.7	Structural vibration properties	205
A.3	Alternative means of design verification	207
A.3.1	Comparative studies	207
A.3.2	Full scale testing	208
A.3.3	Reduced scale testing	208
A.4	Validation (measuring)	208
Annex B (normative) More accurate calculation of bends and elbows		209
B.1	General	209
B.2	Symbols and units	209
B.3	Required wall thickness	210
B.4	Calculation	211
B.4.1	Calculation of wall thickness	211
B.4.2	Stress calculation	213
Annex C (informative) Expansion joints		217
C.1	Incorporation of expansion joints into piping systems	217
C.1.1	General	217
C.1.2	Types of expansion joints	218
C.1.3	Design of expansion joints	218
C.1.4	Designing with expansion joints	219
C.1.5	Analyses and calculation	221
C.1.6	Cold pull	221

C.2	Maximum spacing for unrestrained axially compensated straight runs	222
C.2.1	General	222
C.2.2	Calculation rules	222
C.2.3	Maximum spacing for specified conditions.....	223
C.3	Indication for the design of expansion joints	224
C.3.1	General	224
C.3.2	Information for the system analyst.....	224
Annex D	(normative) Flanges.....	225
D.1	Purpose	225
D.2	Specific terms and definitions.....	225
D.3	Specific symbols and abbreviations.....	226
D.4	General	227
D.4.1	Introduction.....	227
D.4.2	Use of standard flanges without calculation.....	227
D.4.3	Bolting.....	228
D.4.4	Flange construction	230
D.4.5	Machining	230
D.4.6	Gaskets	230
D.5	Narrow face gasketed flanges	231
D.5.1	General	231
D.5.2	Bolt loads and areas.....	233
D.5.3	Flange moments	234
D.5.4	Flange stresses and stress limits.....	234
D.5.5	Narrow face flanges subject to external pressure	240
D.5.6	Lap joints	240
D.5.7	Split ring flanges	243
D.6	Full face flanges with soft ring type gaskets	244
D.6.1	Specific symbols and abbreviations.....	245
D.6.2	Bolt loads and areas.....	245
D.6.3	Flange design.....	246
D.6.4	Full face flanges subject to external pressure.....	247
D.7	Seal welded flanges.....	247
D.8	Reverse narrow face flanges.....	248
D.8.1	Internal pressure.....	248
D.8.2	External pressure	250
D.9	Reverse full face flanges.....	250
D.9.1	General	250
D.9.2	Design following method of D.5.....	250
D.9.3	Design following method of D.6.....	252
D.10	Full face flanges with metal to metal contact	254
D.10.1	General	254
D.10.2	Specific symbols and abbreviations.....	254
D.10.3	Design	255
Annex E	(normative) Design of branch connections in piping accessories	257
E.1	Scope	257
E.1.1	General	257
E.2	Reinforcement	259
E.2.1	Angles and areas	259
E.2.2	The following condition shall be satisfied:.....	259
E.3	Flexibility analysis.....	260
Annex F	(informative) Testing during operation in the case of cyclic loading.....	262
F.1	Testing during operation	262

F.2	Measures to be taken when the calculated fatigue life has been reached.....	262
Annex G	(informative) Physical properties of steels.....	263
G.1	General.....	263
G.2	Physical properties.....	263
G.2.1	Density.....	263
G.2.2	Differential coefficient of linear expansion.....	264
G.2.3	Specific thermal capacity.....	264
G.2.4	Thermal diffusivity.....	264
G.2.5	Poisson's ratio.....	264
G.3	Physical properties of steels.....	264
G.4	Material properties of carbon steel (structural steel) at elevated temperatures.....	270
Annex H	(normative) Flexibility characteristics, flexibility and stress intensification factors and section moduli of piping components and geometrical discontinuities.....	271
Annex I	(informative) Production testing of spring supports and shock arrestors (shock absorbers).....	281
I.1	Constant load supports.....	281
I.2	Variable spring supports.....	281
I.3	Shock arrestors.....	281
Annex J	(normative) Type testing of support components.....	286
Annex K	(informative) Attachment of supports to structures.....	287
K.1	Attachment of supports to concrete structures.....	287
K.2	Attachment to metallic structures.....	288
K.2.1	Standard bolts.....	288
K.2.2	Friction grip bolts.....	288
K.2.3	Welding.....	288
Annex L	(informative) Buckling of linear type supports.....	289
L.1	General.....	289
L.2	Symbols.....	289
L.3	Basic equations.....	289
L.4	Allowable compressive stress.....	290
L.5	Buckling length.....	290
Annex M	(informative) Design guidance for structural components.....	293
M.1	Linear type components subjected to bending.....	293
M.1.1	General.....	293
M.1.2	Supplementary verifications for linear type supports.....	293
M.2	Stability of plate type supports.....	295
M.3	Anchorage plates or equivalent anchorage components.....	295
M.3.1	General.....	295
M.3.2	Design of simple anchorage plates.....	295
M.3.3	Fixing plates with stiffening gussets.....	295
M.3.4	Load calculations for anchorages fixed in concrete.....	296
Annex N	(normative) Documentation of supports.....	297
Annex O	(normative) Alternative method for checking branch connections.....	300
O.1	Scope.....	300
O.2	Symbols.....	300
O.3	Design and checking of the branch connection.....	302
O.3.1	Limit value for the load due to pressure only for straight pipes without opening.....	302
O.3.2	Determination of the minimum thicknesses under loading due to pressure only.....	302

0.3.3	Checking of the thicknesses selected for the combination of pressure loading and loadings due to external loads	303
Annex P	(informative) Recommended gaskets for industrial piping	354
Annex Q	(informative) Simplified pipe stress analysis	356
Q.1	General	356
Q.2	Simplified procedure.....	356
Q.2.1	General	356
Q.2.2	Specification of allowable spacing of supports.....	356
Q.2.3	Check of elasticity	356
Q.3	Explanatory notes for Table Q.1	358
Q.4	Symbols	360
Q.5	Indices f_L	360
Q.6	Explanatory notes to Q.2.2	361
Q.6.1	Specification of allowable spacing of supports.....	361
Q.7	Conversion of the allowable lengths.....	362
Q.7.1	Other support conditions.....	362
Q.7.2	Other parameters	362
Q.8	Additional single loads	363
Q.8.1	General	363
Q.9	Explanatory note on Figure Q.2	366
Q.9.1	General	366
Q.9.2	Required pipe leg length L_1 , for f_1 from the nomogram.....	368
Q.9.3	Required pipe leg length L_2 , for f_2 from the nomogram.....	368
Annex R	(informative) Surveillance of components operating in the creep range	373
R.1	General	373
R.2	Recording of operating data	373
R.3	Calculation of the creep exhaustion or the theoretical residual lifetime.....	373
R.4	Assessment of the cumulated creep.....	375
R.5	Review and repair of cracks	375
R.6	Creep and fatigue	375
R.7	Measures when reaching certain degrees of exhaustion	375
Annex Y	(informative) History of EN 13480-3.....	376
Y.1	Differences between EN 13480-3:2017 and EN 13480-3:2024.....	376
Annex ZA	(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/68/EU aimed to be covered.....	379
Bibliography	381