

DIN EN 14879-2:2007-02 (E)

Organic coating systems and linings for protection of industrial apparatus and plants against corrosion caused by aggressive media - Part 2: Coatings on metallic components

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms and definitions | 7 |
| 4 | General | 8 |
| 4.1 | Selection criteria | 8 |
| 4.1.1 | General | 8 |
| 4.1.2 | Exposing media | 8 |
| 4.1.3 | Type and frequency of fluid loading | 11 |
| 4.1.4 | Thermal loading | 11 |
| 4.1.5 | Changes in temperature | 11 |
| 4.1.6 | Mechanical loading | 12 |
| 4.1.7 | Climatic influences | 12 |
| 4.1.8 | Additional requirements | 12 |
| 4.2 | Load profile | 12 |
| 4.3 | Requirements | 12 |
| 4.3.1 | Components | 12 |
| 4.3.2 | Coating materials | 12 |
| 4.3.3 | Coating system | 13 |
| 4.3.4 | Coated components | 14 |
| 5 | Coating systems | 14 |
| 5.1 | Laminate coating systems | 14 |
| 5.1.1 | Coating system design | 14 |
| 5.1.2 | Description of layers | 15 |
| 5.1.3 | General requirements | 15 |
| 5.1.4 | Coating process | 17 |
| 5.1.5 | Requirements for the coating system | 19 |
| 5.2 | Trowelled coating systems | 20 |
| 5.2.1 | Coating system design | 20 |
| 5.2.2 | Description of layers | 21 |
| 5.2.3 | General requirements | 21 |
| 5.2.4 | Coating process | 22 |
| 5.2.5 | Requirements for the coating system | 24 |
| 5.3 | Sprayed coating | 26 |
| 5.3.1 | Coating system design | 26 |
| 5.3.2 | Description of layers | 26 |
| 5.3.3 | General requirements | 27 |
| 5.3.4 | Application | 28 |
| 5.3.5 | Requirements for the coating system | 29 |
| 5.4 | Powder coating | 31 |
| 5.4.1 | Coating system design | 31 |
| 5.4.2 | Description of layers | 32 |
| 5.4.3 | Component design and surface condition | 33 |
| 5.4.4 | Coating materials | 33 |

| | | |
|-----------------------|--|----|
| 5.4.5 | Ambient conditions | 34 |
| 5.4.6 | Surface preparation | 34 |
| 5.4.7 | Application | 34 |
| 5.4.8 | Requirements for the coating system | 34 |
| 5.5 | Protection of existent coatings | 36 |
| 5.5.1 | General | 36 |
| 5.5.2 | Packaging and handling | 36 |
| 5.5.3 | Storage | 37 |
| 5.5.4 | Assembly | 37 |
| 5.5.5 | Repair | 37 |
| 6 | Designation | 38 |
| 6.1 | Laminate coating | 38 |
| 6.2 | Trowelled coating | 38 |
| 6.3 | Sprayed coating | 39 |
| 6.4 | Powder coating | 39 |
| 7 | Testing | 39 |
| 7.1 | General | 39 |
| 7.2 | Suitability testing | 39 |
| 7.3 | Receiving inspection of coating material | 40 |
| 7.3.1 | General | 40 |
| 7.3.2 | Container marking | 40 |
| 7.3.3 | Viscosity or flow time | 40 |
| 7.3.4 | Density | 40 |
| 7.3.5 | Colour | 40 |
| 7.3.6 | Non-volatile matter content | 40 |
| 7.3.7 | Gel time | 40 |
| 7.3.8 | Binders | 40 |
| 7.4 | Testing of coating systems during application | 40 |
| 7.4.1 | General | 40 |
| 7.4.2 | Suitability of component for coating | 40 |
| 7.4.3 | Ambient conditions | 41 |
| 7.4.4 | Application method | 41 |
| 7.4.5 | Thickness of coating layers | 41 |
| 7.5 | Acceptance testing | 41 |
| 7.5.1 | General | 41 |
| 7.5.2 | Acceptance testing of coated component | 41 |
| 7.5.3 | Acceptance testing of specimens | 41 |
| 7.6 | Routine testing | 42 |
| 7.7 | Inspection report | 42 |
| 8 | Suitability verification and tests | 42 |
| 8.1 | Requirements | 42 |
| 8.1.1 | General | 42 |
| 8.1.2 | Laboratory testing | 43 |
| 8.1.3 | In-service testing (field tests) | 45 |
| 8.1.4 | Testing on reference objects | 45 |
| 8.2 | Tests | 45 |
| 8.2.1 | Sample bodies | 45 |
| 8.2.2 | Fluid load, resistance and tightness | 45 |
| 8.2.3 | Thermal loading | 47 |
| 8.2.4 | Temperature change loading | 47 |
| 8.2.5 | Adhesion strength | 47 |
| 8.2.6 | Ageing behaviour | 47 |
| 8.2.7 | Dissipation capability | 48 |
| Annex A (informative) | Specimen form | 49 |
| Annex B (informative) | Information to be given by the coating material manufacturer | 50 |
| Annex C (informative) | Information to be given by the coating manufacturer | 51 |

| | |
|---|-----------|
| Annex D (informative) Resistance of resins to various chemicals at ambient temperature | 52 |
| Annex E (normative) Testing the dissipation capability | 53 |
| E.1 General | 53 |
| E.1.1 Dissipation resistance | 53 |
| E.1.2 Ground dissipating resistance | 53 |
| E.2 Testing the dissipation resistance of test samples | 53 |
| E.2.1 Instruments | 53 |
| E.2.2 Test procedure | 53 |
| E.2.3 Test report | 53 |
| E.3 Measuring the ground dissipation resistance on the laid surface protection system | 54 |
| E.3.1 Instruments | 54 |
| E.3.2 Preparation | 54 |
| E.3.3 Test procedure | 54 |
| E.3.4 Test report | 55 |
| Annex F (normative) Test fluid groups for verification of suitability for material/media combinations | 56 |
| Annex G (informative) Selection criteria for surface protection systems | 58 |
| G.1 Load profiles and suitable protection for gutters, trenches, pipes etc | 58 |
| G.2 Load profiles and suitable protection for containers | 59 |
| Annex H (informative) Sample form for acceptance inspection report | 60 |
| A-Deviation: National deviation due to regulations, the alteration of which is for the time being outside the competence of the CEN/CENELEC member | 61 |
| Bibliography | 62 |