

DIN EN ISO 16638-1:2020-07 (E)

Radiological protection - Monitoring and internal dosimetry for specific materials - Part 1: Inhalation of uranium compounds (ISO 16638-1:2015)

| Contents | Page |
|--|-------------|
| European foreword | 4 |
| Foreword | 5 |
| Introduction | 6 |
| 1 Scope | 7 |
| 2 Normative references | 8 |
| 3 Terms and definitions | 8 |
| 4 Symbols and abbreviated terms | 12 |
| 4.1 Symbols..... | 12 |
| 4.2 Abbreviated terms..... | 13 |
| 5 Purpose and need for monitoring programmes | 13 |
| 6 General aspects | 16 |
| 6.1 Radiological aspects..... | 16 |
| 6.2 Chemical toxicity..... | 17 |
| 7 Reference levels for uranium | 18 |
| 7.1 Radiological aspects..... | 18 |
| 7.2 Chemical toxicity..... | 21 |
| 7.2.1 General..... | 21 |
| 7.2.2 Exposure limits..... | 21 |
| 7.3 Application of reference levels..... | 22 |
| 8 Routine monitoring programmes | 22 |
| 8.1 General..... | 22 |
| 8.2 Workplace monitoring..... | 22 |
| 8.3 Individual monitoring..... | 23 |
| 8.3.1 General..... | 23 |
| 8.3.2 Dosimetric and radiation..... | 23 |
| 8.3.3 Chemical hazard..... | 24 |
| 8.4 Methods and monitoring intervals..... | 24 |
| 8.4.1 General..... | 24 |
| 8.4.2 Time intervals for toxicological risk..... | 24 |
| 8.4.3 Time intervals for radiotoxicological risk..... | 24 |
| 8.4.4 Principles and assumptions..... | 25 |
| 9 Special monitoring programmes | 26 |
| 9.1 Workplace monitoring..... | 26 |
| 9.2 Individual monitoring..... | 26 |
| 9.2.1 Recommended monitoring for toxicological risk..... | 26 |
| 9.2.2 Recommended monitoring and period for radiotoxicological risk..... | 26 |
| 10 Task-related monitoring programmes | 27 |
| 10.1 Workplace monitoring..... | 27 |
| 10.2 Individual monitoring..... | 27 |

| | | |
|-----------|---|-----------|
| 11 | Performance criteria for laboratories | 28 |
| 11.1 | General..... | 28 |
| 11.2 | Critical values..... | 28 |
| 11.3 | Reference values..... | 29 |
| 11.4 | Performance criteria for workplace monitoring | 29 |
| 12 | Quality assurance and quality control for bioassay laboratories | 30 |
| 13 | Procedure for the assessment of exposures | 30 |
| 13.1 | General..... | 30 |
| 13.2 | Assessment of workplace monitoring data..... | 31 |
| 13.3 | Assessment of individual monitoring data..... | 31 |
| 13.4 | Properties of a software tool..... | 31 |
| 13.5 | Uncertainties | 32 |
| 13.6 | Quality assurance of the assessment process | 33 |
| 14 | Reporting and documentation | 33 |
| 14.1 | Reporting results for <i>in vitro</i> measurements..... | 33 |
| 14.2 | Reporting results for <i>in vivo</i> measurements..... | 34 |
| 14.3 | Documentation of the dose assessment..... | 34 |
| | Annex A (informative) Nuclear data of U-238 and U-235 decay | 36 |
| | Annex B (informative) Default classification of uranium compounds | 37 |
| | Annex C (informative) Measurement techniques for uranium | 38 |
| | Annex D (informative) Committed effective dose per unit intake for uranium compounds | 42 |
| | Annex E (informative) Estimation of uncertainties for internal dose assessments | 43 |
| | Bibliography | 47 |