

DIN EN ISO 19238:2020-05 (E)

Radiological protection - Performance criteria for service laboratories performing biological dosimetry by cytogenetics (ISO 19238:2014)

Contents		Page
European foreword.....		4
Foreword.....		5
Introduction.....		6
1	Scope	7
2	Terms and definitions	7
3	Dicentric assay	9
4	Responsibility of the customer	9
5	Responsibility of the service laboratory	10
	5.1 Setup and sustainment of the QA program.....	10
	5.2 Responsibility during service.....	10
6	Confidentiality of personal information	11
	6.1 Overview.....	11
	6.2 Applications of the principle of confidentiality.....	11
7	Laboratory safety requirements	12
	7.1 Overview.....	12
	7.2 Microbiological safety requirements.....	12
	7.3 Chemical safety.....	12
	7.4 Optical safety requirements.....	14
	7.5 Safety plan.....	14
8	Calibration curve(s)	15
	8.1 Culturing.....	15
	8.2 Calibration source(s).....	16
	8.3 Establishment of calibration curve(s).....	16
	8.4 Minimum resolvable dose measurement.....	17
9	Scoring unstable chromosome aberrations	17
	9.1 Procedure for scoring first-division metaphases.....	17
	9.2 Criteria for scoring.....	17
10	Criteria for converting a measured aberration frequency into an estimate of absorbed dose	18
	10.1 Overview.....	18
	10.2 Comparison with controls.....	18
	10.3 Testing the distribution of aberrations per cell.....	18
	10.4 Determination of estimated whole-body dose and confidence limits.....	18
	10.5 Acute and non-acute exposure cases.....	19
	10.6 Partial-body and prior-exposure cases.....	19
11	Reporting of results	21
	11.1 General.....	21
	11.2 Content of the report (see Annex C for a standard form).....	21
	11.3 Interpretation of the results.....	22
12	Quality assurance and quality control	22
	12.1 Overview.....	22
	12.2 Specific requirements.....	23

Annex A (informative) Sample instructions for customer	25
Annex B (informative) Sample questionnaire	26
Annex C (informative) Sample of report	28
Annex D (informative) Fitting of the low-LET dose-response curve by the method of maximum likelihood and calculating the error of dose estimate	29
Annex E (informative) Odds ratio method for cases of suspected exposure to a low dose	32
Annex F (informative) Sample data sheet for recording aberrations	33
Bibliography	34