ISO 16638-2:2019-11 (E)

Radiological prote ction - Monitoring and internal dosimetry for specific materials - Part 2: Inges tion of uranium compounds

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 2

3 Terms and definitions 2

4 Symbols and abbreviated terms 4
4.1 Symbols 4
4.2 Abbreviated terms 5

5 Purpose and need for monitoring programmes 5

6 General aspects 7

7 Special monitoring programmes 8

8 Task-related monitoring programmes for individual monitoring 8

9 Reference values as performance criteria for laboratories 8

10 Quality assurance and quality control for bioassay laboratories 9

11 Procedure for the assessment of exposures 10
11.1 Assessment of individual monitoring data 10
11.2 Properties of a software tool 10
11.3 Uncertainties 11
11.4 Quality assurance of the assessment process 11

12 Reporting and documentation 12
12.1 Reporting results for in vitro measurements 12
12.2 Documentation of the dose assessment 12

Annex A (informative) Nuclear data of U-238 and U-235 decay 14

Annex B (informative) Default classification of uranium compounds 15

Annex C (informative) Measurement techniques for uranium in case of ingestion 16

Annex D (informative) Excretion rates for ingestion of uranium compounds 19

Annex E (informative) Committed effective dose per unit intake after ingestion of uranium compounds 21

Annex F (informative) Estimation of uncertainties for internal dose assessments after ingestion 22

Bibliography 25