DIN 6847-2:2021-06 (E)

Medical electron accelerators - Part 2: Structural requirements for radiation protection and requirements for testing of approval conditions for operation

Contents

Page

Foreword 5

1 Scope 7

2 Normative references 7

3 Terms and definitions and indices 7
3.1 Terms and definitions 8
3.2 Indices 10

4 Dose and dose rate information 11

5 Maximum values for the dose behind the shielding 11

6 Room requirements 11

7 Specifications of the manufacturer and of the radiation protection responsible person 12
7.1 Specifications of the manufacturer 12
7.2 Specifications of the radiation protection responsible person 13

8 Operational data 14
8.1 Radiation energy 14
8.2 Dose rate 14
8.3 Working load WA 14
8.4 Direction factor 15
8.5 Occupation factor 16
8.6 Interaction of factors U and T 16

9 Maximum permissible area dose 17

10 Rating of radioprotective shielding 17
10.1 General 17
10.2 General calculation scheme 18
10.3 Shielding against bremsstrahlung in the useful radiation direction 19
10.4 Shielding against electron useful radiation 20
10.5 Shielding against leakage radiation 21
10.6 Shielding against secondary bremsstrahlung 25
10.7 Shielding at the access to the irradiation room 28
10.7.1 Shielding at the radiation protection labyrinth 28
10.7.2 Shielding at the gate of an irradiation room without a radiation protection labyrinth 29
10.8 Shielding against neutron radiation 30
10.9 Shielding the radiation protection labyrinth 35
10.10 Interaction of several radiation sources and components 37
10.11 Structural radiation protection measures against radioactive material created by nuclear photoprocesses 38

11 Constructional radiation protection drawing 38
11.1 Specifications of the constructor 38
11.2 Safekeeping of the radiation protection drawing 39

12 Check for compliance with radiation protection rules 39

12.1 General ... 39
12.2 Check of requirements placed on the rooms in accordance with 6 c) to 6 i) ... 39
12.3 Check of the structural shielding ... 39
12.3.1 General ... 39
12.3.2 Requirements on the measuring equipment ... 39
12.3.3 Checking the requirements for the structural shielding ... 40
12.3.4 Evaluation of measured results ... 41

13 Test of ventilation system ... 41

Annex A (informative) Tables for the attenuation curves in Figure 3, Figure 4 and Figure 5 ... 42

Annex B (informative) Calculation example ... 45

Bibliography ... 52

Index of defined terms ... 53

Figures Figure 1 -- Example of the distance an for useful radiation ... 19

Figure 2 -- Example of the distance an for leakage radiation ... 22

Figure 3 -- Product of the thickness at tenth maximum zX and density for bremsstrahlung, leakage radiation, X-ray radiation share in the radiation field of the electron radiation, and bremsstrahlung in the useful radiation direction generated by electrons outside the radiation head, for the materials specified in the key ... 23

Figure 4 -- Product of the thickness at tenth maximum zX and density for bremsstrahlung, leakage radiation, X-ray radiation share in the radiation field of the electron radiation, and bremsstrahlung in the useful radiation direction generated by electrons outside the radiation head, for the materials specified in the key ... 24

Figure 5 -- Factor kXE for calculation of shielding against bremsstrahlung in useful radiation direction generated outside of the radiation head ... 25

Figure 6 -- Example of the distance aXs for secondary bremsstrahlung ... 27

Figure 7 -- Example of the distance aXt and surface AXt for tertiary bremsstrahlung ... 29

Figure 8-- Example of the distance aNn for direct neutron radiation ... 31

Figure 9 -- Example of distance aNs for scattered neutron radiation ... 33

Figure 10 -- Labyrinth length and width (schematic) ... 34

Figure B.1 -- Floor plan view for the rating of radioprotective shielding in electron accelerator installations (calculation example) ... 46

Tables Table 1-- Maximum permissible area dose HW ... 17

Table 2 -- Product of thickness at tenth maximum zXs or zXt and density for secondary or tertiary bremsstrahlung ... 26

Table 3 -- Thicknesses at tenth maximum zNn and zNs for neutron radiation ... 33

Table 4 -- Parameters for rating radioprotective shielding according to 10.2 to 10.9 ... 35

Table 5 -- Reinforcing shielding against the interaction of several radiation components ... 38

Table A.1 -- Product of the thickness at tenth maximum zX and density for bremsstrahlung, leakage radiation, X-ray radiation share in the radiation field of the electron radiation, and bremsstrahlung in the useful radiation direction generated by electrons outside the radiation head, for the materials listed (see Figure 3) ... 42

Table A.2 -- Product of the thickness at tenth maximum zX and density for bremsstrahlung, leakage radiation, X-ray radiation share in the radiation field of the electron radiation, and bremsstrahlung in the useful radiation direction generated by electrons outside the radiation head, for the materials listed (see Figure 4) 43

Table A.3 -- Factor kXE for calculation of shielding against bremsstrahlung in useful radiation direction generated outside of the radiation head (see Figure 5) 44

Table B.1 -- Radiation conditions according to specifications of the radiation protection responsible person for the calculation example to rate the radioprotective shielding according to Figure B.1 47

Table B.2 -- Operating data according to specifications of the manufacturer for the calculation example to rate the radioprotective shielding according to Figure B.1 48

Table B.3 -- Calculation data to rate the radioprotective shielding for the various radiation components and occupied areas in the calculation example according to Figure B.1 49